



Usage Guideline

CBPRPlus- camt.052.001.08_BankToCustomer- AccountReport

CBPRPlus SR2025 (Combined)

This document describes a usage guideline restricting the base message **MX camt.052.001.08**. You can also consult [this information online](#).

Published by Cross Border Payments and Reporting Plus (CBPR+) and generated by [MyStandards](#).

13 December 2024

Table of Contents

Message Functionality	3
1 Restriction summary	5
2 Structure	10
3 ISO 20022 Rules	13
4 Message Building Blocks	14
5 Message Components	24
6 Message Datatypes	498
Legal Notices	587

Message Functionality

This Usage Guideline is based on the camt.052.001.08 message definition. In addition, Cross Border Payments and Reporting Plus (CBPR+) has defined usage of BusinessApplicationHeaderV02 as mandatory. The following section will be dealing with the camt.052.001.08 only.

Overview

Principles:

1A. AGENTS IDENTIFICATION - Textual Rules for CBPR plus transactions:

-> If BICFI is present, then (Name & Postal Address) is NOT allowed (ClearingSystemMemberIdentification and LEI may complement) - However, in case of conflicting information, the BICFI will always take precedence.

-> If BICFI is absent, (Name & Postal Address) OR [(Name & Postal Address) and ClearingSystemMemberIdentification] must be present.

Exception: If BICFI is absent, whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

1B. DEBTOR/CREDITOR - PARTY IDENTIFICATION -Textual Rules for CBPR plus transactions:

-> If AnyBIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

-> If Name is present, it is recommended to use Postal Address.

2. CBPR+ camt.052 covers both the Bank to Bank and the Bank to Customer legs

3. CBPR+ camt.052 covers all payment instruments needs, not credit transfers or Direct Debits only - Therefore less restrictions are applied to elements compared to the Payments Instructions Usage guidelines (eg, pacs.008)

4. CBPR+ camt.052 is aligned with CGI whenever possible (i.e. CGI camt.052 usage guidelines are built on version 2 of global Standard and cover the Payment Instructions only).

5. The character sets are restricted to those applied for the pacs.008/pacs.009 messages, that is:

All proprietary and Text fields EXCLUDING Name and Address for all actors and Related Remittance Information and Remittance are limited to the FIN-X-Character set.

All Name and Address for all actors, Related Remittance Information and Remittance Information (structured and unstructured), Email Address where included as part of a proxy element are extended to support the following additional characters:

```
!#$%&*^_ '{|}~";<>@[\\]
```

< is replaced with <

> is replaced with >

6. The number of occurrences of Report and Entries must be bilaterally agreed.

7. CBPR_Agent_PointToPointOnSWIFT:

If the transaction is exchanged on the SWIFT network (ie if the instructing agent/ sender and instruted agent/receiver of the message are on SWIFT), then BICFI is mandatory and other elements are optional, eg LEI

Collection Description

This is the Cross-Border Payments and Reporting Collection, which forms part of Standards Release November 2025.

It contains the 31 Usage Guidelines that will be live on the network as of November 2025, including 2 new messages (admi.024 - Notification of Correspondence and camt.025 - Receipt).

Outline

The CBPRPlus SR2025 (Combined) / CBPRPlus-camt.052.001.08_BankToCustomerAccountReport message is composed of 3 building blocks

a. GroupHeader

Common information for the message.

b. Report

Reports on a cash account.

c. SupplementaryData

Additional information that cannot be captured in the structured elements and/or any other specific block.









Restriction Type	See page
	211, 211, 211, 211, 211, 212, 212, 212, 212, 212, 212, 212, 212, 212, 212, 212, 212, 213, 213, 213, 213, 213, 213, 213, 213, 213, 213, 214, 214, 214, 214, 214, 214, 214, 214, 214, 214, 214, 214, 214, 215, 215, 215, 215, 215, 215, 215, 215, 215, 215, 215, 215, 216, 216, 216, 216, 216, 216, 216, 216, 216, 216, 216, 216, 217, 217, 217, 217, 217, 217, 217, 217, 217, 217, 217, 217, 218, 218, 218, 218, 218, 219, 219, 220, 220, 220, 220, 221, 221, 221, 221, 223, 223, 223, 223, 223, 223, 224, 224, 224, 224, 224, 224, 225, 225, 225, 225, 225, 225, 225, 225, 225, 225, 225, 225, 226, 226, 227, 227, 229, 229, 229, 229, 229, 229, 229, 229, 229, 229, 229, 229, 230, 230, 230, 230, 230, 230, 231, 231, 231, 231, 231, 231, 232, 232, 232, 232, 233, 233, 235, 236, 241, 241, 242, 242, 242, 243, 243, 244, 244, 253, 253, 253, 253, 253, 253, 253, 253, 253, 253, 254, 254, 254, 255, 256, 256, 257, 258, 258, 271, 271, 274, 274, 274, 274, 274, 275, 275, 275, 275, 277, 280, 283, 287, 287, 291, 298, 298, 299, 299, 299, 299, 299, 299, 299, 299, 299, 299, 300, 300, 303, 303, 304, 304, 307, 307, 307, 307, 308, 308, 308, 308, 308, 309, 314, 314, 314, 314, 314, 314, 314, 314, 314, 315, 315, 315, 315, 315, 315, 315, 315, 315, 315, 315, 315, 315, 316, 316, 316, 316, 316, 316, 316, 316, 316, 316, 316, 316, 316, 317, 317, 317, 317, 317, 317, 317, 317, 317, 317, 317, 317, 317, 318, 318, 318, 318, 318, 318, 318, 318, 318, 318, 319, 319, 319, 319, 319, 319, 319, 319, 319, 319, 319, 319, 319, 320, 320, 320, 320, 320, 320, 320, 320, 320, 320, 320, 320, 320, 321, 321, 321, 321, 321, 321, 321, 321, 321, 321, 321, 321, 321, 322, 322, 322, 322, 322, 322, 322, 322, 322, 322, 322, 322, 322, 323, 323, 323, 323, 323, 323, 323, 323, 323, 323, 323, 324, 324, 324, 324, 324, 324, 324, 324, 324, 324, 324, 324, 324, 325, 325, 325, 325, 325, 325, 325, 325, 325, 325, 325, 325, 325, 326, 326, 326, 326, 326, 326, 326, 326, 326, 326, 326, 326, 326, 327, 327, 327, 327, 327, 327, 327, 327, 327, 327, 327, 327, 328, 328, 328, 328, 328, 328, 328, 328, 328, 328, 328, 329, 329, 329, 329, 329, 329, 329, 329, 329, 329, 329, 329, 329, 330, 330, 330, 330, 330, 330, 330, 330, 330, 330, 330, 330, 330, 331, 331, 331, 331, 331, 331, 331, 331, 331, 331, 331, 331, 331, 332, 332, 332, 332, 332, 332, 332, 332, 332, 332, 333, 333, 333, 333, 333, 333, 333, 333, 333, 333, 333, 333, 333, 334, 334, 334, 334, 334, 334, 334, 334, 334, 334, 334, 334, 334, 335, 335, 335, 335,

Restriction Type	See page
	374, 374, 374, 374, 374, 374, 379, 379, 379, 379, 379, 379, 380, 380, 380, 380, 380, 380, 380, 380, 380, 380, 380, 380, 380, 381, 381, 381, 381, 381, 381, 381, 381, 381, 381, 381, 381, 381, 382, 382, 382, 382, 382, 382, 382, 382, 382, 382, 382, 382, 382, 383, 383, 383, 383, 383, 383, 383, 383, 383, 383, 383, 383, 383, 385, 385, 385, 386, 386, 386, 387, 387, 387, 387, 388, 388, 388, 389, 391, 391, 392, 393, 393, 394, 394, 394, 394, 395, 395, 395, 395, 396, 397, 398, 399, 399, 400, 400, 401, 401, 401, 401, 401, 401, 402, 402, 402, 402, 402, 402, 403, 405, 405, 405, 406, 408, 413, 414, 415, 417, 419, 424, 425, 425, 426, 427, 429, 429, 430, 430, 431, 431, 431, 436, 441, 441, 441, 442, 442, 442, 443, 443, 443, 443, 444, 444, 446, 446, 447, 449, 450, 450, 452, 452, 452, 453, 453, 454, 454, 454, 455, 455, 455, 455, 456, 456, 457, 459, 459, 459, 460, 460, 460, 461, 462, 462, 463, 463, 463, 464, 465, 466, 472, 472, 479, 480, 481, 481, 491, 492, 492, 492, 493, 494, 494, 494, 495, 495, 495, 496, 496
Extensions	n.a.
Synonyms	n.a.

2 Structure

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	<i>BusinessApplicationHeaderV02</i>	<AppHdr>		[1..1]		
	CharacterSet	<CharSet>		[0..1]	⚠	14
	From	<Fr>		[1..1]	⚠	14
	OrganisationIdentification	<OrgId>	{Or	[1..1]	⊘	266
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		267
	To	<To>		[1..1]	⚠	15
	OrganisationIdentification	<OrgId>	{Or	[1..1]	⊘	266
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		267
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]	⚠	16
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]	⚠	16
	BusinessService	<BizSvc>		[0..1]	M ⚠	17
	MarketPractice	<MktPrctc>		[0..1]	⚠	17
	Registry	<Regy>		[1..1]		236
	Identification	<Id>		[1..1]		237
	CreationDate	<CreDt>		[1..1]	⚠	18
	BusinessProcessingDate	<BizPrctgDt>		[0..1]	⊘	18
	CopyDuplicate	<CpyDplct>		[0..1]		19
	PossibleDuplicate	<PssblDplct>		[0..1]		19
	Priority	<Prty>		[0..1]	⚠	19
	Signature	<Sgntr>		[0..1]	⊘ ⚠	20
	Related	<Rltd>		[0..*]	⚠ R[0..1]	20
	CharacterSet	<CharSet>		[0..1]	⚠	73
	From	<Fr>		[1..1]	⚠	73
	To	<To>		[1..1]	⚠	74
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]	⚠	75
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]	⚠	75
	BusinessService	<BizSvc>		[0..1]	⚠	76
	CreationDate	<CreDt>		[1..1]	⚠	76

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CopyDuplicate	<CpyDplct>		[0..1]		76
	PossibleDuplicate	<PssblDplct>		[0..1]		77
	Priority	<Prty>		[0..1]		77
	Signature	<Sgntr>		[0..1]	 	77
	<i>BankToCustomerAccountReportV08</i>	<BkToCstmrAcctRpt>		[1..1]		
	GroupHeader	<GrpHdr>		[1..1]		21
	MessageIdentification	<Msgld>		[1..1]		233
	CreationDateTime	<CreDtTm>		[1..1]		233
	MessageRecipient	<MsgRcpt>		[0..1]		234
	MessagePagination	<MsgPgntn>		[0..1]		234
	OriginalBusinessQuery	<OrgnlBizQry>		[0..1]		235
	AdditionalInformation	<AddtlInf>		[0..1]		235
	Report	<Rpt>		[1..*]	R[1..1]	22
	Identification	<Id>		[1..1]		27
	ReportPagination	<RptPgntn>		[0..1]		28
	ElectronicSequenceNumber	<ElctrcSeqNb>		[0..1]		28
	ReportingSequence	<RptgSeq>		[0..1]		29
	LegalSequenceNumber	<LglSeqNb>		[0..1]		29
	CreationDateTime	<CreDtTm>		[0..1]		29
	FromToDate	<FrToDt>		[0..1]		30
	CopyDuplicateIndicator	<CpyDplctInd>		[0..1]		30
	ReportingSource	<RptgSrc>		[0..1]		30
	Account	<Acct>		[1..1]		31
	RelatedAccount	<RltdAcct>		[0..1]		31
	Interest	<Intrst>		[0..*]		32
	Balance	<Bal>		[0..*]		32
	TransactionsSummary	<TxSummy>		[0..1]		33
	Entry	<Ntry>		[0..*]		33
	AdditionalReportInformation	<AddtlRptInf>		[0..1]		34
	SupplementaryData	<SplmtryData>		[0..*]		22
	PlaceAndName	<PlcAndNm>		[0..1]		436

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Envelope	<Envlp>		[1..1]		436

3 ISO 20022 Rules

R1 **RelatedPresentWhenCopyDupl** ✓

Related MUST contain the relevant BusinessMessageHeader elements of the BusinessMessage to which this BusinessMessage relates.

If CopyDuplicate is present, then Related MUST be present.

Error handling:

- *Error severity:* Warning
- *Error Code:* H00001
- *Error Text:* Element Related is missing

R4 **MessageOrReportPaginationRule** ✓

MessagePagination may be present or ReportPagination may be present, but not both.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00261
- *Error Text:* Pagination may only be present at message or report level.

R5 **SupplementaryDataRule**

The SupplementaryData building block at message level must not be used to provide additional information about a transaction. The SupplementaryData element at transaction level should be used for that purpose.

Error handling: Undefined

Usage Guideline restrictions for this element

- **This rule(camt.052.001.08/SupplementaryDataRule) is removed.**

4 Message Building Blocks

Note The following chapter identifies the building blocks of the CBPRPlus SR2025 (Combined) / CBPRPlus-camt.052.001.08_BankToCustomerAccountReport message definition.

Usage Guideline on Root Node

- on camt.052.001.08/fullmessage

- **CBPR_Copy_Duplicate_FormalRule:**

If Copy Duplicate indicator is used in the Business Application Header, it must be identical to the Copy Duplicate indicator in the business document (if the latter is present).

For each [Full Message], if
 at least one occurrence of the following element(s) [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] and [Full Message/Document/BankToCustomerAccountReportV08/Report/CopyDuplicateIndicator] is (are) present
 , then
 every occurrence of [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] must have the same value than every occurrence of [Full Message/Document/BankToCustomerAccountReportV08/Report/CopyDuplicateIndicator]

4.1 Header Building Blocks

Note The following chapter identifies the building blocks of the BusinessApplicationHeaderV02 definition.

4.1.1 CharacterSet

XML Tag: CharSet

Presence: [0..1]

Definition: Contains the character set of the text-based elements used in the Business Message.

Datatype: ["UnicodeChartsCode" on page 577](#)

Usage Guideline details

- on camt.052.001.08/.header/CharacterSet

- **CBPR_Character_Set_Usage_TextualRule:**

For further description on the usage of the field, pls refer to the CBPR Plus UHB.

4.1.2 From

XML Tag: Fr

Presence: [1..1]

Definition: The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

The **Fr** block contains the following elements (see datatype "Party44Choice 1" on page 266 for details)

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	🚫	266
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		267

Usage Guideline details

- on camt.052.001.08/.header/From

Comment:
Usage Rule:

1. When exchanged on SWIFT, "From" must contain either a BIC8 or a BIC11
2. Additional Information may be used optionally
3. If there is an inconsistency, the BIC will take precedence.

4.1.3 To

XML Tag: To

Presence: [1..1]

Definition: The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

The **To** block contains the following elements (see datatype "Party44Choice 1" on page 266 for details)

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	🚫	266
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		267

Usage Guideline details

- **on camt.052.001.08/.header/To**

Comment:

Usage Rule:

1. When exchanged on SWIFT, "To" must contain either a BIC8 or a BIC11
2. Additional Information may be used optionally
3. If there is an inconsistency, the BIC will take precedence.

4.1.4 BusinessMessageIdentifier

XML Tag: BizMsgIdr*Presence:* [1..1]*Definition:* Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.*Datatype:* "Max35Text" on page 557**Usage Guideline details**

- **on camt.052.001.08/.header/BusinessMessageIdentifier**

- **CBPR_Business_Message_Identifier_TextualRule:**

The Business Message Identifier is the unique identifier of the Business Message instance that is being transported with this header, as defined by the sending application or system.

Must contain the Message Identification element from the Group Header of the underlying message, where available (as is typically the case with pacs, pain, and camt messages, for example). If Message Identification is not available in the underlying message, then this field must contain the unique identifier of the Business Message instance.

- **on camt.052.001.08/.header/BusinessMessageIdentifier**

Comment:

The field must be populated with the Message identification (present at the level of the group header).

4.1.5 MessageDefinitionIdentifier

XML Tag: MsgDefIdr*Presence:* [1..1]*Definition:* Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

Datatype: "Max35Text" on page 557

Usage Guideline details

- **on `camt.052.001.08/header/MessageDefinitionIdentifier`**
 - **CBPR_Message_Definition_Identifier_TextualRule:**

The Message Definition Identifier of the Business Message instance that is being transported with this header. In general, it must be formatted exactly as it appears in the namespace of the Business Message instance.

4.1.6 BusinessService

XML Tag: BizSvc

Presence: [0..1]

Definition: Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

Datatype: ["UsagelIdentifierPatternText" on page 583](#)

Usage Guideline details

- **on `camt.052.001.08/header/BusinessService`**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on `camt.052.001.08/header/BusinessService`**

Type changed to: [UsagelIdentifierPatternText on page 583](#)

- **on `camt.052.001.08/header/BusinessService`**

- **CBPR_Business_Service_TextualRule:**

This field may be used by SWIFT to support differentiated processing on SWIFT-administered services such as FINplus. For a description of reserved values, please refer to the Service Description for your service.

To support differentiated processing on CBPRPlus, for example, SWIFT reserves a set of values that conform to a specific format. A user-specific value may be used, but please contact your Service Administrator before doing so to ensure alignment with general practice on your service.

- **on `camt.052.001.08/header/BusinessService`**

- **CBPR_Business_Service_Usage_TextualRule:**

The value "swift.cbprplus.03" must be used.

4.1.7 MarketPractice

XML Tag: MktPrctc

Presence: [0..1]

Definition: Specifies the market practice to which the message conforms. The market practices are a set of rules agreed between parties that restricts the usage of the messages in order to achieve better STP (Straight Through Processing) rates.

A market practice specification may also extend the underlying message specification by using extensions or supplementary data of this underlying message.

The **MktPrctc** block contains the following elements (see datatype "[ImplementationSpecification1](#)" on [page 236](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Registry	<Regy>		[1..1]		236
	Identification	<Id>		[1..1]		237

Usage Guideline details

- **on [camt.052.001.08/header/MarketPractice](#)**

- **CBPR_Market_Practice_TextualRule:**

This field may be used by SWIFT on SWIFT-administered services. For a description of reserved values, please refer to the Service Description for your service. Contact your Service Administrator for further clarification, if necessary.

A user-specific value may be used, but please contact your Service Administrator before doing so to ensure alignment with general practice on your service.

4.1.8 CreationDate

XML Tag: CreDt

Presence: [1..1]

Definition: Date and time when this Business Message (header) was created.

Datatype: "[CBPR_DateTime](#)" on [page 508](#)

Usage Guideline details

- **on [camt.052.001.08/header/CreationDate](#)**

Type changed to: [CBPR_DateTime](#) on [page 508](#)

4.1.9 BusinessProcessingDate

XML Tag: BizPrctgDt

Presence: [0..1]

Definition: Processing date and time indicated by the sender for the receiver of the business message. This date may be different from the date and time provided in the CreationDate.

Usage: Market practice or bilateral agreement should specify how this element should be used.

Datatype: ["ISODatetime" on page 553](#)

Usage Guideline details

- **This element([camt.052.001.08/header/BusinessProcessingDate](#)) is removed.**

4.1.10 CopyDuplicate

XML Tag: CpyDplct

Presence: [0..1]

Definition: Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

Datatype: ["CopyDuplicate1Code" on page 525](#)

4.1.11 PossibleDuplicate

XML Tag: PssblDplct

Presence: [0..1]

Definition: Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level re-transmission.

Datatype: ["YesNoIndicator" on page 585](#)

4.1.12 Priority

XML Tag: Prty

Presence: [0..1]

Definition: Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

Datatype: ["Priority2Code" on page 571](#)

Usage Guideline details

- on **camt.052.001.08/.header/Priority**
Type changed to: [Priority2Code](#) on page 571

4.1.13 Signature

XML Tag: Sgntr

Presence: [0..1]

Definition: Contains the digital signature of the Business Entity authorised to sign this Business Message.

Usage Guideline details

- This element(**camt.052.001.08/.header/Signature**) is removed.
- on **camt.052.001.08/.header/Signature**
Comment:
Note for CBPR+: This information is available at the level of the SWIFTNet Header.

4.1.14 Related

XML Tag: Rltd

Presence: [0..*]

Definition: Specifies the Business Application Header(s) of the Business Message(s) to which this Business Message relates.

Can be used when replying to a query; can also be used when canceling or amending.

The **Rltd** block contains the following elements (see datatype "[BusinessApplicationHeader5_1](#)" on page 72 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below - M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CharacterSet	<CharSet>		[0..1]	⚠	73
	From	<Fr>		[1..1]	⚠	73
	To	<To>		[1..1]	⚠	74
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]	⚠	75
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]	⚠	75
	BusinessService	<BizSvc>		[0..1]	⚠	76
	CreationDate	<CreDt>		[1..1]	⚠	76

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CopyDuplicate	<CpyDplct>		[0..1]		76
	PossibleDuplicate	<PssblDplct>		[0..1]		77
	Priority	<Prty>		[0..1]		77
	Signature	<Sgntr>		[0..1]		77

Usage Guideline details

- on **camt.052.001.08/.header/Related**
This element has change repeatability, the maximum occurrence has been changed to : 1
- on **camt.052.001.08/.header/Related**
 - **CBPR_Related_Business_Application_Header_TextualRule:**
 If used, the Related BAH must transport the exact same information as in the BAH of the related message.

4.2 Payload Building Blocks

Note The following chapter identifies the building blocks of the CBPRPlus SR2025 (Combined) / CBPRPlus-camt.052.001.08_BankToCustomerAccountReport payload definition.

4.2.1 GroupHeader

XML Tag: GrpHdr

Presence: [1..1]

Definition: Common information for the message.

The **GrpHdr** block contains the following elements (see datatype "GroupHeader81 1" on page 233 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[1..1]		233
	CreationDateTime	<CreDtTm>		[1..1]		233
	MessageRecipient	<MsgRcpt>		[0..1]		234
	MessagePagination	<MsgPgntn>		[0..1]		234
	OriginalBusinessQuery	<OrgnlBizQry>		[0..1]		235
	AdditionalInformation	<AddtlInf>		[0..1]		235

4.2.2 Report

XML Tag: Rpt

Presence: [1..*]

Definition: Reports on a cash account.

The **Rpt** block contains the following elements (see datatype "AccountReport25_1" on page 27 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	27
	ReportPagination	<RptPgntn>		[0..1]	M	28
	ElectronicSequenceNumber	<ElctrcSeqNb>		[0..1]	⚠	28
	ReportingSequence	<RptgSeq>		[0..1]		29
	LegalSequenceNumber	<LglSeqNb>		[0..1]		29
	CreationDateTime	<CreDtTm>		[0..1]	⚠	29
	FromToDate	<FrToDt>		[0..1]		30
	CopyDuplicateIndicator	<CpyDplctInd>		[0..1]	⚠	30
	ReportingSource	<RptgSrc>		[0..1]		30
	Account	<Acct>		[1..1]		31
	RelatedAccount	<RltdAcct>		[0..1]		31
	Interest	<Intrst>		[0..*]		32
	Balance	<Bal>		[0..*]	⚠	32
	TransactionsSummary	<Txsumry>		[0..1]		33
	Entry	<Ntry>		[0..*]		33
	AdditionalReportInformation	<AddtlRptInf>		[0..1]	⚠	34

Usage Guideline details

- on camt.052.001.08/Report

This element has change repeatability, the maximum occurrence has been changed to : 1

4.2.3 SupplementaryData

XML Tag: SplmtryData

Presence: [0..*]

Definition: Additional information that cannot be captured in the structured elements and/or any other specific block.

The **SplmtryData** block contains the following elements (see datatype "[SupplementaryData1](#)" on [page 436](#) for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		436
	Envelope	<Envlp>		[1..1]		436

Usage Guideline details

- This element([camt.052.001.08/SupplementaryData](#)) is removed.

5 Message Components

Note The following chapter identifies the message components.

5.1 AccountIdentification4Choice__1

Definition: Specifies the unique identification of an account as assigned by the account servicer.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		24
	Other	<Othr>	Or}	[1..1]		24

Used in element(s)

["Identification" on page 95](#), ["Identification" on page 92](#)

5.1.1 IBAN

XML Tag: IBAN

Presence: [1..1]

Definition: International Bank Account Number (IBAN) - identifier used internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)" version 1997-10-01, or later revisions.

Datatype: ["IBAN2007Identifier" on page 551](#)

5.1.2 Other

XML Tag: Othr

Presence: [1..1]

Definition: Unique identification of an account, as assigned by the account servicer, using an identification scheme.

The **Othr** block contains the following elements (see datatype ["GenericAccountIdentification1__1" on page 198](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	198
	SchemeName	<SchmeNm>		[0..1]		199
	Issuer	<Issr>		[0..1]	⚠	199

5.2 AccountInterest4__1

Definition: Provides further details on the interest that applies to the account at a particular moment in time.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		25
	Rate	<Rate>		[0..*]		25
	FromToDate	<FrToDt>		[0..1]		26
	Reason	<Rsn>		[0..1]	⚠	26
	Tax	<Tax>		[0..1]		26

Used in element(s)

"Interest" on page 32

5.2.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of interest.

The **Tp** block contains the following elements (see datatype "InterestType1Choice 1" on page 241 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		241
	Proprietary	<Prtry>	Or}	[1..1]	⚠	242

5.2.2 Rate

XML Tag: Rate

Presence: [0..*]

Definition: Set of elements used to qualify the interest rate.

The **Rate** block contains the following elements (see datatype "Rate4 1" on page 403 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		404
	ValidityRange	<VldtyRg>		[0..1]		404







5.2.3 FromToDate



XML Tag: FrToDt

Presence: [0..1]

Definition: Range of time between a start date and an end date for the calculation of the interest.

The **FrToDt** block contains the following elements (see datatype "DateTimePeriod1" on page 150 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDateTime	<FrDtTm>		[1..1]		151
	ToDateTime	<ToDtTm>		[1..1]		151

5.2.4 Reason

XML Tag: Rsn

Presence: [0..1]

Definition: Specifies the reason for the interest.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on **camt.052.001.08/Report/Interest/Reason**
Type changed to: CBPR_RestrictedFINXMax35Text on page 512







5.2.5 Tax


XML Tag: Tax

Presence: [0..1]

Definition: Provides details on the tax applied to charges.







The **Tax** block contains the following elements (see datatype "TaxCharges2" on page 443 for details)








 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		443
	Rate	<Rate>		[0..1]		444
	Amount	<Amt>		[0..1]		444

5.3 AccountReport25__1

Definition: Provides further details of the account report.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		27
	ReportPagination	<RptPgntn>		[0..1]		28
	ElectronicSequenceNumber	<ElctrcSeqNb>		[0..1]		28
	ReportingSequence	<RptgSeq>		[0..1]		29
	LegalSequenceNumber	<LglSeqNb>		[0..1]		29
	CreationDateTime	<CreDtTm>		[0..1]		29
	FromToDate	<FrToDt>		[0..1]		30
	CopyDuplicateIndicator	<CpyDplctInd>		[0..1]		30
	ReportingSource	<RptgSrc>		[0..1]		30
	Account	<Acct>		[1..1]		31
	RelatedAccount	<RltdAcct>		[0..1]		31
	Interest	<Intrst>		[0..*]		32
	Balance	<Bal>		[0..*]		32
	TransactionsSummary	<TxsSummry>		[0..1]		33
	Entry	<Ntry>		[0..*]		33
	AdditionalReportInformation	<AddtlRptInf>		[0..1]		34

Used in element(s)

["Report" on page 22](#)

5.3.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique identification, as assigned by the account servicer, to unambiguously identify the account report.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Identification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.3.2 ReportPagination

XML Tag: RptPgntn

Presence: [0..1]

Definition: Provides details on the page number of the report.

Usage: The pagination of the report is only allowed when agreed between the parties.

The **RptPgntn** block contains the following elements (see datatype ["Pagination1" on page 259](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PageNumber	<PgNb>		[1..1]		259
	LastPageIndicator	<LastPgInd>		[1..1]		259

Usage Guideline details

- on [camt.052.001.08/Report/ReportPagination](#)
This element is now mandatory, the minimum occurrence has been changed to : 1

5.3.3 ElectronicSequenceNumber

XML Tag: ElctrcSeqNb

Presence: [0..1]

Definition: Sequential number of the report, as assigned by the account servicer.

Usage: The sequential number is increased incrementally for each report sent electronically.

Datatype: ["Number" on page 560](#)

Usage Guideline details

- on [camt.052.001.08/Report/ElectronicSequenceNumber](#)
– [CBPR_Electronic_Sequence_Number_TextualRule:](#)

For intra-day report: sequential number of the report, assigned by the account servicer. It is increased incrementally by 1 for each report sent electronically.
 Note: it is recommended that it is not reset less than a period of a day.
 Note: Some banks may not reset and will continue incrementally. This process is Bilaterally Determined.

5.3.4 ReportingSequence

XML Tag: RptgSeq

Presence: [0..1]

Definition: Specifies the range of identification sequence numbers, as provided in the request.

The **RptgSeq** block contains the following elements (see datatype "SequenceRange1Choice 1" on page 429 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromSequence	<FrSeq>	{Or	[1..1]		429
	ToSequence	<ToSeq>	Or	[1..1]		430
	FromToSequence	<FrToSeq>	Or	[1..*]		430
	EqualSequence	<EQSeq>	Or	[1..*]		430
	NotEqualSequence	<NEQSeq>	Or}	[1..*]		430

5.3.5 LegalSequenceNumber

XML Tag: LglSeqNb

Presence: [0..1]

Definition: Legal sequential number of the report, as assigned by the account servicer. It is increased incrementally for each report sent.

Datatype: "Number" on page 560

5.3.6 CreationDateTime

XML Tag: CreDtTm

Presence: [0..1]

Definition: Date and time at which the report was created.

Datatype: "CBPR_DateTime" on page 508

Usage Guideline details

- on camt.052.001.08/Report/CreationDateTime

Type changed to: [CBPR DateTime on page 508](#)

5.3.7 FromToDate

XML Tag: FrToDt

Presence: [0..1]

Definition: Range of time between a start date and an end date for which the account report is issued.

The **FrToDt** block contains the following elements (see datatype "[DateTimePeriod1_1](#)" on page 150 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDateTime	<FrDtTm>		[1..1]	⚠	151
	ToDateTime	<ToDtTm>		[1..1]	⚠	151

5.3.8 CopyDuplicateIndicator

XML Tag: CpyDplctInd

Presence: [0..1]

Definition: Indicates whether the document is a copy, a duplicate, or a duplicate of a copy.

Datatype: "[CopyDuplicate1Code](#)" on page 525

Usage Guideline details

- on [camt.052.001.08/Report/CopyDuplicateIndicator](#)

- **CBPR_Copy_Duplicate_Indicator_TextualRule:**

If Applicable, for Copy or Duplicate, the electronic sequence and legal sequence must be the same as the original report.

5.3.9 ReportingSource

XML Tag: RptgSrc

Presence: [0..1]

Definition: Specifies the application used to generate the reporting.

The **RptgSrc** block contains the following elements (see datatype "[ReportingSource1Choice_1](#)" on page 424 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		424
	Proprietary	<Prtry>	Or}	[1..1]	⚠	424

5.3.10 Account

XML Tag: Acct

Presence: [1..1]

Definition: Unambiguous identification of the account to which credit and debit entries are made.

The **Acct** block contains the following elements (see datatype "CashAccount39_1" on page 94 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below - M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		95
	Type	<Tp>		[0..1]		95
	Currency	<Ccy>		[0..1]	M	95
	Name	<Nm>		[0..1]	⚠	96
	Proxy	<Prxy>		[0..1]		96
	Owner	<Ownr>		[0..1]	⚠	96
	Servicer	<Svcr>		[0..1]		97

5.3.11 RelatedAccount

XML Tag: RltdAcct

Presence: [0..1]

Definition: Identifies the parent account of the account for which the report has been issued.

The **RltdAcct** block contains the following elements (see datatype "CashAccount38_1" on page 92 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below - M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		92
	Type	<Tp>		[0..1]		93
	Currency	<Ccy>		[0..1]	M	93
	Name	<Nm>		[0..1]	⚠	93

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proxy	<Prxy>		[0..1]		94

5.3.12 Interest

XML Tag: Intrst

Presence: [0..*]

Definition: Provides general interest information that applies to the account at a particular moment in time.

The **Intrst** block contains the following elements (see datatype "AccountInterest4_1" on page 25 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		25
	Rate	<Rate>		[0..*]		25
	FromToDate	<FrToDt>		[0..1]		26
	Reason	<Rsn>		[0..1]	⚠	26
	Tax	<Tax>		[0..1]		26

5.3.13 Balance

XML Tag: Bal

Presence: [0..*]

Definition: Set of elements used to define the balance as a numerical representation of the net increases and decreases in an account at a specific point in time.

The **Bal** block contains the following elements (see datatype "CashBalance8_1" on page 100 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		101
	CreditLine	<CdtLine>		[0..*]		101
	Amount	<Amt>		[1..1]		102
	CreditDebitIndicator	<CdtDbtInd>		[1..1]		102
	Date	<Dt>		[1..1]		102
	Availability	<Avlby>		[0..*]		102

Usage Guideline details

- **on camt.052.001.08/Report/Balance**

- **CBPR_Intraday_Balance_Recommendation_TextualRule:**

As increased local regulations are requesting that intraday balance positioning be provided by the account servicing institutions and not be calculated by the account owner, every camt.052 message which include Entry <Ntry> items, Intraday Booked (ITBD) and IntraDay Available (ITAV) balances should be sent.

5.3.14 TransactionsSummary

XML Tag: TxSummary

Presence: [0..1]

Definition: Provides summary information on entries.

The **TxsSummary** block contains the following elements (see datatype "TotalTransactions6_1" on page 466 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below - M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TotalEntries	<TtlNtries>		[0..1]		467
	TotalCreditEntries	<TtlCdtNtries>		[0..1]		467
	TotalDebitEntries	<TtlDbtNtries>		[0..1]		467
	TotalEntriesPerBankTransaction-Code	<TtlNtriesPerBkTxCd>		[0..*]		468

5.3.15 Entry

XML Tag: Ntry

Presence: [0..*]

Definition: Specifies an entry in the report.

Usage: At least one reference must be provided to identify the entry and its underlying transaction(s).

Usage Rule: In case of a Payments R-transaction the creditor / debtor referenced of the original payment initiation messages is also used for reporting of the R-transaction. The original debtor/creditor in the reporting of R-Transactions is not inverted.

Following elements all defined in the TransactionDetails in RelatedParties or RelatedAgents are impacted by this usage rule:

Creditor, UltimateCreditor, CreditorAccount, CreditorAgent, Debtor, UltimateDebtor, DebtorAccount and DebtorAgent.

The **Ntry** block contains the following elements (see datatype "ReportEntry10_1" on page 416 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	EntryReference	<NtryRef>		[0..1]		417
	Amount	<Amt>		[1..1]		417
	CreditDebitIndicator	<CdtDbtInd>		[1..1]		417
	ReversalIndicator	<RvslInd>		[0..1]		417
	Status	<Sts>		[1..1]		418
	BookingDate	<BookgDt>		[0..1]		418
	ValueDate	<ValDt>		[0..1]		419
	AccountServicerReference	<AcctSvcrRef>		[0..1]		419
	Availability	<Avlby>		[0..*]		419
	BankTransactionCode	<BkTxCd>		[1..1]		420
	CommissionWaiverIndicator	<ComssnWvrlInd>		[0..1]		420
	AdditionalInformationIndicator	<AddtlInfInd>		[0..1]		421
	AmountDetails	<AmtDtls>		[0..1]		421
	Charges	<Chrgs>		[0..1]		421
	TechnicalInputChannel	<TechInptChanl>		[0..1]		422
	Interest	<Intrst>		[0..1]		422
	CardTransaction	<CardTx>		[0..1]		423
	EntryDetails	<NtryDtls>		[0..*]		423
	AdditionalEntryInformation	<AddtlNtryInf>		[0..1]		424

5.3.16 AdditionalReportInformation

XML Tag: AddtlRptInf

Presence: [0..1]

Definition: Further details of the account report.

Datatype: "CBPR_RestrictedFINXMax500Text" on page 515

Usage Guideline details

- on camt.052.001.08/Report/AdditionalReportInformation
Type changed to: CBPR_RestrictedFINXMax500Text on page 515

5.4 AccountSchemeName1Choice__1

Definition: Sets of elements to identify a name of the identification scheme.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		35
	Proprietary	<Prtry>	Or}	[1..1]	⚠	35

Used in element(s)

"SchemeName" on page 199

5.4.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalAccountIdentification1Code" on page 530](#)

5.4.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- **on camt.052.001.08/Report/Account/Identification/Other/SchemeName/Proprietary**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- **on camt.052.001.08/Report/Entry/CardTransaction/PrePaidAccount/Identification/Other/SchemeName/Proprietary**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/PrePaidAccount/Identification/Other/SchemeName/Proprietary**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/CreditorAccount/Identification/Other/SchemeName/Proprietary**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/DebtorAccount/Identification/Other/SchemeName/Proprietary**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- **on camt.052.001.08/Report/RelatedAccount/Identification/Other/SchemeName/Proprietary**

Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.5 ActiveOrHistoricCurrencyAndAmountRange2

Definition: Range of amount values.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		36
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		36
	Currency	<Ccy>		[1..1]		37

Used in element(s)

"ValidityRange" on page 404

5.5.1 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Specified amount or amount range.

The **Amt** block contains the following elements (see datatype "[ImpliedCurrencyAmountRange1Choice](#)" on page 237 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromAmount	<FrAmt>	{Or	[1..1]		237
	ToAmount	<ToAmt>	Or	[1..1]		238
	FromToAmount	<FrToAmt>	Or	[1..1]		238
	EqualAmount	<EQAmt>	Or	[1..1]		238
	NotEqualAmount	<NEQAmt>	Or}	[1..1]		238

5.5.2 CreditDebitIndicator

XML Tag: CdtDbtInd

Presence: [0..1]

Definition: Indicates whether the amount is a credited or debited amount.

Datatype: "[CreditDebitCode](#)" on page 526

5.5.3 Currency

XML Tag: Ccy

Presence: [1..1]

Definition: Medium of exchange of value, used to qualify an amount.

Datatype: ["ActiveOrHistoricCurrencyCode"](#) on page 498

5.6 AddressType3Choice

Definition: Choice of formats for the type of address.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		37
	Proprietary	<Prtry>	Or}	[1..1]		37

Used in element(s)

["AddressType"](#) on page 309

5.6.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of address expressed as a code.

Datatype: ["AddressType2Code"](#) on page 499

5.6.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Type of address expressed as a proprietary code.






The **Prtry** block contains the following elements (see datatype ["GenericIdentification30"](#) on page 207 for details)


⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		207
	Issuer	<Issr>		[1..1]		207
	SchemeName	<SchmeNm>		[0..1]		207

5.7 AddressType3Choice__1

Definition: Choice of formats for the type of address.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -

 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		38
	Proprietary	<Prtry>	Or}	[1..1]		38

Used in element(s)

"AddressType" on page 313, "AddressType" on page 384

5.7.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of address expressed as a code.

Datatype: "AddressType2Code" on page 499






5.7.2 Proprietary


XML Tag: Prtry



Presence: [1..1]

Definition: Type of address expressed as a proprietary code.

The **Prtry** block contains the following elements (see datatype "GenericIdentification30_1" on page 208 for details)






 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -


 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		208
	Issuer	<Issr>		[1..1]		208
	SchemeName	<SchmeNm>		[0..1]		213

5.8 AmountAndCurrencyExchange3__1

Definition: Set of elements used to provide information on the original amount.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -

 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructedAmount	<InstdAmt>		[0..1]		39
	TransactionAmount	<TxAmt>		[0..1]		39
	CounterValueAmount	<CntrValAmt>		[0..1]		40
	AnnouncedPostingAmount	<AnncdPstngAmt>		[0..1]		40
	ProprietaryAmount	<PrtryAmt>		[0..*]		40

Used in element(s)

"AmountDetails" on page 421

5.8.1 InstructedAmount

XML Tag: InstdAmt

Presence: [0..1]

Definition: Identifies the amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party and provides currency exchange information in case the instructed amount and/or currency is/are different from the entry amount and/or currency.

The **InstdAmt** block contains the following elements (see datatype "[AmountAndCurrencyExchangeDetails3 1](#)" on page 43 for details)

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ▲ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		43
	CurrencyExchange	<CcyXchg>		[0..1]		44

5.8.2 TransactionAmount

XML Tag: TxAmt

Presence: [0..1]

Definition: Amount of the underlying transaction.

The **TxAmt** block contains the following elements (see datatype "[AmountAndCurrencyExchangeDetails3 1](#)" on page 43 for details)

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ▲ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		43
	CurrencyExchange	<CcyXchg>		[0..1]		44

5.8.3 CounterValueAmount

XML Tag: CntrValAmt

Presence: [0..1]

Definition: Set of elements used to provide the countervalue amount and currency exchange information.

Usage: This can be either the counter amount quoted in an FX deal, or the result of the currency information applied to an instructed amount, before deduction of charges.

The **CntrValAmt** block contains the following elements (see datatype "[AmountAndCurrencyExchangeDetails3_1](#)" on page 43 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠️ Details below -

📌 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		43
	CurrencyExchange	<CcyXchg>		[0..1]		44

5.8.4 AnnouncedPostingAmount

XML Tag: AnncdPstngAmt

Presence: [0..1]

Definition: Amount of money, based on terms of corporate action event and balance of underlying securities, entitled to/from the account owner.

In some situations, this amount may alternatively be called entitled amount.

The **AnncdPstngAmt** block contains the following elements (see datatype "[AmountAndCurrencyExchangeDetails3_1](#)" on page 43 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠️ Details below -

📌 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		43
	CurrencyExchange	<CcyXchg>		[0..1]		44

5.8.5 ProprietaryAmount

XML Tag: PrtryAmt


Presence: [0..*]

Definition: Set of elements used to provide information on the original amount and currency exchange.

The **PrtryAmt** block contains the following elements (see datatype "[AmountAndCurrencyExchangeDetails4_1](#)" on page 45 for details)







🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠️ Details below -

📌 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		45
	Amount	<Amt>		[1..1]		46
	CurrencyExchange	<CcyXchg>		[0..1]		46

5.9 AmountAndCurrencyExchange3__2

Definition: Set of elements used to provide information on the original amount.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructedAmount	<InstdAmt>		[0..1]		41
	TransactionAmount	<TxAmt>		[0..1]		41
	CounterValueAmount	<CntrValAmt>		[0..1]		42
	AnnouncedPostingAmount	<AnncdPstngAmt>		[0..1]		42
	ProprietaryAmount	<PrtryAmt>		[0..*]		43

Used in element(s)

"AmountDetails" on page 167







5.9.1 InstructedAmount

XML Tag: InstdAmt

Presence: [0..1]

Definition: Identifies the amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party and provides currency exchange information in case the instructed amount and/or currency is/are different from the entry amount and/or currency.

The **InstdAmt** block contains the following elements (see datatype "AmountAndCurrencyExchangeDetails3__2" on page 44 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		44
	CurrencyExchange	<CcyXchg>		[0..1]		44

5.9.2 TransactionAmount

XML Tag: TxAmt

Presence: [0..1]

Definition: Amount of the underlying transaction.

The **TxAmt** block contains the following elements (see datatype "AmountAndCurrencyExchangeDetails3_2" on page 44 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		44
	CurrencyExchange	<CcyXchg>		[0..1]		44

5.9.3 CounterValueAmount

XML Tag: CntrValAmt

Presence: [0..1]

Definition: Set of elements used to provide the countervalue amount and currency exchange information.

Usage: This can be either the counter amount quoted in an FX deal, or the result of the currency information applied to an instructed amount, before deduction of charges.

The **CntrValAmt** block contains the following elements (see datatype "AmountAndCurrencyExchangeDetails3_2" on page 44 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		44
	CurrencyExchange	<CcyXchg>		[0..1]		44

5.9.4 AnnouncedPostingAmount

XML Tag: AnncdPstngAmt

Presence: [0..1]

Definition: Amount of money, based on terms of corporate action event and balance of underlying securities, entitled to/from the account owner.

In some situations, this amount may alternatively be called entitled amount.

The **AnncdPstngAmt** block contains the following elements (see datatype "AmountAndCurrencyExchangeDetails3_2" on page 44 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		44
	CurrencyExchange	<CcyXchg>		[0..1]		44

5.9.5 ProprietaryAmount

XML Tag: PrtryAmt

Presence: [0..*]

Definition: Set of elements used to provide information on the original amount and currency exchange.

The **PrtryAmt** block contains the following elements (see datatype "[AmountAndCurrencyExchangeDetails4_2](#)" on page 46 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]	⚠	47
	Amount	<Amt>		[1..1]		47
	CurrencyExchange	<CcyXchg>		[0..1]		47

5.10 AmountAndCurrencyExchangeDetails3__1

Definition: Set of elements used to provide information on the original amount and currency exchange.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		43
	CurrencyExchange	<CcyXchg>		[0..1]		44

Used in element(s)

["AnnouncedPostingAmount"](#) on page 40, ["CounterValueAmount"](#) on page 40, ["InstructedAmount"](#) on page 39, ["TransactionAmount"](#) on page 39

5.10.1 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party.

Datatype: "[ActiveOrHistoricCurrencyAndAmount](#)" on page 498







5.10.2 CurrencyExchange



XML Tag: CcyXchg

Presence: [0..1]

Definition: Set of elements used to provide details on the currency exchange.







The **CcyXchg** block contains the following elements (see datatype "CurrencyExchange5_1" on page 139 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SourceCurrency	<SrcCcy>		[1..1]		139
	TargetCurrency	<TrgtCcy>		[0..1]		140
	UnitCurrency	<UnitCcy>		[0..1]		140
	ExchangeRate	<XchgRate>		[1..1]		140
	ContractIdentification	<CtrctId>		[0..1]		140
	QuotationDate	<QtnDt>		[0..1]		141

5.11 AmountAndCurrencyExchangeDetails3__2

Definition: Set of elements used to provide information on the original amount and currency exchange.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		44
	CurrencyExchange	<CcyXchg>		[0..1]		44

Used in element(s)

"AnnouncedPostingAmount" on page 42, "CounterValueAmount" on page 42, "InstructedAmount" on page 41, "TransactionAmount" on page 41

5.11.1 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 498







5.11.2 CurrencyExchange


XML Tag: CcyXchg

Presence: [0..1]

Definition: Set of elements used to provide details on the currency exchange.







The **CcyXchg** block contains the following elements (see datatype "[CurrencyExchange5_2](#)" on [page 141](#) for details)


 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[[details](#)]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SourceCurrency	<SrcCcy>		[1..1]		142
	TargetCurrency	<TrgtCcy>		[0..1]		142
	UnitCurrency	<UnitCcy>		[0..1]		142
	ExchangeRate	<XchgRate>		[1..1]		142
	ContractIdentification	<CtrctId>		[0..1]		143
	QuotationDate	<QtnDt>		[0..1]		143

5.12 AmountAndCurrencyExchangeDetails4__1

Definition: Set of elements used to provide information on the original amount and currency exchange.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[[details](#)]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		45
	Amount	<Amt>		[1..1]		46
	CurrencyExchange	<CcyXchg>		[0..1]		46

Used in element(s)

["ProprietaryAmount"](#) on [page 40](#)

5.12.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Specifies the type of amount.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on [page 512](#)

Usage Guideline details

- [on camt.052.001.08/Report/Entry/AmountDetails/ProprietaryAmount/Type](#)

Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.12.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money to be exchanged against another amount of money in the counter currency.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

5.12.3 CurrencyExchange

XML Tag: CcyXchg

Presence: [0..1]

Definition: Set of elements used to provide details on the currency exchange.

The **CcyXchg** block contains the following elements (see datatype ["CurrencyExchange5_1" on page 139](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SourceCurrency	<SrcCcy>		[1..1]		139
	TargetCurrency	<TrgtCcy>		[0..1]		140
	UnitCurrency	<UnitCcy>		[0..1]		140
	ExchangeRate	<XchgRate>		[1..1]		140
	ContractIdentification	<CtrctId>		[0..1]	⚠	140
	QuotationDate	<QtnDt>		[0..1]	⚠	141

5.13 AmountAndCurrencyExchangeDetails4__2

Definition: Set of elements used to provide information on the original amount and currency exchange.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]	⚠	47
	Amount	<Amt>		[1..1]		47
	CurrencyExchange	<CcyXchg>		[0..1]		47

Used in element(s)

["ProprietaryAmount" on page 43](#)

5.13.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Specifies the type of amount.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/AmountDetails/ProprietaryAmount/Type](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.13.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money to be exchanged against another amount of money in the counter currency.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

5.13.3 CurrencyExchange

XML Tag: CcyXchg

Presence: [0..1]

Definition: Set of elements used to provide details on the currency exchange.

The **CcyXchg** block contains the following elements (see datatype ["CurrencyExchange5_2" on page 141](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below - M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SourceCurrency	<SrcCcy>		[1..1]		142
	TargetCurrency	<TrgtCcy>		[0..1]		142
	UnitCurrency	<UnitCcy>		[0..1]		142
	ExchangeRate	<XchgRate>		[1..1]		142
	ContractIdentification	<CtrctId>		[0..1]	▲	143
	QuotationDate	<QtnDt>		[0..1]		143

5.14 AmountAndDirection35

Definition: Resulting debit or credit amount of the netted amounts for all debit and credit entries.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		48
	CreditDebitIndicator	<CdtDbtInd>		[1..1]		48

Used in element(s)

["TotalNetEntry" on page 246](#), ["TotalNetEntry" on page 469](#)

5.14.1 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Resulting amount of the netted amounts for all debit and credit entries.

Datatype: ["NonNegativeDecimalNumber" on page 560](#)

5.14.2 CreditDebitIndicator

XML Tag: CdtDbtInd

Presence: [1..1]

Definition: Indicates whether the amount is a credit or a debit amount.

Datatype: ["CreditDebitCode" on page 526](#)

5.15 AmountRangeBoundary1

Definition: Limit for an amount range.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BoundaryAmount	<BdryAmt>		[1..1]		48
	Included	<Incl>		[1..1]		49

Used in element(s)

["FromAmount" on page 193](#), ["FromAmount" on page 237](#), ["ToAmount" on page 193](#), ["ToAmount" on page 238](#)

5.15.1 BoundaryAmount

XML Tag: BdryAmt

Presence: [1..1]

Definition: Amount value of the range limit.

Datatype: ["ImpliedCurrencyAndAmount" on page 553](#)

5.15.2 Included

XML Tag: Incl

Presence: [1..1]

Definition: Indicates whether the boundary amount is included in the range of amount values.

Datatype: ["YesNoIndicator" on page 585](#)

5.16 BalanceSubType1Choice__1

Definition: Specifies the balance subtype.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		49
	Proprietary	<Prtry>	Or}	[1..1]	⚠	49

Used in element(s)

["SubType" on page 51](#)

5.16.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Balance sub-type, as published in an external balance sub-type code list.

Datatype: ["ExternalBalanceSubType1Code" on page 531](#)

5.16.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies a proprietary code for the balance type.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Balance/Type/SubType/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.17 BalanceType10Choice__1

Definition: Specifies the balance type.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		50
	Proprietary	<Prtry>	Or}	[1..1]	⚠	50

Used in element(s)

["CodeOrProprietary" on page 51](#)

5.17.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Balance type, in a coded format.

Datatype: ["ExternalBalanceType1Code" on page 532](#)

5.17.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Balance type, in a proprietary format.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Balance/Type/CodeOrProprietary/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.18 BalanceType13__1

Definition: Set of elements used to define the balance type and sub-type.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		51
	SubType	<SubTp>		[0..1]		51

Used in element(s)

["Type" on page 101](#)

5.18.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Coded or proprietary format balance type.

The **CdOrPrtry** block contains the following elements (see datatype "[BalanceType10Choice_1](#)" on page 50 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		50
	Proprietary	<Prtry>	Or}	[1..1]	⚠	50

5.18.2 SubType

XML Tag: SubTp

Presence: [0..1]

Definition: Specifies the balance sub-type.

The **SubTp** block contains the following elements (see datatype "[BalanceSubType1Choice_1](#)" on page 49 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		49
	Proprietary	<Prtry>	Or}	[1..1]	⚠	49

5.19 BankTransactionCodeStructure4__1

Definition: Set of elements used to identify the type or operations code of a transaction entry.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Domain	<Domn>		[0..1]		52
	Proprietary	<Prtry>		[0..1]		52

Rules**R15 DomainOrProprietaryRule** ✓

Either Proprietary or Domain or both must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00104
- *Error Text:* Invalid message content for bank transaction code.

R16 FamilyAndSubFamilyRule

If a specific (non-generic) Family code is not present, then a specific (non-generic) SubFamily code is not allowed.

Error handling: Undefined

Used in element(s)

["BankTransactionCode" on page 470](#), ["BankTransactionCode" on page 420](#), ["BankTransaction-Code" on page 168](#), ["OriginalBankTransactionCode" on page 290](#)

5.19.1 Domain

XML Tag: Domn

Presence: [0..1]

Definition: Set of elements used to provide the domain, the family and the sub-family of the bank transaction code, in a structured and hierarchical format.

Usage: If a specific family or sub-family code cannot be provided, the generic family code defined for the domain or the generic sub-family code defined for the family should be provided.

The **Domn** block contains the following elements (see datatype ["BankTransactionCodeStructure5" on page 53](#) for details)

🚫 Removed - 🚫 Partial Removed - ⚪ Ignored - ⚪ Partial Ignored - ⚠️ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[1..1]		53
	Family	<Fmly>		[1..1]		53

5.19.2 Proprietary

XML Tag: Prtry

Presence: [0..1]

Definition: Bank transaction code in a proprietary form, as defined by the issuer.

The **Prtry** block contains the following elements (see datatype ["ProprietaryBankTransactionCodeStructure1" on page 394](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[1..1]	⚠	394
	Issuer	</lssr>		[0..1]	M ⚠	395

5.20 BankTransactionCodeStructure5

Definition: Set of elements used to identify the type or operations code of a transaction entry.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[1..1]		53
	Family	<Fmly>		[1..1]		53

Used in element(s)

["Domain" on page 52](#)

5.20.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the business area of the underlying transaction.

Datatype: ["ExternalBankTransactionDomain1Code" on page 533](#)

5.20.2 Family

XML Tag: Fmly

Presence: [1..1]

Definition: Specifies the family and the sub-family of the bank transaction code, within a specific domain, in a structured and hierarchical format.






The **Fmly** block contains the following elements (see datatype ["BankTransactionCodeStructure6" on page 54](#) for details)


⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[1..1]		54
	SubFamilyCode	<SubFmlyCd>		[1..1]		54

5.21 BankTransactionCodeStructure6

Definition: Set of elements used to identify the type or operations code of a transaction entry.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -

 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[1..1]		54
	SubFamilyCode	<SubFmlyCd>		[1..1]		54

Used in element(s)

"Family" on page 53

5.21.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the family within a domain.

Datatype: ["ExternalBankTransactionFamily1Code" on page 533](#)

5.21.2 SubFamilyCode

XML Tag: SubFmlyCd






Presence: [1..1]


Definition: Specifies the sub-product family within a specific family.



Datatype: ["ExternalBankTransactionSubFamily1Code" on page 534](#)

5.22 BatchInformation2__1

Definition: Set of elements used to identify the underlying batches.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -

 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[0..1]		55
	PaymentInformationIdentification	<PmtInflId>		[0..1]		55
	NumberOfTransactions	<NbOfTxS>		[0..1]		55
	TotalAmount	<TtlAmt>		[0..1]		55
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		55

Used in element(s)

"Batch" on page 162

5.22.1 MessageIdentification

XML Tag: MsgId

Presence: [0..1]

Definition: Point to point reference, as assigned by the sending party, to unambiguously identify the batch of transactions.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/Batch/MessageIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.22.2 PaymentInformationIdentification

XML Tag: PmtInfId

Presence: [0..1]

Definition: Unique identification, as assigned by a sending party, to unambiguously identify the payment information group within the message.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/Batch/PaymentInformationIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.22.3 NumberOfTransactions

XML Tag: NbOfTx

Presence: [0..1]

Definition: Number of individual transactions included in the batch.

Datatype: ["Max15NumericText" on page 555](#)

5.22.4 TotalAmount

XML Tag: TtlAmt

Presence: [0..1]

Definition: Total amount of money reported in the batch entry.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

5.22.5 CreditDebitIndicator

XML Tag: CdtDbtInd

Presence: [0..1]

Definition: Indicates whether the batch entry is a credit or a debit entry.

Datatype: "CreditDebitCode" on page 526

5.23 BranchAndFinancialInstitutionIdentification6__1

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		56
	BranchIdentification	<BrnchId>		[0..1]		56

Used in element(s)

"Servicer" on page 97

5.23.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "FinancialInstitutionIdentification18__1" on page 181 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		181
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		182
	LEI	<LEI>		[0..1]		182
	Name	<Nm>		[0..1]	▲	182
	PostalAddress	<PstlAdr>		[0..1]		184
	Other	<Othr>		[0..1]		184

5.23.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3 1](#)" on page 64 for details)

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		64
	LEI	<LEI>		[0..1]		65
	Name	<Nm>		[0..1]	⚠	65
	PostalAddress	<PstAdr>		[0..1]		65

5.24 BranchAndFinancialInstitutionIdentification6__2

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		57
	BranchIdentification	<BrnchId>		[0..1]		58

Used in element(s)

"Agent" on page 108, "Agent" on page 264, "Agent" on page 393, "CreditorAgent" on page 474, "DebtorAgent" on page 474, "InstructedAgent" on page 473, "IntermediaryAgent1" on page 475, "IntermediaryAgent3" on page 476, "IssuingAgent" on page 477, "ReceivingAgent" on page 476

5.24.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "[FinancialInstitutionIdentification18 1](#)" on page 181 for details)

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		181
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		182
	LEI	<LEI>		[0..1]		182
	Name	<Nm>		[0..1]	⚠	182
	PostalAddress	<PstlAdr>		[0..1]		184
	Other	<Othr>		[0..1]		184

5.24.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "BranchData3_2" on page 66 for details)

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]	⚠	66
	LEI	<LEI>		[0..1]		68
	Name	<Nm>		[0..1]	⚠	68
	PostalAddress	<PstlAdr>		[0..1]		70

5.25 BranchAndFinancialInstitutionIdentification6__3

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		59
	BranchIdentification	<BrnchId>		[0..1]		59

Used in element(s)

"Agent" on page 265, "DeliveringAgent" on page 476, "IntermediaryAgent2" on page 475, "SettlementPlace" on page 477

5.25.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "FinancialInstitutionIdentification18_2" on page 185 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		185
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		185
	LEI	<LEI>		[0..1]		186
	Name	<Nm>		[0..1]	▲	186
	PostalAddress	<PstlAdr>		[0..1]		186
	Other	<Othr>		[0..1]		187

5.25.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "BranchData3_2" on page 66 for details)







⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]	▲	66
	LEI	<LEI>		[0..1]		68
	Name	<Nm>		[0..1]	▲	68

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PostalAddress	<PstlAdr>		[0..1]		70

5.26 BranchAndFinancialInstitutionIdentification6__4

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		60
	BranchIdentification	<BrnchId>		[0..1]		60

Used in element(s)

"InstructingAgent" on page 473







5.26.1 FinancialInstitutionIdentification


XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "FinancialInstitutionIdentification18__1" on page 181 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		181
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		182
	LEI	<LEI>		[0..1]		182
	Name	<Nm>		[0..1]		182
	PostalAddress	<PstlAdr>		[0..1]		184
	Other	<Othr>		[0..1]		184

5.26.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3_3](#)" on page 71 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		71
	LEI	<LEI>		[0..1]		71
	Name	<Nm>		[0..1]	⚠	71
	PostalAddress	<PstAdr>		[0..1]		72

5.27 BranchAndFinancialInstitutionIdentification6__5

Definition: Unique and unambiguous identification of a financial institution or a branch of a financial institution.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		61
	BranchIdentification	<BrnchId>		[0..1]	⊘	62

Used in element(s)

"[FinancialInstitutionIdentification](#)" on page 267

5.27.1 FinancialInstitutionIdentification

XML Tag: FinInstnId

Presence: [1..1]

Definition: Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

The **FinInstnId** block contains the following elements (see datatype "[FinancialInstitutionIdentification18_3](#)" on page 188 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]	M	188
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		189
	LEI	<LEI>		[0..1]		189
	Name	<Nm>		[0..1]	⊘	189
	PostalAddress	<PstlAdr>		[0..1]	⊘	190
	Other	<Othr>		[0..1]	⊘	191

5.27.2 BranchIdentification

XML Tag: BrnchId

Presence: [0..1]

Definition: Identifies a specific branch of a financial institution.

Usage: This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

The **BrnchId** block contains the following elements (see datatype "[BranchData3](#)" on page 63 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		63
	LEI	<LEI>		[0..1]		63
	Name	<Nm>		[0..1]		63
	PostalAddress	<PstlAdr>		[0..1]		63

Usage Guideline details

- This element([camt.052.001.08/header/From/FinancialInstitutionIdentification/BranchIdentification](#)) is removed.
- This element([camt.052.001.08/header/Related/From/FinancialInstitutionIdentification/BranchIdentification](#)) is removed.
- This element([camt.052.001.08/header/Related/To/FinancialInstitutionIdentification/BranchIdentification](#)) is removed.
- This element([camt.052.001.08/header/To/FinancialInstitutionIdentification/BranchIdentification](#)) is removed.

5.28 BranchData3

Definition: Information that locates and identifies a specific branch of a financial institution.

❌ Removed - ⊖ Partial Removed - ◇ Ignored - ⊖ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		63
	LEI	<LEI>		[0..1]		63
	Name	<Nm>		[0..1]		63
	PostalAddress	<PstlAdr>		[0..1]		63

Used in element(s)

["BranchIdentification" on page 62](#)

5.28.1 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a branch of a financial institution.

Datatype: ["Max35Text" on page 557](#)

5.28.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification for the branch of the financial institution.

Datatype: ["LEIIdentifier" on page 554](#)

5.28.3 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: ["Max140Text" on page 555](#)







5.28.4 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.







The **PstlAdr** block contains the following elements (see datatype ["PostalAddress24" on page 309](#) for details)


 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		309
	Department	<Dept>		[0..1]		310
	SubDepartment	<SubDept>		[0..1]		310
	StreetName	<StrtNm>		[0..1]		310
	BuildingNumber	<BldgNb>		[0..1]		310
	BuildingName	<BldgNm>		[0..1]		310
	Floor	<Flr>		[0..1]		310
	PostBox	<PstBx>		[0..1]		311
	Room	<Room>		[0..1]		311
	PostCode	<PstCd>		[0..1]		311
	TownName	<TwnNm>		[0..1]		312
	TownLocationName	<TwnLctnNm>		[0..1]		312
	DistrictName	<DstrctNm>		[0..1]		312
	CountrySubDivision	<CtrySubDvsn>		[0..1]		312
	Country	<Ctry>		[0..1]		312
	AddressLine	<AdrLine>		[0..7]		312

5.29 BranchData3__1

Definition: Information that locates and identifies a specific branch of a financial institution.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		64
	LEI	<LEI>		[0..1]		65
	Name	<Nm>		[0..1]		65
	PostalAddress	<PstAdr>		[0..1]		65

Used in element(s)

"BranchIdentification" on page 56

5.29.1 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a branch of a financial institution.

Datatype: ["Max35Text" on page 557](#)

5.29.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification for the branch of the financial institution.

Datatype: ["LEIIdentifier" on page 554](#)

5.29.3 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: ["CBPR_RestrictedFINXMax140Text_Extended" on page 510](#)

Usage Guideline details

- on [camt.052.001.08/Report/Account/Service/BranchIdentification/Name](#)
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 510](#)

5.29.4 PostalAddress

XML Tag: PstlAdr










Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype ["PostalAddress24_2" on page 384](#) for details)







⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ⚠ Details below -
 M Mandatory -
 R[x..x] Repeatability[details]



Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		384
	Department	<Dept>		[0..1]	⚠	385
	SubDepartment	<SubDept>		[0..1]	⚠	385
	StreetName	<StrtNm>		[0..1]	⚠	385
	BuildingNumber	<BldgNb>		[0..1]	⚠	386
	BuildingName	<BldgNm>		[0..1]	⚠	386

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Floor	<Flr>		[0..1]		386
	PostBox	<PstBx>		[0..1]		386
	Room	<Room>		[0..1]		387
	PostCode	<PstCd>		[0..1]		387
	TownName	<TwnNm>		[0..1]		387
	TownLocationName	<TwnLctnNm>		[0..1]		388
	DistrictName	<DstrctNm>		[0..1]		388
	CountrySubDivision	<CtrySubDvsn>		[0..1]		388
	Country	<Ctry>		[0..1]		388
	AddressLine	<AdrLine>		[0..7]	 R[0..3]	389

5.30 BranchData3__2

Definition: Information that locates and identifies a specific branch of a financial institution.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		66
	LEI	<LEI>		[0..1]		68
	Name	<Nm>		[0..1]		68
	PostalAddress	<PstAdr>		[0..1]		70

Used in element(s)

"BranchIdentification" on page 58, "BranchIdentification" on page 59

5.30.1 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a branch of a financial institution.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/Identification
Type changed to: CBPR_RestrictedFINXMax35Text on page 512

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor/Agent/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.30.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification for the branch of the financial institution.

Datatype: ["LEIIdentifier" on page 554](#)

5.30.3 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: ["CBPR RestrictedFINXMax140Text Extended" on page 510](#)

Usage Guideline details

- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/Name**
Type changed to: CBPR RestrictedFINXMax140Text Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/Name**
Type changed to: CBPR RestrictedFINXMax140Text Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/Name**
Type changed to: CBPR RestrictedFINXMax140Text Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/BranchIdentification/Name**
Type changed to: CBPR RestrictedFINXMax140Text Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/Name**
Type changed to: CBPR RestrictedFINXMax140Text Extended on page 510

5.30.4 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24_1" on page 313 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		313
	Department	<Dept>		[0..1]	⚠	314
	SubDepartment	<SubDept>		[0..1]	⚠	318
	StreetName	<StrtNm>		[0..1]	⚠	323
	BuildingNumber	<BldgNb>		[0..1]	⚠	328
	BuildingName	<BldgNm>		[0..1]	⚠	332
	Floor	<Flr>		[0..1]	⚠	337
	PostBox	<PstBx>		[0..1]	⚠	342
	Room	<Room>		[0..1]	⚠	346
	PostCode	<PstCd>		[0..1]	⚠	351
	TownName	<TwnNm>		[0..1]	⚠	356

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TownLocationName	<TwnLctnNm>		[0..1]		360
	DistrictName	<DstrctNm>		[0..1]		365
	CountrySubDivision	<CtrySubDvsn>		[0..1]		370
	Country	<Ctry>		[0..1]		374
	AddressLine	<AdrLine>		[0..7]	R[0..3] R[0..3] R[0..3]	374

5.31 BranchData3__3

Definition: Information that locates and identifies a specific branch of a financial institution.

Removed - Partial Removed - Ignored - Partial Ignored - Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]		71
	LEI	<LEI>		[0..1]		71
	Name	<Nm>		[0..1]		71
	PostalAddress	<PstlAdr>		[0..1]		72

Used in element(s)

"BranchIdentification" on page 60

5.31.1 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a branch of a financial institution.

Datatype: "Max35Text" on page 557

5.31.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification for the branch of the financial institution.

Datatype: "LEIIdentifier" on page 554

5.31.3 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 510

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/Name

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 510

5.31.4 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24_1" on page 313 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		313
	Department	<Dept>		[0..1]	⚠	314
	SubDepartment	<SubDept>		[0..1]	⚠	318
	StreetName	<StrtNm>		[0..1]	⚠	323
	BuildingNumber	<BldgNb>		[0..1]	⚠	328
	BuildingName	<BldgNm>		[0..1]	⚠	332
	Floor	<Flr>		[0..1]	⚠	337
	PostBox	<PstBx>		[0..1]	⚠	342
	Room	<Room>		[0..1]	⚠	346
	PostCode	<PstCd>		[0..1]	⚠	351
	TownName	<TwnNm>		[0..1]	⚠	356
	TownLocationName	<TwnLctnNm>		[0..1]	⚠	360
	DistrictName	<DstrctNm>		[0..1]	⚠	365
	CountrySubDivision	<CtrySubDvsn>		[0..1]	⚠	370
	Country	<Ctry>		[0..1]		374
	AddressLine	<AdrLine>		[0..7]	⚠ R[0..3]	374

5.32 BusinessApplicationHeader5__1

Definition: Specifies the Business Application Header of the Business Message.

Can be used when replying to a query; can also be used when canceling or amending.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CharacterSet	<CharSet>		[0..1]	⚠	73
	From	<Fr>		[1..1]	⚠	73
	To	<To>		[1..1]	⚠	74
	BusinessMessageIdentifier	<BizMsgIdr>		[1..1]	⚠	75
	MessageDefinitionIdentifier	<MsgDefIdr>		[1..1]	⚠	75
	BusinessService	<BizSvc>		[0..1]	⚠	76
	CreationDate	<CreDt>		[1..1]	⚠	76
	CopyDuplicate	<CpyDplct>		[0..1]		76
	PossibleDuplicate	<PssblDplct>		[0..1]	⊘	77
	Priority	<Prty>		[0..1]		77
	Signature	<Sgntr>		[0..1]	⊘ ⚠	77

Used in element(s)

"Related" on page 20

5.32.1 CharacterSet

XML Tag: CharSet

Presence: [0..1]

Definition: Contains the character set of the text-based elements used in the Business Message.

Datatype: "UnicodeChartsCode" on page 577

Usage Guideline details

- on **camt.052.001.08/header/Related/CharacterSet**

– **CBPR_Character_Set_Usage_TextualRule:**

For further description on the usage of the field, pls refer to the CBPR Plus UHB.

5.32.2 From

XML Tag: Fr

Presence: [1..1]

Definition: The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

The **Fr** block contains the following elements (see datatype "Party44Choice 1" on page 266 for details)

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	🚫	266
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		267

Usage Guideline details

- on **camt.052.001.08/header/Related/From**

Comment:

Usage Rule:

1. When exchanged on SWIFT, "From" must contain either a BIC8 or a BIC11
2. Additional Information may be used optionally
3. If there is an inconsistency, the BIC will take precedence.

5.32.3 To

XML Tag: To

Presence: [1..1]

Definition: The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

The **To** block contains the following elements (see datatype "Party44Choice 1" on page 266 for details)

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	🚫	266
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		267

Usage Guideline details

- on **camt.052.001.08/header/Related/To**

Comment:

Usage Rule:

1. When exchanged on SWIFT, "To" must contain either a BIC8 or a BIC11
2. Additional Information may be used optionally
3. If there is an inconsistency, the BIC will take precedence.

5.32.4 BusinessMessageIdentifier

XML Tag: BizMsgldr

Presence: [1..1]

Definition: Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

Datatype: ["Max35Text" on page 557](#)

Usage Guideline details

- on [camt.052.001.08/header/Related/BusinessMessageIdentifier](#)

- **CBPR_Business_Message_Identifier_TextualRule:**

The Business Message Identifier is the unique identifier of the Business Message instance that is being transported with this header, as defined by the sending application or system.

Must contain the Message Identification element from the Group Header of the underlying message, where available (as is typically the case with pacs, pain, and camt messages, for example). If Message Identification is not available in the underlying message, then this field must contain the unique identifier of the Business Message instance.

5.32.5 MessageDefinitionIdentifier

XML Tag: MsgDefldr

Presence: [1..1]

Definition: Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example [camt.001.001.03](#).

Datatype: ["Max35Text" on page 557](#)

Usage Guideline details

- on [camt.052.001.08/header/Related/MessageDefinitionIdentifier](#)

- **CBPR_Message_Definition_Identifier_TextualRule:**

The Message Definition Identifier of the Business Message instance that is being transported with this header. In general, it must be formatted exactly as it appears in the namespace of the Business Message instance.

5.32.6 BusinessService

XML Tag: BizSvc

Presence: [0..1]

Definition: Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

Datatype: ["Max35Text" on page 557](#)

Usage Guideline details

- on **camt.052.001.08/header/Related/BusinessService**

- **CBPR_Business_Service_TextualRule:**

This field may be used by SWIFT to support differentiated processing on SWIFT-administered services such as FINplus. For a description of reserved values, please refer to the Service Description for your service.

To support differentiated processing on CBPRPlus, for example, SWIFT reserves a set of values that conform to a specific format. A user-specific value may be used, but please contact your Service Administrator before doing so to ensure alignment with general practice on your service.

- on **camt.052.001.08/header/Related/BusinessService**

- **CBPR_Related_BAH_Business_Service_TextualRule:**

If related BAH is present, it should transport the element Business Service.

5.32.7 CreationDate

XML Tag: CreDt

Presence: [1..1]

Definition: Date and time when this Business Message (header) was created.

Note Times must be normalized, using the "Z" annotation.

Datatype: ["CBPR_DateTime" on page 508](#)

Usage Guideline details

- on **camt.052.001.08/header/Related/CreationDate**

Type changed to: [CBPR_DateTime on page 508](#)

5.32.8 CopyDuplicate

XML Tag: CpyDplct

Presence: [0..1]

Definition: Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

Datatype: "CopyDuplicate1Code" on page 525

5.32.9 PossibleDuplicate

XML Tag: PssblDplct

Presence: [0..1]

Definition: Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network level re-transmission.

Datatype: "YesNoIndicator" on page 585

Usage Guideline details

- This element([camt.052.001.08/header/Related/PossibleDuplicate](#)) is removed.

5.32.10 Priority

XML Tag: Prty

Presence: [0..1]

Definition: Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

Datatype: "BusinessMessagePriorityCode" on page 507

5.32.11 Signature

XML Tag: Sgntr

Presence: [0..1]

Definition: Contains the digital signature of the Business Entity authorised to sign this Business Message.

Usage Guideline details

- This element(**camt.052.001.08.header.Related.Signature**) is removed.
- on **camt.052.001.08.header.Related.Signature**

Comment:

Note for CBPR+: This information is available at the level of the SWIFTNet Header.

5.33 CardAggregated2__1

Definition: Globalised card transaction entry details.

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AdditionalService	<AddtlSvc>		[0..1]		78
	TransactionCategory	<TxCtgy>		[0..1]		78
	SaleReconciliationIdentification	<SaleRcncltnId>		[0..1]	⚠	78
	SequenceNumberRange	<SeqNbRg>		[0..1]		79
	TransactionDateRange	<TxDtRg>		[0..1]		79

Used in element(s)

"Aggregated" on page 90, "AggregatedEntry" on page 81

5.33.1 AdditionalService

XML Tag: AddtlSvc

Presence: [0..1]

Definition: Service in addition to the main service.

Datatype: "CardPaymentServiceType2Code" on page 518

5.33.2 TransactionCategory

XML Tag: TxCtgy

Presence: [0..1]

Definition: Category code conform to ISO 18245, related to the type of services or goods the merchant provides for the transaction.

Datatype: "ExternalCardTransactionCategory1Code" on page 535

5.33.3 SaleReconciliationIdentification

XML Tag: SaleRcncltnId

Presence: [0..1]

Definition: Unique identification of the sales reconciliation period between the acceptor and the acquirer. This identification might be linked to the identification of the settlement for further verification by the merchant.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/CardTransaction/AggregatedEntry/SaleReconciliationIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Transaction/Aggregated/SaleReconciliationIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.33.4 SequenceNumberRange

XML Tag: SeqNbRg

Presence: [0..1]

Definition: Range of sequence numbers on which the globalisation applies.

The **SeqNbRg** block contains the following elements (see datatype ["CardSequenceNumber-Range1_1" on page 87](#) for details)

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ▲ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FirstTransaction	<FrstTx>		[0..1]	▲	87
	LastTransaction	<LastTx>		[0..1]	▲	87

5.33.5 TransactionDateRange

XML Tag: TxDtRg

Presence: [0..1]

Definition: Date range on which the globalisation applies.

The **TxDtRg** block contains the following elements (see datatype ["DateOrDateTimePeriod1Choice_1" on page 149](#) for details)

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ▲ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Date	<Dt>	{Or	[1..1]		149
	DateTime	<DtTm>	Or}	[1..1]		149

5.34 CardEntry4__1

Definition: Card transaction entry.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Card	<Card>		[0..1]		80
	POI	<POI>		[0..1]		80
	AggregatedEntry	<AggtdNtry>		[0..1]		81
	PrePaidAccount	<PrePdAcct>		[0..1]		81

Used in element(s)

"CardTransaction" on page 423

5.34.1 Card

XML Tag: Card

Presence: [0..1]

Definition: Electronic money product that provides the cardholder with a portable and specialised computer device, which typically contains a microprocessor.

The **Card** block contains the following elements (see datatype "PaymentCard4__1" on page 285 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlainCardData	<PlainCardData>		[0..1]		285
	CardCountryCode	<CardCtryCd>		[0..1]		286
	CardBrand	<CardBrnd>		[0..1]		286
	AdditionalCardData	<AddtlCardData>		[0..1]	⚠	286

5.34.2 POI

XML Tag: POI

Presence: [0..1]

Definition: Physical or logical card payment terminal containing software and hardware components.

The **POI** block contains the following elements (see datatype "PointOfInteraction1__1" on page 302 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		303
	SystemName	<SysNm>		[0..1]	⚠	303
	GroupIdentification	<Grpld>		[0..1]	⚠	303
	Capabilities	<Cpblties>		[0..1]		304
	Component	<Cmpnt>		[0..*]		304

5.34.3 AggregatedEntry

XML Tag: AggtdNtry

Presence: [0..1]

Definition: Card entry details, based on card transaction aggregated data performed by the account servicer.

The **AggtdNtry** block contains the following elements (see datatype "[CardAggregated2_1](#)" on page 78 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AdditionalService	<AddtlSvc>		[0..1]		78
	TransactionCategory	<TxCtgy>		[0..1]		78
	SaleReconciliationIdentification	<SaleRcncltnId>		[0..1]	⚠	78
	SequenceNumberRange	<SeqNbRg>		[0..1]		79
	TransactionDateRange	<TxDtRg>		[0..1]		79

5.34.4 PrePaidAccount

XML Tag: PrePdAcct


Presence: [0..1]

Definition: Prepaid account for the transfer or loading of an amount of money.

The **PrePdAcct** block contains the following elements (see datatype "[CashAccount38_1](#)" on page 92 for details)







🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]






Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		92
	Type	<Tp>		[0..1]		93
	Currency	<Ccy>		[0..1]		93

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		93
	Proxy	<Prxy>		[0..1]		94

5.35 CardIndividualTransaction2__1

Definition: Individual card transaction entry details.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ICCRRelatedData	<ICCRltdData>		[0..1]		82
	PaymentContext	<PmtCntxt>		[0..1]		83
	AdditionalService	<AddtlSvc>		[0..1]		83
	TransactionCategory	<TxCtgy>		[0..1]		83
	SaleReconciliationIdentification	<SaleRcncldId>		[0..1]		84
	SaleReferenceNumber	<SaleRefNb>		[0..1]		84
	RePresentmentReason	<RePresntmntRsn>		[0..1]		84
	SequenceNumber	<SeqNb>		[0..1]		84
	TransactionIdentification	<TxId>		[0..1]		85
	Product	<Pdct>		[0..1]		85
	ValidationDate	<VldtnDt>		[0..1]		85
	ValidationSequenceNumber	<VldtnSeqNb>		[0..1]		86

Used in element(s)

"Individual" on page 90

5.35.1 ICCRRelatedData

XML Tag: ICCRltdData

Presence: [0..1]

Definition: Data related to an integrated circuit card application.

Datatype: "CBPR_RestrictedFINXMax1025Text" on page 508

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Transaction/Individual/ICCRRelatedData

Type changed to: [CBPR RestrictedFINXMax1025Text on page 508](#)

5.35.2 PaymentContext

XML Tag: PmtCntxt

Presence: [0..1]

Definition: Context of the card payment transaction.

The **PmtCntxt** block contains the following elements (see datatype "[PaymentContext3](#)" on page 287 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CardPresent	<CardPres>		[0..1]		287
	CardholderPresent	<CrdhdrPres>		[0..1]		287
	OnLineContext	<OnLineCntxt>		[0..1]		288
	AttendanceContext	<AttdncCntxt>		[0..1]		288
	TransactionEnvironment	<TxEnvt>		[0..1]		288
	TransactionChannel	<TxChanl>		[0..1]		288
	AttendantMessageCapable	<AttdntMsgCpbl>		[0..1]		288
	AttendantLanguage	<AttdntLang>		[0..1]		288
	CardDataEntryMode	<CardDataNtryMd>		[1..1]		289
	FallbackIndicator	<FlbckInd>		[0..1]		289
	AuthenticationMethod	<AuthntcnMtd>		[0..1]		289

5.35.3 AdditionalService

XML Tag: AddtlSvc

Presence: [0..1]

Definition: Service in addition to the main service.

Datatype: "[CardPaymentServiceType2Code](#)" on page 518

5.35.4 TransactionCategory

XML Tag: TxCtgy

Presence: [0..1]

Definition: Category code conform to ISO 18245, related to the type of services or goods the merchant provides for the transaction.

This element is also known as the MerchantCategoryCode.

Datatype: ["ExternalCardTransactionCategory1Code" on page 535](#)

5.35.5 SaleReconciliationIdentification

XML Tag: SaleRcncltnId

Presence: [0..1]

Definition: Unique identification of the sales reconciliation period between the acceptor and the acquirer. This identification might be linked to the identification of the settlement for further verification by the merchant.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Transaction/Individual/SaleReconciliationIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.35.6 SaleReferenceNumber

XML Tag: SaleRefNb

Presence: [0..1]

Definition: Unique reference of the sales as provided by the merchant.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Transaction/Individual/SaleReferenceNumber](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.35.7 RePresentmentReason

XML Tag: RePresntmntRsn

Presence: [0..1]

Definition: Reason for representment of a card transaction.

Datatype: ["ExternalRePresentmentReason1Code" on page 548](#)

5.35.8 SequenceNumber

XML Tag: SeqNb

Presence: [0..1]

Definition: Sequential number of the card transaction, as assigned by the POI (Point of Interaction).

Usage: The sequential number is increased incrementally for each transaction.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Transaction/Individual/SequenceNumber](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) on page 512

5.35.9 TransactionIdentification

XML Tag: TxId

Presence: [0..1]

Definition: Identification of the transaction assigned by the POI (Point Of Interaction).

The **TxId** block contains the following elements (see datatype "[TransactionIdentifier1_1](#)" on [page 480](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TransactionDateTime	<TxDtTm>		[1..1]	▲	481
	TransactionReference	<TxRef>		[1..1]	▲	481

5.35.10 Product

XML Tag: Pdct

Presence: [0..1]

Definition: Product purchased with the transaction.

The **Pdct** block contains the following elements (see datatype "[Product2_1](#)" on [page 391](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ProductCode	<PdctCd>		[1..1]	▲	391
	UnitOfMeasure	<UnitOfMeasr>		[0..1]		392
	ProductQuantity	<PdctQty>		[0..1]		392
	UnitPrice	<UnitPric>		[0..1]		392
	ProductAmount	<PdctAmt>		[0..1]		392
	TaxType	<TaxTp>		[0..1]	▲	392
	AdditionalProductInformation	<AddtlPdctInf>		[0..1]	▲	392

5.35.11 ValidationDate

XML Tag: VldtnDt

Presence: [0..1]

Definition: Date when the deposit was validated by the financial institution that collected the cash.

Datatype: ["ISODate" on page 552](#)

5.35.12 ValidationSequenceNumber

XML Tag: VldtnSeqNb

Presence: [0..1]

Definition: Sequential number of the validation of the cash deposit.

Usage: The sequential number is increased incrementally for each transaction.

Datatype: ["CBPR RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Transaction/Individual/ValidationSequenceNumber](#)

Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.36 CardSecurityInformation1

Definition: Card security code (CSC) associated with the card performing the transaction.

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ⚠ Details below -
 M Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CSCManagement	<CSCMgmt>		[1..1]		86
	CSCValue	<CSCVal>		[0..1]		86

Used in element(s)

["CardSecurityCode" on page 302](#)

5.36.1 CSCManagement

XML Tag: CSCMgmt

Presence: [1..1]

Definition: Card security code (CSC) management associated with the transaction.

Datatype: ["CSCManagement1Code" on page 516](#)

5.36.2 CSCValue

XML Tag: CSCVal

Presence: [0..1]

Definition: Card security code (CSC).

Datatype: ["Min3Max4NumericText" on page 558](#)

5.37 CardSequenceNumberRange1__1

Definition: Range of sequence numbers related to card transactions.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FirstTransaction	<FrstTx>		[0..1]	⚠	87
	LastTransaction	<LastTx>		[0..1]	⚠	87

Used in element(s)

["SequenceNumberRange" on page 79](#)

5.37.1 FirstTransaction

XML Tag: FrstTx

Presence: [0..1]

Definition: CardSequenceNumberRange1: FirstTransactionSequenceNumberMessage element to be finalised once feedback from Card SEG has been received.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/CardTransaction/AggregatedEntry/SequenceNumberRange/FirstTransaction](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Transaction/Aggregated/SequenceNumberRange/FirstTransaction](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.37.2 LastTransaction

XML Tag: LastTx

Presence: [0..1]

Definition: CardSequenceNumberRange1: LastTransactionSequenceNumberMessage element to be finalised once feedback from Card SEG has been received.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on **camt.052.001.08/Report/Entry/CardTransaction/AggregatedEntry/SequenceNumber-Range/LastTransaction**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Transaction/Aggregated/SequenceNumberRange/LastTransaction**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.38 CardTransaction17__1

Definition: Card transaction details.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Card	<Card>		[0..1]		88
	POI	<POI>		[0..1]		89
	Transaction	<Tx>		[0..1]		89
	PrePaidAccount	<PrePdAcct>		[0..1]		89

Used in element(s)

"CardTransaction" on page 177

5.38.1 Card

XML Tag: Card

Presence: [0..1]

Definition: Electronic money product that provides the cardholder with a portable and specialised computer device, which typically contains a microprocessor.

The **Card** block contains the following elements (see datatype "[PaymentCard4__1](#)" on page 285 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlainCardData	<PlainCardData>		[0..1]		285
	CardCountryCode	<CardCtryCd>		[0..1]		286
	CardBrand	<CardBrnd>		[0..1]		286
	AdditionalCardData	<AddtlCardData>		[0..1]	⚠	286







5.38.2 POI



XML Tag: POI

Presence: [0..1]

Definition: Physical or logical card payment terminal containing software and hardware components.

The **POI** block contains the following elements (see datatype "PointOfInteraction1 1" on page 302 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		303
	SystemName	<SysNm>		[0..1]		303
	GroupIdentification	<GrpId>		[0..1]		303
	Capabilities	<Cpblties>		[0..1]		304
	Component	<Cmpnt>		[0..*]		304







5.38.3 Transaction

XML Tag: Tx

Presence: [0..1]

Definition: Card transaction details, which can be either globalised by the acquirer or individual transaction.

The **Tx** block contains the following elements (see datatype "CardTransaction3Choice 1" on page 90 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Aggregated	<Aggtd>	{Or	[1..1]		90
	Individual	<Indv>	Or}	[1..1]		90







5.38.4 PrePaidAccount


XML Tag: PrePdAcct

Presence: [0..1]

Definition: Prepaid account for the transfer or loading of an amount of money.







The **PrePdAcct** block contains the following elements (see datatype "CashAccount38 1" on page 92 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		92
	Type	<Tp>		[0..1]		93
	Currency	<Ccy>		[0..1]		93
	Name	<Nm>		[0..1]		93
	Proxy	<Prxy>		[0..1]		94

5.39 CardTransaction3Choice__1

Definition: Choice between an acquirer globalised card transaction or an individual card transaction.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Aggregated	<Aggtd>	{Or	[1..1]		90
	Individual	<Indv>	Or}	[1..1]		90

Used in element(s)

"Transaction" on page 89







5.39.1 Aggregated


XML Tag: Aggtd

Presence: [1..1]

Definition: Card transaction details, based on card transaction aggregated data performed by the card acquirer.

The **Aggtd** block contains the following elements (see datatype "CardAggregated2__1" on page 78 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AdditionalService	<AddtlSvc>		[0..1]		78
	TransactionCategory	<TxCtgy>		[0..1]		78
	SaleReconciliationIdentification	<SaleRcncldId>		[0..1]		78
	SequenceNumberRange	<SeqNbRg>		[0..1]		79
	TransactionDateRange	<TxDtRg>		[0..1]		79

5.39.2 Individual

XML Tag: Indv

Presence: [1..1]

Definition: Card transaction details for the individual transaction, as recorded at the POI (point of interaction).

The **Indv** block contains the following elements (see datatype "[CardIndividualTransaction2_1](#)" on [page 82](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ICCRRelatedData	<ICCRltdData>		[0..1]	⚠	82
	PaymentContext	<PmtCntxt>		[0..1]		83
	AdditionalService	<AddtlSvc>		[0..1]		83
	TransactionCategory	<TxCtgy>		[0..1]		83
	SaleReconciliationIdentification	<SaleRcncldId>		[0..1]	⚠	84
	SaleReferenceNumber	<SaleRefNb>		[0..1]	⚠	84
	RePresentmentReason	<RePresntmntRsn>		[0..1]		84
	SequenceNumber	<SeqNb>		[0..1]	⚠	84
	TransactionIdentification	<Txld>		[0..1]		85
	Product	<Pdct>		[0..1]		85
	ValidationDate	<VldtnDt>		[0..1]		85
	ValidationSequenceNumber	<VldtnSeqNb>		[0..1]	⚠	86

5.40 CardholderAuthentication2

Definition: Data related to the authentication of the cardholder.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AuthenticationMethod	<AuthntcnMtd>		[1..1]		91
	AuthenticationEntity	<AuthntcnNtty>		[1..1]		92

Used in element(s)

"[AuthenticationMethod](#)" on [page 289](#)

5.40.1 AuthenticationMethod

XML Tag: AuthntcnMtd

Presence: [1..1]

Definition: Method used to authenticate the cardholder.

Datatype: ["AuthenticationMethod1Code" on page 503](#)

5.40.2 AuthenticationEntity

XML Tag: AuthntcnNtty

Presence: [1..1]

Definition: Entity or object in charge of verifying the cardholder authenticity.

Datatype: ["AuthenticationEntity1Code" on page 502](#)

5.41 CashAccount38__1

Definition: Provides the details to identify an account.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		92
	Type	<Tp>		[0..1]		93
	Currency	<Ccy>		[0..1]	M	93
	Name	<Nm>		[0..1]	⚠	93
	Proxy	<Prxy>		[0..1]		94

Used in element(s)

["CreditorAccount" on page 486](#), ["DebtorAccount" on page 484](#), ["PrePaidAccount" on page 81](#), ["PrePaidAccount" on page 89](#), ["RelatedAccount" on page 31](#)

5.41.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification for the account between the account owner and the account servicer.

The **Id** block contains the following elements (see datatype ["AccountIdentification4Choice__1" on page 24](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		24
	Other	<Othr>	Or}	[1..1]		24

5.41.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the nature, or use of the account.

The **Tp** block contains the following elements (see datatype "CashAccountType2Choice 1" on page 98 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		98
	Proprietary	<Prtry>	Or}	[1..1]		98

5.41.3 Currency

XML Tag: Ccy

Presence: [0..1]

Definition: Identification of the currency in which the account is held.

Usage: Currency should only be used in case one and the same account number covers several currencies

and the initiating party needs to identify which currency needs to be used for settlement on the account.

Datatype: "ActiveOrHistoricCurrencyCode" on page 498

Usage Guideline details

- **on camt.052.001.08/Report/RelatedAccount/Currency**

This element is now mandatory, the minimum occurrence has been changed to : 1

5.41.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the account, as assigned by the account servicing institution, in agreement with the account owner in order to provide an additional means of identification of the account.

Usage: The account name is different from the account owner name. The account name is used in certain user communities to provide a means of identifying the account, in addition to the account owner's identity and the account number.

Datatype: "CBPR_RestrictedFINXMax70Text" on page 515

Usage Guideline details

- on **camt.052.001.08/Report/Entry/CardTransaction/PrePaidAccount/Name**
Type changed to: [CBPR RestrictedFINXMax70Text on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/PrePaidAccount/Name**
Type changed to: [CBPR RestrictedFINXMax70Text on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/CreditorAccount/Name**
Type changed to: [CBPR RestrictedFINXMax70Text on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/DebtorAccount/Name**
Type changed to: [CBPR RestrictedFINXMax70Text on page 515](#)
- on **camt.052.001.08/Report/RelatedAccount/Name**
Type changed to: [CBPR RestrictedFINXMax70Text on page 515](#)

5.41.5 Proxy

XML Tag: Prxy

Presence: [0..1]

Definition: Specifies an alternate assumed name for the identification of the account.

The **Prxy** block contains the following elements (see datatype "[ProxyAccountIdentification1_1](#)" on [page 400](#) for details)

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ▲ Details below -
 M Mandatory - R[x..x] Repeatability[details]



Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		400
	Identification	<Id>		[1..1]	▲	401

5.42 CashAccount39__1

Definition: Provides the details to identify an account.

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ▲ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		95
	Type	<Tp>		[0..1]		95
	Currency	<Ccy>		[0..1]	M	95

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		96
	Proxy	<Prxy>		[0..1]		96
	Owner	<Ownr>		[0..1]		96
	Servicer	<Svcr>		[0..1]		97

Used in element(s)

"Account" on page 31







5.42.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification for the account between the account owner and the account servicer.

The **Id** block contains the following elements (see datatype "AccountIdentification4Choice 1" on page 24 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	IBAN	<IBAN>	{Or	[1..1]		24
	Other	<Othr>	Or}	[1..1]		24







5.42.2 Type


XML Tag: Tp

Presence: [0..1]

Definition: Specifies the nature, or use of the account.

The **Tp** block contains the following elements (see datatype "CashAccountType2Choice 1" on page 98 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		98
	Proprietary	<Prtry>	Or}	[1..1]		98

5.42.3 Currency

XML Tag: Ccy

Presence: [0..1]

Definition: Identification of the currency in which the account is held.

Datatype: ["ActiveOrHistoricCurrencyCode" on page 498](#)

Usage Guideline details

- **on camt.052.001.08/Report/Account/Currency**

This element is now mandatory, the minimum occurrence has been changed to : 1

5.42.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the account, as assigned by the account servicing institution, in agreement with the account owner in order to provide an additional means of identification of the account.

Usage: The account name is different from the account owner name. The account name is used in certain user communities to provide a means of identifying the account, in addition to the account owner's identity and the account number.

Datatype: ["CBPR_RestrictedFINXMax70Text" on page 515](#)

Usage Guideline details

- **on camt.052.001.08/Report/Account/Name**

Type changed to: [CBPR_RestrictedFINXMax70Text on page 515](#)

5.42.5 Proxy

XML Tag: Prxy

Presence: [0..1]

Definition: Specifies an alternate assumed name for the identification of the account.

The **Prxy** block contains the following elements (see datatype ["ProxyAccountIdentification1_1" on page 400](#) for details)

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ⚠ Details below -
 M Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		400
	Identification	<Id>		[1..1]	⚠	401

5.42.6 Owner

XML Tag: Ownr

Presence: [0..1]

Definition: Party that legally owns the account.

The **Ownr** block contains the following elements (see datatype "[PartyIdentification135_1](#)" on [page 271](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	271
	PostalAddress	<PstlAdr>		[0..1]		271
	Identification	<Id>		[0..1]		272
	CountryOfResidence	<CtryOfRes>		[0..1]		273
	ContactDetails	<CtctDtls>		[0..1]	⊘	273

Usage Guideline details

- **on camt.052.001.08/Report/Account/Owner**
 - **CBPR_Party_Name_Postal_Address_FormaRule:**

If Postal Address is present then Name is mandatory.

For each [Full Message/Document/BankToCustomerAccountReportV08/Report/Account/Owner], if
 at least one occurrence of the following element(s) [Owner/PostalAddress] is
 (are) present
 , then
 at least one occurrence of the following element(s) [Owner/Name] must be
 present

5.42.7 Servicer

XML Tag: Svcr

Presence: [0..1]

Definition: Party that manages the account on behalf of the account owner, that is manages the registration and booking of entries on the account, calculates balances on the account and provides information about the account.

The **Svcr** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_1](#)" on [page 56](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		56

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BranchIdentification	<BrnchId>		[0..1]		56

5.43 CashAccountType2Choice__1

Definition: Nature or use of the account.

❌ Removed - ⊖ Partial Removed - ◇ Ignored - ⚠️ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		98
	Proprietary	<Prtry>	Or}	[1..1]	⚠️	98

Used in element(s)

["Type" on page 95](#), ["Type" on page 93](#)

5.43.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Account type, in a coded form.

Datatype: ["ExternalCashAccountType1Code" on page 536](#)

5.43.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Nature or use of the account in a proprietary form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Account/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/CardTransaction/PrePaidAccount/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/PrePaidAccount/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/CreditorAccount/Type/Proprietary](#)

Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/DebtorAccount/Type/Proprietary](#)

Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

- on [camt.052.001.08/Report/RelatedAccount/Type/Proprietary](#)

Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.44 CashAvailability1

Definition: Indicates when the amount of money will become available, that is can be accessed and start generating interest.

❌ Removed - ⊖ Partial Removed - ◇ Ignored - ⊖◇ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Date	<Dt>		[1..1]		99
	Amount	<Amt>		[1..1]		99
	CreditDebitIndicator	<CdtDbtInd>		[1..1]		100

Used in element(s)

["Availability" on page 102](#), ["Availability" on page 471](#), ["Availability" on page 419](#), ["Availability" on page 167](#)

5.44.1 Date

XML Tag: Dt

Presence: [1..1]

Definition: Indicates when the amount of money will become available.

The **Dt** block contains the following elements (see datatype ["CashAvailabilityDate1Choice"](#) on page 100 for details)

❌ Removed - ⊖ Partial Removed - ◇ Ignored - ⊖◇ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NumberOfDays	<NbOfDays>	{Or	[1..1]		100
	ActualDate	<ActDt>	Or}	[1..1]		100

5.44.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Identifies the available amount.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

5.44.3 CreditDebitIndicator

XML Tag: CdtDbtInd

Presence: [1..1]

Definition: Indicates whether the availability balance is a credit or a debit balance.

Usage: A zero balance is considered to be a credit balance.

Datatype: ["CreditDebitCode" on page 526](#)

5.45 CashAvailabilityDate1Choice

Definition: Indicates when the amount of money will become available.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NumberOfDays	<NbOfDays>	{Or	[1..1]		100
	ActualDate	<ActIDt>	Or}	[1..1]		100

Used in element(s)

["Date" on page 99](#)

5.45.1 NumberOfDays

XML Tag: NbOfDays

Presence: [1..1]

Definition: Indicates the number of float days attached to the balance.

Datatype: ["Max15PlusSignedNumericText" on page 556](#)

5.45.2 ActualDate

XML Tag: ActIDt

Presence: [1..1]

Definition: Identifies the actual availability date.

Datatype: ["ISODate" on page 552](#)

5.46 CashBalance8__1

Definition: Set of elements used to define the balance details.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		101
	CreditLine	<CdtLine>		[0..*]		101
	Amount	<Amt>		[1..1]		102
	CreditDebitIndicator	<CdtDbtInd>		[1..1]		102
	Date	<Dt>		[1..1]		102
	Availability	<Avlby>		[0..*]		102

Rules

R14 ForwardBalanceAndAvailabilityRule

If Type is equal to ForwardAvailable, Availability is not allowed.

Error handling:

- *Error severity:* Fatal
- *Error Code:*
- *Error Text:* Invalid message content for forward available balance.

Used in element(s)

["Balance" on page 32](#)

5.46.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Specifies the nature of a balance.

The **Tp** block contains the following elements (see datatype ["BalanceType13 1"](#) on page 50 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		51
	SubType	<SubTp>		[0..1]		51

5.46.2 CreditLine

XML Tag: CdtLine

Presence: [0..*]

Definition: Set of elements used to provide details on the credit line.

The **CdtLine** block contains the following elements (see datatype "CreditLine3 1" on page 134 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Included	<Incl>		[1..1]		134
	Type	<Tp>		[0..1]		134
	Amount	<Amt>		[0..1]		135
	Date	<Dt>		[0..1]		135

5.46.3 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money of the cash balance.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 498

5.46.4 CreditDebitIndicator

XML Tag: CdtDbtInd

Presence: [1..1]

Definition: Indicates whether the balance is a credit or a debit balance.

Usage: A zero balance is considered to be a credit balance.

Datatype: "CreditDebitCode" on page 526

5.46.5 Date

XML Tag: Dt

Presence: [1..1]

Definition: Indicates the date (and time) of the balance.

The **Dt** block contains the following elements (see datatype "DateAndDateTime2Choice 1" on page 143 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - 🟡 Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Date	<Dt>	{Or	[1..1]		144
	DateTime	<DtTm>	Or}	[1..1]	⚠️	144

5.46.6 Availability

XML Tag: Avlbty

Presence: [0..*]

Definition: Set of elements used to indicate when the booked amount of money will become available, that is can be accessed and starts generating interest.

Usage: This type of information is used in the US and is linked to particular instruments such as cheques.

Example: When a cheque is deposited, it will be booked on the deposit day, but the amount of money will only be accessible as of the indicated availability day (according to national banking regulations).

The **Avlbty** block contains the following elements (see datatype "[CashAvailability1](#)" on page 99 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Date	<Dt>		[1..1]		99
	Amount	<Amt>		[1..1]		99
	CreditDebitIndicator	<CdtDbtInd>		[1..1]		100

5.47 CashDeposit1__1

Definition: Deposit of an amount of money defined in cash notes and/or coins.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NoteDenomination	<NoteDnmtn>		[1..1]	⚠	103
	NumberOfNotes	<NbOfNotes>		[1..1]		104
	Amount	<Amt>		[1..1]	⚠	104

Used in element(s)

["CashDeposit"](#) on page 176

5.47.1 NoteDenomination

XML Tag: NoteDnmtn

Presence: [1..1]

Definition: Specifies the note or coin denomination, including the currency, such as a 50 euro note.

Datatype: ["ActiveOrHistoricCurrencyAndAmount"](#) on page 498

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CashDeposit/NoteDenomination](#)
Type changed to: [ActiveOrHistoricCurrencyAndAmount](#) on page 498

5.47.2 NumberOfNotes

XML Tag: NbOfNotes

Presence: [1..1]

Definition: Specifies the number of notes of the same denomination in the deposit.

Datatype: ["Max15NumericText"](#) on page 555

5.47.3 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Specifies the total amount of money in the cash deposit, that is the note denomination times the number of notes.

Datatype: ["ActiveOrHistoricCurrencyAndAmount"](#) on page 498

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CashDeposit/Amount](#)
Type changed to: [ActiveOrHistoricCurrencyAndAmount](#) on page 498

5.48 ChargeType3Choice__1

Definition: Specifies the charge type.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below - M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		104
	Proprietary	<Prtry>	Or}	[1..1]		105

Used in element(s)

["Type"](#) on page 107

5.48.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Charge type, in a coded form.

Datatype: ["ExternalChargeType1Code" on page 537](#)

5.48.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Type of charge in a proprietary form, as defined by the issuer.

The **Prtry** block contains the following elements (see datatype ["GenericIdentification3_1" on page 220](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	221
	Issuer	<Issr>		[0..1]	⚠	221

5.49 Charges6__1

Definition: Provides further details on the charges related to the payment transaction.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TotalChargesAndTaxAmount	<TtlChrgsAndTaxAmt>		[0..1]		105
	Record	<Rcrd>		[0..*]		105

Used in element(s)

["Charges" on page 421](#), ["Charges" on page 168](#)

5.49.1 TotalChargesAndTaxAmount

XML Tag: TtlChrgsAndTaxAmt

Presence: [0..1]

Definition: Total of all charges and taxes applied to the entry.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

5.49.2 Record

XML Tag: Rcrd

Presence: [0..*]

Definition: Provides details of the individual charges record.

The **Rcrd** block contains the following elements (see datatype "ChargesRecord3_1" on page 106 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		106
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		107
	ChargeIncludedIndicator	<ChrgInclInd>		[0..1]		107
	Type	<Tp>		[0..1]		107
	Rate	<Rate>		[0..1]		107
	Bearer	 		[0..1]		107
	Agent	<Agt>		[0..1]		108
	Tax	<Tax>		[0..1]		108

5.50 ChargesRecord3__1

Definition: Provides further individual record details on the charges related to the payment transaction.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		106
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		107
	ChargeIncludedIndicator	<ChrgInclInd>		[0..1]		107
	Type	<Tp>		[0..1]		107
	Rate	<Rate>		[0..1]		107
	Bearer	 		[0..1]		107
	Agent	<Agt>		[0..1]		108
	Tax	<Tax>		[0..1]		108

Used in element(s)

"Record" on page 105

5.50.1 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Transaction charges to be paid by the charge bearer.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

5.50.2 CreditDebitIndicator

XML Tag: CdtDbtInd

Presence: [0..1]

Definition: Indicates whether the charges amount is a credit or a debit amount.

Usage: A zero amount is considered to be a credit.

Datatype: ["CreditDebitCode" on page 526](#)

5.50.3 ChargeIncludedIndicator

XML Tag: ChrgInclInd

Presence: [0..1]

Definition: Indicates whether the charge should be included in the amount or is added as pre-advice.

Datatype: ["ChargeIncludedIndicator" on page 524](#)

5.50.4 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of charge.

The **Tp** block contains the following elements (see datatype ["ChargeType3Choice 1" on page 104](#) for details)

❌ Removed - ⊖ Partial Removed - ◇ Ignored - ⊕ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		104
	Proprietary	<Prtry>	Or}	[1..1]		105

5.50.5 Rate

XML Tag: Rate

Presence: [0..1]

Definition: Rate used to calculate the amount of the charge or fee.

Datatype: ["PercentageRate" on page 567](#)

5.50.6 Bearer

XML Tag: Br

Presence: [0..1]

Definition: Specifies which party/parties will bear the charges associated with the processing of the payment transaction.

Datatype: "ChargeBearerType1Code" on page 523

5.50.7 Agent

XML Tag: Agt

Presence: [0..1]

Definition: Agent that takes the transaction charges or to which the transaction charges are due.

The **Agt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6_2" on page 57 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		57
	BranchIdentification	<BrnchId>		[0..1]		58

5.50.8 Tax

XML Tag: Tax

Presence: [0..1]

Definition: Provides details on the tax applied to charges.

The **Tax** block contains the following elements (see datatype "TaxCharges2_1" on page 443 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]


Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]	⚠	443
	Rate	<Rate>		[0..1]		444
	Amount	<Amt>		[0..1]		444

5.51 ClearingSystemIdentification2Choice

Definition: Choice of a clearing system identifier.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		109

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]		109

Used in element(s)

["ClearingSystemIdentification" on page 111](#), ["ClearingSystemIdentification" on page 112](#)

5.51.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Identification of a clearing system, in a coded form as published in an external list.

Datatype: ["ExternalClearingSystemIdentification1Code" on page 538](#)

5.51.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Identification code for a clearing system, that has not yet been identified in the list of clearing systems.

Datatype: ["Max35Text" on page 557](#)

Usage Guideline details

- This element([camt.052.001.08/header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.
- This element([camt.052.001.08/header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.
- This element([camt.052.001.08/header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.
- This element([camt.052.001.08/header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.
- This element([camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.
- This element([camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.

- This element(camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/SettlementPlace/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.
- This element(camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary) is removed.

- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification/Proprietary](#)) is removed.

5.52 ClearingSystemMemberIdentification2

Definition: Unique identification, as assigned by a clearing system, to unambiguously identify a member of the clearing system.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]	M	111
	MemberIdentification	<MmblId>		[1..1]		112

Used in element(s)

"ClearingSystemMemberIdentification" on page 185

5.52.1 ClearingSystemIdentification

XML Tag: ClrSysId

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

The **ClrSysId** block contains the following elements (see datatype "[ClearingSystemIdentification2Choice](#)" on page 108 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		109
	Proprietary	<Prtry>	Or}	[1..1]	⊘	109

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1

5.52.2 MemberIdentification

XML Tag: Mmbld

Presence: [1..1]

Definition: Identification of a member of a clearing system.

Datatype: "Max35Text" on page 557

5.53 ClearingSystemMemberIdentification2__1

Definition: Unique identification, as assigned by a clearing system, to unambiguously identify a member of the clearing system.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]	M	112
	MemberIdentification	<Mmbld>		[1..1]	⚠	115

Used in element(s)

"ClearingSystemMemberIdentification" on page 189, "ClearingSystemMemberIdentification" on page 182

5.53.1 ClearingSystemIdentification

XML Tag: ClrSysId

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

The **ClrSysId** block contains the following elements (see datatype "ClearingSystemIdentification2Choice" on page 108 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		109
	Proprietary	<Prtry>	Or}	[1..1]	⊘	109

Usage Guideline details

- on camt.052.001.08/header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.052.001.08/header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.052.001.08/header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.052.001.08/header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/ClearingSystemIdentification**

This element is now mandatory, the minimum occurrence has been changed to : 1

5.53.2 MemberIdentification

XML Tag: Mmbld

Presence: [1..1]

Definition: Identification of a member of a clearing system.

Datatype: "CBPR_RestrictedFINXMax28Text" on page 511

Usage Guideline details

- **on camt.052.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification**

Type changed to: CBPR_RestrictedFINXMax28Text on page 511

- **on camt.052.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification**

Type changed to: CBPR_RestrictedFINXMax28Text on page 511

- **on camt.052.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification**

Type changed to: CBPR_RestrictedFINXMax28Text on page 511

- **on camt.052.001.08/.header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification**

Type changed to: CBPR_RestrictedFINXMax28Text on page 511

- **on camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification**

Type changed to: CBPR_RestrictedFINXMax28Text on page 511

- **on camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification**

Type changed to: CBPR_RestrictedFINXMax28Text on page 511

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR RestrictedFINXMax28Text on page 511](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR RestrictedFINXMax28Text on page 511](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR RestrictedFINXMax28Text on page 511](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR RestrictedFINXMax28Text on page 511](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR RestrictedFINXMax28Text on page 511](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR RestrictedFINXMax28Text on page 511](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR RestrictedFINXMax28Text on page 511](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR RestrictedFINXMax28Text on page 511](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR RestrictedFINXMax28Text on page 511](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR RestrictedFINXMax28Text on page 511](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification
Type changed to: [CBPR RestrictedFINXMax28Text on page 511](#)


- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification](#)
Type changed to: [CBPR RestrictedFINXMax28Text on page 511](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification](#)
Type changed to: [CBPR RestrictedFINXMax28Text on page 511](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification](#)
Type changed to: [CBPR RestrictedFINXMax28Text on page 511](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification](#)
Type changed to: [CBPR RestrictedFINXMax28Text on page 511](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/ClearingSystemMemberIdentification/MemberIdentification](#)
Type changed to: [CBPR RestrictedFINXMax28Text on page 511](#)

5.54 Contact4

Definition: Specifies the details of the contact person.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]	⊘	118
	Name	<Nm>		[0..1]	⊘	118
	PhoneNumber	<PhneNb>		[0..1]	⊘	118
	MobileNumber	<MobNb>		[0..1]	⊘	119
	FaxNumber	<FaxNb>		[0..1]	⊘	119
	EmailAddress	<EmailAdr>		[0..1]	⊘	119
	EmailPurpose	<EmailPurp>		[0..1]	⊘	120
	JobTitle	<JobTitl>		[0..1]	⊘	120
	Responsibility	<Rspnsblty>		[0..1]	⊘	120
	Department	<Dept>		[0..1]	⊘	121
	Other	<Othr>		[0..*]	⊘	121

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PreferredMethod	<PrefrdMtd>		[0..1]		121

Used in element(s)

["ContactDetails" on page 270](#), ["ContactDetails" on page 273](#)

5.54.1 NamePrefix

XML Tag: NmPrfx

Presence: [0..1]

Definition: Specifies the terms used to formally address a person.

Datatype: ["NamePrefix2Code" on page 559](#)

Usage Guideline details

- This element([camt.052.001.08/GroupHeader/MessageRecipient/ContactDetails/NamePrefix](#)) is removed.
- This element([camt.052.001.08/Report/Account/Owner/ContactDetails/NamePrefix](#)) is removed.

5.54.2 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: ["Max140Text" on page 555](#)

Usage Guideline details

- This element([camt.052.001.08/Report/Account/Owner/ContactDetails/Name](#)) is removed.

5.54.3 PhoneNumber

XML Tag: PhneNb

Presence: [0..1]

Definition: Collection of information that identifies a phone number, as defined by telecom services.

Datatype: ["PhoneNumber" on page 568](#)

Usage Guideline details

- This element([camt.052.001.08/GroupHeader/MessageRecipient/ContactDetails/PhoneNumber](#)) is removed.

- This element([camt.052.001.08/Report/Account/Owner/ContactDetails/PhoneNumber](#)) is removed.

5.54.4 MobileNumber

XML Tag: MobNb

Presence: [0..1]

Definition: Collection of information that identifies a mobile phone number, as defined by telecom services.

Datatype: ["PhoneNumber" on page 568](#)

Usage Guideline details

- This element([camt.052.001.08/GroupHeader/MessageRecipient/ContactDetails/MobileNumber](#)) is removed.
- This element([camt.052.001.08/Report/Account/Owner/ContactDetails/MobileNumber](#)) is removed.

5.54.5 FaxNumber

XML Tag: FaxNb

Presence: [0..1]

Definition: Collection of information that identifies a FAX number, as defined by telecom services.

Datatype: ["PhoneNumber" on page 568](#)

Usage Guideline details

- This element([camt.052.001.08/GroupHeader/MessageRecipient/ContactDetails/FaxNumber](#)) is removed.
- This element([camt.052.001.08/Report/Account/Owner/ContactDetails/FaxNumber](#)) is removed.

5.54.6 EmailAddress

XML Tag: EmailAdr

Presence: [0..1]

Definition: Address for electronic mail (e-mail).

Datatype: ["Max2048Text" on page 556](#)

Usage Guideline details

- This element([camt.052.001.08/GroupHeader/MessageRecipient/ContactDetails/EmailAddress](#)) is removed.

- This element([camt.052.001.08/Report/Account/Owner/ContactDetails/EmailAddress](#)) is removed.

5.54.7 EmailPurpose

XML Tag: EmailPurp

Presence: [0..1]

Definition: Purpose for which an email address may be used.

Datatype: ["Max35Text" on page 557](#)

Usage Guideline details

- This element([camt.052.001.08/GroupHeader/MessageRecipient/ContactDetails/EmailPurpose](#)) is removed.
- This element([camt.052.001.08/Report/Account/Owner/ContactDetails/EmailPurpose](#)) is removed.

5.54.8 JobTitle

XML Tag: JobTitl

Presence: [0..1]

Definition: Title of the function.

Datatype: ["Max35Text" on page 557](#)

Usage Guideline details

- This element([camt.052.001.08/GroupHeader/MessageRecipient/ContactDetails/JobTitle](#)) is removed.
- This element([camt.052.001.08/Report/Account/Owner/ContactDetails/JobTitle](#)) is removed.

5.54.9 Responsibility

XML Tag: Rspnsbly

Presence: [0..1]

Definition: Role of a person in an organisation.

Datatype: ["Max35Text" on page 557](#)

Usage Guideline details

- This element([camt.052.001.08/GroupHeader/MessageRecipient/ContactDetails/Responsibility](#)) is removed.
- This element([camt.052.001.08/Report/Account/Owner/ContactDetails/Responsibility](#)) is removed.

5.54.10 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: ["Max70Text" on page 558](#)

Usage Guideline details

- This element([camt.052.001.08/GroupHeader/MessageRecipient/ContactDetails/Department](#)) is removed.
- This element([camt.052.001.08/Report/Account/Owner/ContactDetails/Department](#)) is removed.

5.54.11 Other

XML Tag: Othr

Presence: [0..*]

Definition: Contact details in another form.

The **Othr** block contains the following elements (see datatype ["OtherContact1" on page 257](#) for details)

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ▲ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ChannelType	<ChanlTp>		[1..1]		257
	Identification	<Id>		[0..1]		257

Usage Guideline details

- This element([camt.052.001.08/GroupHeader/MessageRecipient/ContactDetails/Other](#)) is removed.
- This element([camt.052.001.08/Report/Account/Owner/ContactDetails/Other](#)) is removed.

5.54.12 PreferredMethod

XML Tag: PrefrdMtd

Presence: [0..1]

Definition: Preferred method used to reach the contact.

Datatype: ["PreferredContactMethod1Code" on page 568](#)

Usage Guideline details

- This element([camt.052.001.08/GroupHeader/MessageRecipient/ContactDetails/PreferredMethod](#)) is removed.
- This element([camt.052.001.08/Report/Account/Owner/ContactDetails/PreferredMethod](#)) is removed.

5.55 Contact4__1

Definition: Specifies the details of the contact person.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]	⊘	122
	Name	<Nm>		[0..1]	⚠	123
	PhoneNumber	<PhneNb>		[0..1]	⊘	124
	MobileNumber	<MobNb>		[0..1]	⊘	125
	FaxNumber	<FaxNb>		[0..1]	⊘	126
	EmailAddress	<EmailAdr>		[0..1]	⊘	127
	EmailPurpose	<EmailPurp>		[0..1]	⊘	128
	JobTitle	<JobTitl>		[0..1]	⊘	129
	Responsibility	<Rspnsblty>		[0..1]	⊘	129
	Department	<Dept>		[0..1]	⊘	130
	Other	<Othr>		[0..*]	⊘	131
	PreferredMethod	<PrefrdMtd>		[0..1]	⊘	132

Used in element(s)

["ContactDetails" on page 276](#), ["ContactDetails" on page 279](#), ["ContactDetails" on page 282](#), ["ContactDetails" on page 284](#)

5.55.1 NamePrefix

XML Tag: NmPrfx

Presence: [0..1]

Definition: Specifies the terms used to formally address a person.

Datatype: ["NamePrefix2Code" on page 559](#)

Usage Guideline details

- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/ContactDetails/NamePrefix](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/ContactDetails/NamePrefix](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/ContactDetails/NamePrefix](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/ContactDetails/NamePrefix](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/ContactDetails/NamePrefix](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/ContactDetails/NamePrefix](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/ContactDetails/NamePrefix](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/ContactDetails/NamePrefix](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/ContactDetails/NamePrefix](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/ContactDetails/NamePrefix](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/ContactDetails/NamePrefix](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/ContactDetails/NamePrefix](#)) is removed.

5.55.2 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: ["CBPR RestrictedFINXMax140Text Extended" on page 510](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/ContactDetails/Name](#)
 Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/ContactDetails/Name](#)

Type changed to: [CBPR RestrictedFINXMax140Text](#) [Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/ContactDetails/Name](#)

Type changed to: [CBPR RestrictedFINXMax140Text](#) [Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/ContactDetails/Name](#)

Type changed to: [CBPR RestrictedFINXMax140Text](#) [Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/ContactDetails/Name](#)

Type changed to: [CBPR RestrictedFINXMax140Text](#) [Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/ContactDetails/Name](#)

Type changed to: [CBPR RestrictedFINXMax140Text](#) [Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/ContactDetails/Name](#)

Type changed to: [CBPR RestrictedFINXMax140Text](#) [Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/ContactDetails/Name](#)

Type changed to: [CBPR RestrictedFINXMax140Text](#) [Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/ContactDetails/Name](#)

Type changed to: [CBPR RestrictedFINXMax140Text](#) [Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/ContactDetails/Name](#)

Type changed to: [CBPR RestrictedFINXMax140Text](#) [Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/ContactDetails/Name](#)

Type changed to: [CBPR RestrictedFINXMax140Text](#) [Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/ContactDetails/Name](#)

Type changed to: [CBPR RestrictedFINXMax140Text](#) [Extended on page 510](#)

5.55.3 PhoneNumber

XML Tag: PhneNb

Presence: [0..1]

Definition: Collection of information that identifies a phone number, as defined by telecom services.

Datatype: ["PhoneNumber"](#) on page 568

Usage Guideline details

- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/ContactDetails/PhoneNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/ContactDetails/PhoneNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/ContactDetails/PhoneNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/ContactDetails/PhoneNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/ContactDetails/PhoneNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/ContactDetails/PhoneNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/ContactDetails/PhoneNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/ContactDetails/PhoneNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/ContactDetails/PhoneNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/ContactDetails/PhoneNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/ContactDetails/PhoneNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/ContactDetails/PhoneNumber`) is removed.

5.55.4 MobileNumber

XML Tag: MobNb

Presence: [0..1]

Definition: Collection of information that identifies a mobile phone number, as defined by telecom services.

Datatype: ["PhoneNumber" on page 568](#)

Usage Guideline details

- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/ContactDetails/MobileNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/ContactDetails/MobileNumber`) is removed.

- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/ContactDetails/MobileNumber](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/ContactDetails/MobileNumber](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/ContactDetails/MobileNumber](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/ContactDetails/MobileNumber](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/ContactDetails/MobileNumber](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/ContactDetails/MobileNumber](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/ContactDetails/MobileNumber](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/ContactDetails/MobileNumber](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/ContactDetails/MobileNumber](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/ContactDetails/MobileNumber](#)) is removed.

5.55.5 FaxNumber

XML Tag: FaxNb

Presence: [0..1]

Definition: Collection of information that identifies a FAX number, as defined by telecom services.

Datatype: ["PhoneNumber" on page 568](#)

Usage Guideline details

- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/ContactDetails/FaxNumber](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/ContactDetails/FaxNumber](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/ContactDetails/FaxNumber](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/ContactDetails/FaxNumber](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/ContactDetails/FaxNumber](#)) is removed.

- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/ContactDetails/FaxNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/ContactDetails/FaxNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/ContactDetails/FaxNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/ContactDetails/FaxNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/ContactDetails/FaxNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/ContactDetails/FaxNumber`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/ContactDetails/FaxNumber`) is removed.

5.55.6 EmailAddress

XML Tag: EmailAdr

Presence: [0..1]

Definition: Address for electronic mail (e-mail).

Datatype: ["Max2048Text" on page 556](#)

Usage Guideline details

- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/ContactDetails/EmailAddress`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/ContactDetails/EmailAddress`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/ContactDetails/EmailAddress`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/ContactDetails/EmailAddress`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/ContactDetails/EmailAddress`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/ContactDetails/EmailAddress`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/ContactDetails/EmailAddress`) is removed.
- This element(`camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/ContactDetails/EmailAddress`) is removed.

- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/ContactDetails/EmailAddress**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/ContactDetails/EmailAddress**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/ContactDetails/EmailAddress**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/ContactDetails/EmailAddress**) is removed.

5.55.7 EmailPurpose

XML Tag: EmailPurp

Presence: [0..1]

Definition: Purpose for which an email address may be used.

Datatype: "Max35Text" on page 557

Usage Guideline details

- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/ContactDetails/EmailPurpose**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/ContactDetails/EmailPurpose**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/ContactDetails/EmailPurpose**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/ContactDetails/EmailPurpose**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/ContactDetails/EmailPurpose**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/ContactDetails/EmailPurpose**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/ContactDetails/EmailPurpose**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/ContactDetails/EmailPurpose**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/ContactDetails/EmailPurpose**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/ContactDetails/EmailPurpose**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/ContactDetails/EmailPurpose**) is removed.

- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/ContactDetails/EmailPurpose](#)) is removed.

5.55.8 JobTitle

XML Tag: JobTitl

Presence: [0..1]

Definition: Title of the function.

Datatype: ["Max35Text"](#) on page 557

Usage Guideline details

- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/ContactDetails/JobTitle](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/ContactDetails/JobTitle](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/ContactDetails/JobTitle](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/ContactDetails/JobTitle](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/ContactDetails/JobTitle](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/ContactDetails/JobTitle](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/ContactDetails/JobTitle](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/ContactDetails/JobTitle](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/ContactDetails/JobTitle](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/ContactDetails/JobTitle](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/ContactDetails/JobTitle](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/ContactDetails/JobTitle](#)) is removed.

5.55.9 Responsibility

XML Tag: Rspnsbly

Presence: [0..1]

Definition: Role of a person in an organisation.

Datatype: "Max35Text" on page 557

Usage Guideline details

- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/ContactDetails/Responsibility**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/ContactDetails/Responsibility**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/ContactDetails/Responsibility**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/ContactDetails/Responsibility**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/ContactDetails/Responsibility**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/ContactDetails/Responsibility**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/ContactDetails/Responsibility**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/ContactDetails/Responsibility**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/ContactDetails/Responsibility**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/ContactDetails/Responsibility**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/ContactDetails/Responsibility**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/ContactDetails/Responsibility**) is removed.

5.55.10 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: "Max70Text" on page 558

Usage Guideline details

- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/ContactDetails/Department**) is removed.

- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/ContactDetails/Department](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/ContactDetails/Department](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/ContactDetails/Department](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/ContactDetails/Department](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/ContactDetails/Department](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/ContactDetails/Department](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/ContactDetails/Department](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/ContactDetails/Department](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/ContactDetails/Department](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/ContactDetails/Department](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/ContactDetails/Department](#)) is removed.

5.55.11 Other

XML Tag: Othr

Presence: [0..*]

Definition: Contact details in another form.

The **Othr** block contains the following elements (see datatype "[OtherContact1](#)" on page 257 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below - M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ChannelType	<ChanlTp>		[1..1]		257
	Identification	<Id>		[0..1]		257

Usage Guideline details

- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/ContactDetails/Other**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/ContactDetails/Other**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/ContactDetails/Other**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/ContactDetails/Other**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/ContactDetails/Other**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/ContactDetails/Other**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/ContactDetails/Other**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/ContactDetails/Other**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/ContactDetails/Other**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/ContactDetails/Other**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/ContactDetails/Other**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/ContactDetails/Other**) is removed.

5.55.12 PreferredMethod

XML Tag: PrefrdMtd

Presence: [0..1]

Definition: Preferred method used to reach the contact.

Datatype: ["PreferredContactMethod1Code" on page 568](#)

Usage Guideline details

- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/ContactDetails/PreferredMethod**) is removed.
- This element(**camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/ContactDetails/PreferredMethod**) is removed.

- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/ContactDetails/PreferredMethod](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/ContactDetails/PreferredMethod](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/ContactDetails/PreferredMethod](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/ContactDetails/PreferredMethod](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/ContactDetails/PreferredMethod](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/ContactDetails/PreferredMethod](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/ContactDetails/PreferredMethod](#)) is removed.
- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/ContactDetails/PreferredMethod](#)) is removed.

5.56 CorporateAction9__1

Definition: An event determined by a corporation's board of directors, that changes the existing corporate capital structure or financial condition.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	EventType	<EvtTp>		[1..1]	⚠	133
	EventIdentification	<EvtId>		[1..1]	⚠	134

Used in element(s)

"CorporateAction" on page 176

5.56.1 EventType

XML Tag: EvtTp

Presence: [1..1]

Definition: Type of corporate action event, in a free-text format.

Datatype: ["CBPR_RestrictedFINXMax35Text"](#) on page 512

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CorporateAction/EventType](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.56.2 EventIdentification

XML Tag: EvtId

Presence: [1..1]

Definition: Identification of a corporate action assigned by an official central body/entity within a given market.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CorporateAction/EventIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.57 CreditLine3__1

Definition: Set of elements used to provide details of the credit line.

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ▲ Details below -
 M Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Included	<Incl>		[1..1]		134
	Type	<Tp>		[0..1]		134
	Amount	<Amt>		[0..1]		135
	Date	<Dt>		[0..1]		135

Used in element(s)

["CreditLine" on page 101](#)

5.57.1 Included

XML Tag: Incl

Presence: [1..1]

Definition: Indicates whether or not the credit line is included in the balance.

Datatype: ["TrueFalseIndicator" on page 576](#)

5.57.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Type of the credit line provided when multiple credit lines may be provided.

The **Tp** block contains the following elements (see datatype "CreditLineType1Choice_1" on page 135 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		136
	Proprietary	<Prtry>	Or}	[1..1]		136

5.57.3 Amount

XML Tag: Amt

Presence: [0..1]

Definition: Amount of money of the credit line.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 498

5.57.4 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date of the credit line provided when multiple credit lines may be provided.

The **Dt** block contains the following elements (see datatype "DateAndDateTime2Choice_1" on page 143 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Date	<Dt>	{Or	[1..1]		144
	DateTime	<DtTm>	Or}	[1..1]		144

5.58 CreditLineType1Choice__1

Definition: Specifies the type of the credit line provided.

Removed - Partial Removed - Ignored - Partial Ignored - Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		136
	Proprietary	<Prtry>	Or}	[1..1]		136

Used in element(s)

["Type" on page 134](#)

5.58.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of the credit line, as published in an external purpose code list.

Datatype: ["ExternalCreditLineType1Code" on page 538](#)

5.58.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Type of the credit line, in a proprietary form.







Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)


Usage Guideline details

- **on camt.052.001.08/Report/Balance/CreditLine/Type/Proprietary**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.59 CreditorReferenceInformation2__1

Definition: Reference information provided by the creditor to allow the identification of the underlying documents.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		136
	Reference	<Ref>		[0..1]		137

Used in element(s)

["CreditorReferenceInformation" on page 433](#)

5.59.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of creditor reference.

The **Tp** block contains the following elements (see datatype ["CreditorReferenceType2__1" on page 138](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		138
	Issuer	</lssr>		[0..1]	⚠	139

5.59.2 Reference

XML Tag: Ref

Presence: [0..1]

Definition: Unique reference, as assigned by the creditor, to unambiguously refer to the payment transaction.

Usage: If available, the initiating party should provide this reference in the structured remittance information, to enable reconciliation by the creditor upon receipt of the amount of money.

If the business context requires the use of a creditor reference or a payment remit identification, and only one identifier can be passed through the end-to-end chain, the creditor's reference or payment remittance identification should be quoted in the end-to-end transaction identification.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 513

Usage Guideline details

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/CreditorReferenceInformation/Reference**
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 513

5.60 CreditorReferenceType1Choice__1

Definition: Specifies the type of document referred by the creditor.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		137
	Proprietary	<Prtry>	Or}	[1..1]	⚠	138

Used in element(s)

"CodeOrProprietary" on page 138

5.60.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Type of creditor reference, in a coded form.

Datatype: ["DocumentType3Code" on page 527](#)

5.60.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Creditor reference type, in a proprietary form.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 513](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/CreditorReferenceInformation/Type/CodeOrProprietary/Proprietary](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)

5.61 CreditorReferenceType2__1

Definition: Specifies the type of creditor reference.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		138
	Issuer	<Issr>		[0..1]	⚠	139

Used in element(s)

["Type" on page 136](#)

5.61.1 CodeOrProprietary


XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Coded or proprietary format creditor reference type.

The **CdOrPrtry** block contains the following elements (see datatype ["CreditorReferenceType1Choice__1" on page 137](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		137
	Proprietary	<Prtry>	Or}	[1..1]		138

5.61.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the credit reference type.







Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 513



Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/CreditorReferenceInformation/Type/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 513

5.62 CurrencyExchange5__1

Definition: Set of elements used to provide details of the currency exchange.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SourceCurrency	<SrcCcy>		[1..1]		139
	TargetCurrency	<TrgtCcy>		[0..1]		140
	UnitCurrency	<UnitCcy>		[0..1]		140
	ExchangeRate	<XchgRate>		[1..1]		140
	ContractIdentification	<CtrctId>		[0..1]		140
	QuotationDate	<QtnDt>		[0..1]		141

Used in element(s)

"CurrencyExchange" on page 44, "CurrencyExchange" on page 46

5.62.1 SourceCurrency

XML Tag: SrcCcy

Presence: [1..1]

Definition: Currency from which an amount is to be converted in a currency conversion.

Datatype: "ActiveOrHistoricCurrencyCode" on page 498

5.62.2 TargetCurrency

XML Tag: TrgtCcy

Presence: [0..1]

Definition: Currency into which an amount is to be converted in a currency conversion.

Datatype: ["ActiveOrHistoricCurrencyCode" on page 498](#)

5.62.3 UnitCurrency

XML Tag: UnitCcy

Presence: [0..1]

Definition: Currency in which the rate of exchange is expressed in a currency exchange. In the example 1GBP = xxxCUR, the unit currency is GBP.

Datatype: ["ActiveOrHistoricCurrencyCode" on page 498](#)

5.62.4 ExchangeRate

XML Tag: XchgRate

Presence: [1..1]

Definition: Factor used to convert an amount from one currency into another. This reflects the price at which one currency was bought with another currency.

Usage: ExchangeRate expresses the ratio between UnitCurrency and QuotedCurrency (ExchangeRate = UnitCurrency/QuotedCurrency).

Datatype: ["BaseOneRate" on page 507](#)

5.62.5 ContractIdentification

XML Tag: CtrctId

Presence: [0..1]

Definition: Unique identification to unambiguously identify the foreign exchange contract.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/AmountDetails/AnnouncedPostingAmount/CurrencyExchange/ContractIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/AmountDetails/CounterValueAmount/CurrencyExchange/ContractIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/AmountDetails/InstructedAmount/CurrencyExchange/ContractIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

- on **camt.052.001.08/Report/Entry/AmountDetails/ProprietaryAmount/CurrencyExchange/ContractIdentification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/AmountDetails/TransactionAmount/CurrencyExchange/ContractIdentification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.62.6 QuotationDate

XML Tag: QtnDt

Presence: [0..1]

Definition: Date and time at which an exchange rate is quoted.

Datatype: ["CBPR_DateTime" on page 508](#)

Usage Guideline details


- on **camt.052.001.08/Report/Entry/AmountDetails/AnnouncedPostingAmount/CurrencyExchange/QuotationDate**
Type changed to: [CBPR DateTime on page 508](#)
- on **camt.052.001.08/Report/Entry/AmountDetails/CounterValueAmount/CurrencyExchange/QuotationDate**
Type changed to: [CBPR DateTime on page 508](#)
- on **camt.052.001.08/Report/Entry/AmountDetails/InstructedAmount/CurrencyExchange/QuotationDate**
Type changed to: [CBPR DateTime on page 508](#)
- on **camt.052.001.08/Report/Entry/AmountDetails/ProprietaryAmount/CurrencyExchange/QuotationDate**
Type changed to: [CBPR DateTime on page 508](#)
- on **camt.052.001.08/Report/Entry/AmountDetails/TransactionAmount/CurrencyExchange/QuotationDate**
Type changed to: [CBPR DateTime on page 508](#)

5.63 CurrencyExchange5__2

Definition: Set of elements used to provide details of the currency exchange.

❌ Removed -
 ⊖ Partial Removed -
 ◇ Ignored -
 ⊠ Partial Ignored -
 ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SourceCurrency	<SrcCcy>		[1..1]		142

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TargetCurrency	<TrgtCcy>		[0..1]		142
	UnitCurrency	<UnitCcy>		[0..1]		142
	ExchangeRate	<XchgRate>		[1..1]		142
	ContractIdentification	<CtrctId>		[0..1]		143
	QuotationDate	<QtnDt>		[0..1]		143

Used in element(s)

["CurrencyExchange" on page 44](#), ["CurrencyExchange" on page 47](#)

5.63.1 SourceCurrency

XML Tag: SrcCcy

Presence: [1..1]

Definition: Currency from which an amount is to be converted in a currency conversion.

Datatype: ["ActiveOrHistoricCurrencyCode" on page 498](#)

5.63.2 TargetCurrency

XML Tag: TrgtCcy

Presence: [0..1]

Definition: Currency into which an amount is to be converted in a currency conversion.

Datatype: ["ActiveOrHistoricCurrencyCode" on page 498](#)

5.63.3 UnitCurrency

XML Tag: UnitCcy

Presence: [0..1]

Definition: Currency in which the rate of exchange is expressed in a currency exchange. In the example 1GBP = xxxCUR, the unit currency is GBP.

Datatype: ["ActiveOrHistoricCurrencyCode" on page 498](#)

5.63.4 ExchangeRate

XML Tag: XchgRate

Presence: [1..1]

Definition: Factor used to convert an amount from one currency into another. This reflects the price at which one currency was bought with another currency.

Usage: ExchangeRate expresses the ratio between UnitCurrency and QuotedCurrency (ExchangeRate = UnitCurrency/QuotedCurrency).

Datatype: ["BaseOneRate" on page 507](#)

5.63.5 ContractIdentification

XML Tag: CtrctId

Presence: [0..1]

Definition: Unique identification to unambiguously identify the foreign exchange contract.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/AmountDetails/Announced-PostingAmount/CurrencyExchange/ContractIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/AmountDetails/CounterValueAmount/CurrencyExchange/ContractIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/AmountDetails/InstructedAmount/CurrencyExchange/ContractIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/AmountDetails/ProprietaryAmount/CurrencyExchange/ContractIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/AmountDetails/Transaction-Amount/CurrencyExchange/ContractIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.63.6 QuotationDate

XML Tag: QtnDt

Presence: [0..1]

Definition: Date and time at which an exchange rate is quoted.

Datatype: ["ISODatetime" on page 553](#)

5.64 DateAndDateTime2Choice__1

Definition: Choice between a date or a date and time format.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below - M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Date	<Dt>	{Or	[1..1]		144
	DateTime	<DtTm>	Or}	[1..1]	▲	144

Used in element(s)

["BookingDate" on page 418](#), ["Date" on page 102](#), ["Date" on page 135](#), ["Date" on page 471](#),
["Date" on page 396](#), ["ValueDate" on page 419](#)

5.64.1 Date

XML Tag: Dt

Presence: [1..1]

Definition: Specified date.

Datatype: ["ISODate" on page 552](#)

5.64.2 DateTime

XML Tag: DtTm

Presence: [1..1]

Definition: Specified date and time.

Datatype: ["CBPR DateTime" on page 508](#)

Usage Guideline details

- **on camt.052.001.08/Report/Balance/CreditLine/Date/DateTime**
Type changed to: [CBPR DateTime on page 508](#)
- **on camt.052.001.08/Report/Balance/Date/DateTime**
Type changed to: [CBPR DateTime on page 508](#)
- **on camt.052.001.08/Report/Entry/BookingDate/DateTime**
Type changed to: [CBPR DateTime on page 508](#)
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedDates/Proprietary/Date/DateTime**
Type changed to: [CBPR DateTime on page 508](#)
- **on camt.052.001.08/Report/Entry/ValueDate/DateTime**
Type changed to: [CBPR DateTime on page 508](#)
- **on camt.052.001.08/Report/TransactionsSummary/TotalEntriesPerBankTransactionCode/Date/DateTime**
Type changed to: [CBPR DateTime on page 508](#)

5.65 DateAndPlaceOfBirth1

Definition: Date and place of birth of a person.

❌ Removed - ⊖ Partial Removed - ◇ Ignored - ⊕ Partial Ignored - ⚠️ Details below - M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		145
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		145
	CityOfBirth	<CityOfBirth>		[1..1]		145
	CountryOfBirth	<CtryOfBirth>		[1..1]		145

Used in element(s)

["DateAndPlaceOfBirth" on page 292](#), ["DateAndPlaceOfBirth" on page 295](#)

5.65.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: ["ISODate" on page 552](#)

5.65.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: ["Max35Text" on page 557](#)

5.65.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: ["Max35Text" on page 557](#)

5.65.4 CountryOfBirth

XML Tag: CtryOfBirth







Presence: [1..1]



Definition: Country where a person was born.

Datatype: ["CountryCode" on page 525](#)

5.66 DateAndPlaceOfBirth1__1

Definition: Date and place of birth of a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		146
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		146
	CityOfBirth	<CityOfBirth>		[1..1]		147
	CountryOfBirth	<CtrryOfBirth>		[1..1]		148

Used in element(s)

["DateAndPlaceOfBirth" on page 293](#), ["DateAndPlaceOfBirth" on page 296](#)

5.66.1 BirthDate

XML Tag: BirthDt

Presence: [1..1]

Definition: Date on which a person is born.

Datatype: ["ISODate" on page 552](#)

5.66.2 ProvinceOfBirth

XML Tag: PrvcOfBirth

Presence: [0..1]

Definition: Province where a person was born.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 513](#)

Usage Guideline details

- on camt.052.001.08/GroupHeader/MessageRecipient/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth**

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)
- on camt.052.001.08/Report/Account/Owner/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth**

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth**

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth**

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth**

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth**
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth**
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth**
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth**
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth**
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth**
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth**
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/Identification/PrivateIdentification/DateAndPlaceOfBirth/ProvinceOfBirth**
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 513

5.66.3 CityOfBirth

XML Tag: CityOfBirth

Presence: [1..1]

Definition: City where a person was born.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended"](#) on page 513

Usage Guideline details

- on **camt.052.001.08/GroupHeader/MessageRecipient/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth**
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 513
- on **camt.052.001.08/Report/Account/Owner/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth**

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/Identification/PrivateIdentification/DateAndPlaceOfBirth/CityOfBirth](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

5.66.4 CountryOfBirth

XML Tag: CtryOfBirth

Presence: [1..1]

Definition: Country where a person was born.

Datatype: ["CountryCode" on page 525](#)

5.67 DateOrDateTimePeriod1Choice__1

Definition: Choice between a date or a date and time format for a period.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Date	<Dt>	{Or	[1..1]		149
	DateTime	<DtTm>	Or}	[1..1]		149

Used in element(s)

["TransactionDateRange" on page 79](#)

5.67.1 Date

XML Tag: Dt

Presence: [1..1]

Definition: Period expressed with dates.

The **Dt** block contains the following elements (see datatype ["DatePeriod2" on page 150](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		150
	ToDate	<ToDt>		[1..1]		150

5.67.2 DateTime

XML Tag: DtTm


Presence: [1..1]

Definition: Period expressed a dates and times.

The **DtTm** block contains the following elements (see datatype ["DateTimePeriod1__1" on page 150](#) for details)







⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDateTime	<FrDtTm>		[1..1]	⚠	151

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ToDateTime	<ToDtTm>		[1..1]		151

5.68 DatePeriod2

Definition: Range of time defined by a start date and an end date.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		150
	ToDate	<ToDt>		[1..1]		150

Used in element(s)

["Date" on page 149](#), ["FromToDate" on page 458](#)

5.68.1 FromDate

XML Tag: FrDt

Presence: [1..1]

Definition: Start date of the range.

Datatype: ["ISODate" on page 552](#)

5.68.2 ToDate

XML Tag: ToDt







Presence: [1..1]



Definition: End date of the range.

Datatype: ["ISODate" on page 552](#)

5.69 DateTimePeriod1__1

Definition: Time span defined by a start date and time, and an end date and time.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDateTime	<FrDtTm>		[1..1]		151
	ToDateTime	<ToDtTm>		[1..1]		151

Used in element(s)

["DateTime" on page 149](#), ["FromToDate" on page 30](#), ["FromToDate" on page 26](#), ["FromToDate" on page 240](#)

5.69.1 FromDateTime

XML Tag: FrDtTm

Presence: [1..1]

Definition: Date and time at which the period starts.

Datatype: ["CBPR_DateTime" on page 508](#)

Usage Guideline details

- **on [camt.052.001.08/Report/Entry/CardTransaction/AggregatedEntry/TransactionDateRange/DateTime/FromDateTime](#)**
Type changed to: [CBPR_DateTime on page 508](#)
- **on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Transaction/Aggregated/TransactionDateRange/DateTime/FromDateTime](#)**
Type changed to: [CBPR_DateTime on page 508](#)
- **on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Interest/Record/FromDate/FromDateTime](#)**
Type changed to: [CBPR_DateTime on page 508](#)
- **on [camt.052.001.08/Report/Entry/Interest/Record/FromDate/FromDateTime](#)**
Type changed to: [CBPR_DateTime on page 508](#)
- **on [camt.052.001.08/Report/FromDate/FromDateTime](#)**
Type changed to: [CBPR_DateTime on page 508](#)
- **on [camt.052.001.08/Report/Interest/FromDate/FromDateTime](#)**
Type changed to: [CBPR_DateTime on page 508](#)

5.69.2 ToDateTime

XML Tag: ToDtTm

Presence: [1..1]

Definition: Date and time at which the period ends.

Datatype: ["CBPR_DateTime" on page 508](#)

Usage Guideline details

- **on [camt.052.001.08/Report/Entry/CardTransaction/AggregatedEntry/TransactionDateRange/DateTime/ToDateTime](#)**
Type changed to: [CBPR_DateTime on page 508](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Transaction/Aggregated/TransactionDateRange/DateTime/ToDateTime**
Type changed to: [CBPR DateTime on page 508](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Interest/Record/FromDate/ToDateTime**
Type changed to: [CBPR DateTime on page 508](#)
- on **camt.052.001.08/Report/Entry/Interest/Record/FromDate/ToDateTime**
Type changed to: [CBPR DateTime on page 508](#)
- on **camt.052.001.08/Report/FromDate/ToDateTime**
Type changed to: [CBPR DateTime on page 508](#)
- on **camt.052.001.08/Report/Interest/FromDate/ToDateTime**
Type changed to: [CBPR DateTime on page 508](#)

5.70 DiscountAmountAndType1

Definition: Specifies the amount with a specific type.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		152
	Amount	<Amt>		[1..1]		153

Used in element(s)

"DiscountAppliedAmount" on page 409

5.70.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype "[DiscountAmountType1Choice](#)" on page 153 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		154
	Proprietary	<Prtry>	Or}	[1..1]		154

5.70.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 498

5.71 DiscountAmountAndType1__1

Definition: Specifies the amount with a specific type.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		153
	Amount	<Amt>		[1..1]		153

Used in element(s)

"DiscountAppliedAmount" on page 411

5.71.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype "DiscountAmountType1Choice__1" on page 154 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		154
	Proprietary	<Prtry>	Or}	[1..1]	⚠	155

5.71.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 498

5.72 DiscountAmountType1Choice

Definition: Specifies the amount type.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		154
	Proprietary	<Prtry>	Or}	[1..1]		154

Used in element(s)

["Type" on page 152](#)

5.72.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: ["ExternalDiscountAmountType1Code" on page 539](#)

5.72.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: ["Max35Text" on page 557](#)

5.73 DiscountAmountType1Choice__1

Definition: Specifies the amount type.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		154
	Proprietary	<Prtry>	Or}	[1..1]	⚠	155

Used in element(s)

["Type" on page 153](#)

5.73.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: ["ExternalDiscountAmountType1Code" on page 539](#)

5.73.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: ["CBPR RestrictedFINXMax35Text Extended" on page 513](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Amount/DiscountAppliedAmount/Type/Proprietary](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

5.74 DisplayCapabilities1

Definition: The capabilities of the display components performing the transaction.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below - M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DisplayType	<DispTp>		[1..1]		155
	NumberOfLines	<NbOfLines>		[1..1]		155
	LineWidth	<LineWidth>		[1..1]		156

Used in element(s)

["DisplayCapabilities" on page 306](#)

5.74.1 DisplayType

XML Tag: DispTp

Presence: [1..1]

Definition: Type of display (for example merchant or cardholder).

Datatype: ["UserInterface2Code" on page 584](#)

5.74.2 NumberOfLines

XML Tag: NbOfLines

Presence: [1..1]

Definition: Number of lines of the display component.

Datatype: ["Max3NumericText" on page 557](#)

5.74.3 LineWidth

XML Tag: LineWidth







Presence: [1..1]



Definition: Number of columns of the display component.

Datatype: ["Max3NumericText" on page 557](#)

5.75 DocumentAdjustment1__1

Definition: Set of elements used to provide information on the amount and reason of the document adjustment.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		156
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		156
	Reason	<Rsn>		[0..1]		156
	AdditionalInformation	<AddtlInf>		[0..1]		157

Used in element(s)

["AdjustmentAmountAndReason" on page 412](#), ["AdjustmentAmountAndReason" on page 410](#)

5.75.1 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money of the document adjustment.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

5.75.2 CreditDebitIndicator

XML Tag: CdtDbtInd

Presence: [0..1]

Definition: Specifies whether the adjustment must be subtracted or added to the total amount.

Datatype: ["CreditDebitCode" on page 526](#)

5.75.3 Reason

XML Tag: Rsn

Presence: [0..1]

Definition: Specifies the reason for the adjustment.

Datatype: ["CBPR_RestrictedFINXMax4Text_Extended" on page 514](#)

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/ReferredDocumentAmount/AdjustmentAmountAndReason/Reason**
Type changed to: [CBPR RestrictedFINXMax4Text](#) Extended on page 514
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Amount/AdjustmentAmountAndReason/Reason**
Type changed to: [CBPR RestrictedFINXMax4Text](#) Extended on page 514

5.75.4 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Provides further details on the document adjustment.







Datatype: "[CBPR RestrictedFINXMax140Text](#) Extended" on page 510


Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/ReferredDocumentAmount/AdjustmentAmountAndReason/AdditionalInformation**
Type changed to: [CBPR RestrictedFINXMax140Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Amount/AdjustmentAmountAndReason/AdditionalInformation**
Type changed to: [CBPR RestrictedFINXMax140Text](#) Extended on page 510

5.76 DocumentLineIdentification1__1

Definition: Identifies the documents referred to in the remittance information.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		158
	Number	<Nb>		[0..1]		158
	RelatedDate	<RltdDt>		[0..1]		158

Used in element(s)

["Identification" on page 159](#)







5.76.1 Type


XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of referred document line identification.

The **Tp** block contains the following elements (see datatype "[DocumentLineType1__1](#)" on page 161 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		161
	Issuer	<Issr>		[0..1]		161

5.76.2 Number

XML Tag: Nb

Presence: [0..1]

Definition: Identification of the type specified for the referred document line.

Datatype: "[CBPR_RestrictedFINXMax35Text_Extended](#)" on page 513

Usage Guideline details

- [on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Identification/Number](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 513

5.76.3 RelatedDate

XML Tag: RltdDt







Presence: [0..1]

Definition: Date associated with the referred document line.


Datatype: "[ISODate](#)" on page 552

5.77 DocumentLineInformation1__1

Definition: Provides document line information.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..*]		159

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Description	<Desc>		[0..1]		159
	Amount	<Amt>		[0..1]		159

Used in element(s)

["LineDetails" on page 406](#)







5.77.1 Identification


XML Tag: Id

Presence: [1..*]

Definition: Provides identification of the document line.

The **Id** block contains the following elements (see datatype "[DocumentLineIdentification1__1](#)" on page 157 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		158
	Number	<Nb>		[0..1]		158
	RelatedDate	<RltdDt>		[0..1]		158

5.77.2 Description

XML Tag: Desc

Presence: [0..1]

Definition: Description associated with the document line.

Datatype: "[CBPR_RestrictedFINXMax2048Text_Extended](#)" on page 511

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Description](#)

Type changed to: [CBPR_RestrictedFINXMax2048Text_Extended](#) on page 511

5.77.3 Amount

XML Tag: Amt

Presence: [0..1]

Definition: Provides details on the amounts of the document line.

The **Amt** block contains the following elements (see datatype "RemittanceAmount3_1" on page 410 for details)

🚫 Removed - 🚫 Partial Removed - ⚠ Ignored - 🚫 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		411
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		411
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		411
	TaxAmount	<TaxAmt>		[0..*]		411
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		412
	RemittedAmount	<RmtdAmt>		[0..1]		412

5.78 DocumentLineType1Choice__1

Definition: Specifies the type of the document line identification.

🚫 Removed - 🚫 Partial Removed - ⚠ Ignored - 🚫 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		160
	Proprietary	<Prtry>	Or}	[1..1]	⚠	160

Used in element(s)

"CodeOrProprietary" on page 161

5.78.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Line identification type in a coded form.

Datatype: "ExternalDocumentLineType1Code" on page 540

5.78.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of the remittance document.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 513

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Identification/Type/CodeOrProprietary/Proprietary](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 513

5.79 DocumentLineType1__1

Definition: Specifies the type of the document line identification.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		161
	Issuer	<Issr>		[0..1]	⚠	161

Used in element(s)

"Type" on page 158

5.79.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the referred document line identification.

The **CdOrPrtry** block contains the following elements (see datatype "[DocumentLineType1Choice_1](#)" on page 160 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		160
	Proprietary	<Prtry>	Or}	[1..1]	⚠	160

5.79.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the reference document line identificationtype.

Datatype: "[CBPR_RestrictedFINXMax35Text_Extended](#)" on page 513

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Identification/Type/Issuer
Type changed to: CBPR RestrictedFINXMax35Text Extended on page 513

5.80 EntryDetails9__1

Definition: Identifies the underlying transaction(s) and/or batched entries.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Batch	<Btch>		[0..1]		162
	TransactionDetails	<TxDtls>		[0..*]	M R[1..1]	162

Used in element(s)

"EntryDetails" on page 423

5.80.1 Batch

XML Tag: Btch

Presence: [0..1]

Definition: Provides details on batched transactions.

The **Btch** block contains the following elements (see datatype "BatchInformation2_1" on page 54 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[0..1]	⚠	55
	PaymentInformationIdentification	<PmtInId>		[0..1]	⚠	55
	NumberOfTransactions	<NbOfTxs>		[0..1]		55
	TotalAmount	<TtlAmt>		[0..1]		55
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		55

5.80.2 TransactionDetails

XML Tag: TxDtls

Presence: [0..*]

Definition: Provides information on the underlying transaction(s).

The **TxDtls** block contains the following elements (see datatype "EntryTransaction10_1" on page 164 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	References	<Refs>		[0..1]	M	165
	Amount	<Amt>		[0..1]	M	166
	CreditDebitIndicator	<CdtDbtInd>		[0..1]	M	167
	AmountDetails	<AmtDtls>		[0..1]		167
	Availability	<AvlbtY>		[0..*]		167
	BankTransactionCode	<BkTxCd>		[0..1]	⚠	168
	Charges	<Chrgs>		[0..1]	⚠	168
	Interest	<Intrst>		[0..1]	⚠	169
	RelatedParties	<RltdPties>		[0..1]	⚠	170
	RelatedAgents	<RltdAgts>		[0..1]	⚠	170
	LocalInstrument	<LclInstrm>		[0..1]		171
	Purpose	<Purp>		[0..1]		171
	RelatedRemittanceInformation	<RltdRmtInf>		[0..10]	R[0..2]	172
	RemittanceInformation	<RmtInf>		[0..1]	⚠	172
	RelatedDates	<RltdDts>		[0..1]		173
	RelatedPrice	<RltdPric>		[0..1]		174
	RelatedQuantities	<RltdQties>		[0..*]		174
	FinancialInstrumentIdentification	<FinInstrmId>		[0..1]		174
	Tax	<Tax>		[0..1]		175
	ReturnInformation	<RtrInf>		[0..1]		175
	CorporateAction	<CorpActn>		[0..1]		176
	SafekeepingAccount	<SfkpgAcct>		[0..1]		176
	CashDeposit	<CshDpst>		[0..*]		176
	CardTransaction	<CardTx>		[0..1]		177
	AdditionalTransactionInformation	<AddtlTxInf>		[0..1]	⚠	177
	SupplementaryData	<SplmtryData>		[0..*]	⊘	178

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails

This element is now mandatory, the minimum occurrence has been changed to : 1

This element has change repeatability, the maximum occurrence has been changed to : 1

5.81 EntryStatus1Choice

Definition: Specifies the status of an entry on the books of the account servicer.

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		164
	Proprietary	<Prtry>	Or}	[1..1]	🚫	164

Used in element(s)

"Status" on page 418

5.81.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Entry status, in a coded form.

Datatype: ["ExternalEntryStatus1Code" on page 541](#)

5.81.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Entry status, in a proprietary form.

Datatype: ["Max35Text" on page 557](#)

Usage Guideline details

- This element([camt.052.001.08/Report/Entry/Status/Proprietary](#)) is removed.

5.82 EntryTransaction10__1

Definition: Identifies the underlying transaction.

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	References	<Refs>		[0..1]	M	165
	Amount	<Amt>		[0..1]	M	166
	CreditDebitIndicator	<CdtDbtInd>		[0..1]	M	167
	AmountDetails	<AmtDtls>		[0..1]		167
	Availability	<Avlbty>		[0..*]		167
	BankTransactionCode	<BkTxCd>		[0..1]	⚠	168
	Charges	<Chrgs>		[0..1]	⚠	168
	Interest	<Intrst>		[0..1]	⚠	169
	RelatedParties	<RltdPties>		[0..1]	⚠	170
	RelatedAgents	<RltdAgts>		[0..1]	⚠	170
	LocalInstrument	<LclInstrm>		[0..1]		171
	Purpose	<Purp>		[0..1]		171
	RelatedRemittanceInformation	<RltdRmtInf>		[0..10]	R[0..2]	172
	RemittanceInformation	<RmtInf>		[0..1]	⚠	172
	RelatedDates	<RltdDts>		[0..1]		173
	RelatedPrice	<RltdPric>		[0..1]		174
	RelatedQuantities	<RltdQties>		[0..*]		174
	FinancialInstrumentIdentification	<FinInstrmId>		[0..1]		174
	Tax	<Tax>		[0..1]		175
	ReturnInformation	<RtrInf>		[0..1]		175
	CorporateAction	<CorpActn>		[0..1]		176
	SafekeepingAccount	<SfkpgAcct>		[0..1]		176
	CashDeposit	<CshDpst>		[0..*]		176
	CardTransaction	<CardTx>		[0..1]		177
	AdditionalTransactionInformation	<AddtlTxInf>		[0..1]	⚠	177
	SupplementaryData	<SplmtryData>		[0..*]	⊘	178

Used in element(s)

"TransactionDetails" on page 162

5.82.1 References

XML Tag: Refs

Presence: [0..1]

Definition: Provides the identification of the underlying transaction.

The **Refs** block contains the following elements (see datatype "TransactionReferences6_1" on page 490 for details)

🚫 Removed - 🚫 Partial Removed - ⚠ Ignored - ⚠ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[0..1]	⚠	491
	AccountServicerReference	<AcctSvcrRef>		[0..1]	⚠	491
	PaymentInformationIdentification	<PmtInflId>		[0..1]	⚠	492
	InstructionIdentification	<InstrId>		[0..1]	⚠	492
	EndToEndIdentification	<EndToEndId>		[0..1]	⚠	493
	UETR	<UETR>		[0..1]	⚠	493
	TransactionIdentification	<TxId>		[0..1]	⚠	494
	MandatIdentification	<MndtId>		[0..1]	⚠	494
	ChequeNumber	<ChqNb>		[0..1]	⚠	494
	ClearingSystemReference	<ClrSysRef>		[0..1]	⚠	495
	AccountOwnerTransactionIdentification	<AcctOwnrTxId>		[0..1]	⚠	495
	AccountServicerTransactionIdentification	<AcctSvcrTxId>		[0..1]	⚠	495
	MarketInfrastructureTransactionIdentification	<MktInfrstrctrTxId>		[0..1]	⚠	496
	ProcessingIdentification	<PrcgId>		[0..1]	⚠	496
	Proprietary	<Prtry>		[0..*]		496

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References**

This element is now mandatory, the minimum occurrence has been changed to : 1

5.82.2 Amount

XML Tag: Amt

Presence: [0..1]

Definition: Amount of money in the cash transaction.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 498

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Amount**
This element is now mandatory, the minimum occurrence has been changed to : 1

5.82.3 CreditDebitIndicator

XML Tag: CdtDbtInd

Presence: [0..1]

Definition: Indicates whether the transaction is a credit or a debit transaction.

Datatype: "CreditDebitCode" on page 526

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CreditDebitIndicator**
This element is now mandatory, the minimum occurrence has been changed to : 1

5.82.4 AmountDetails

XML Tag: AmtDtIs

Presence: [0..1]

Definition: Provides detailed information on the original amount.

Usage: This component (on transaction level) should be used in case booking is for a single transaction and the original amount is different from the entry amount. It can also be used in case individual original amounts are provided in case of a batch or aggregate booking.

The **AmtDtIs** block contains the following elements (see datatype "AmountAndCurrencyExchange3_2" on page 41 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructedAmount	<InstdAmt>		[0..1]		41
	TransactionAmount	<TxAmt>		[0..1]		41
	CounterValueAmount	<CntrValAmt>		[0..1]		42
	AnnouncedPostingAmount	<AnnncdPstngAmt>		[0..1]		42
	ProprietaryAmount	<PrtryAmt>		[0..*]		43

5.82.5 Availability

XML Tag: Avlbty

Presence: [0..*]

Definition: Indicates when the booked amount of money will become available, that is can be accessed and starts generating interest.

Usage: This type of information is used in the US and is linked to particular instruments such as cheques.

Example: When a cheque is deposited, it will be booked on the deposit day, but the amount of money will only be accessible as of the indicated availability day (according to national banking regulations).

The **Avlbt** block contains the following elements (see datatype "CashAvailability1" on page 99 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Date	<Dt>		[1..1]		99
	Amount	<Amt>		[1..1]		99
	CreditDebitIndicator	<CdtDbtInd>		[1..1]		100

5.82.6 BankTransactionCode

XML Tag: BkTxCd

Presence: [0..1]

Definition: Set of elements used to fully identify the type of underlying transaction resulting in an entry.

The **BkTxCd** block contains the following elements (see datatype "BankTransactionCodeStructure4" on page 51 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Domain	<Domn>		[0..1]		52
	Proprietary	<Prtry>		[0..1]		52

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/BankTransactionCode
 - **CBPR_Domain_Proprietary_Recommendation_TextualRule:**

BankTransactionCode/ Domain/ Code is the preferred option and should be used when possible.

5.82.7 Charges

XML Tag: Chrgs

Presence: [0..1]

Definition: Provides information on the charges, pre-advised or included in the entry amount.

Usage: This component (on transaction level) can be used in case the booking is for a single transaction, and charges are included in the entry amount. It can also be used in case individual charge amounts are applied to individual transactions in case of a batch or aggregate amount booking.

The **Chrgs** block contains the following elements (see datatype "Charges6_1" on page 105 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TotalChargesAndTaxAmount	<TtlChrgsAndTaxAmt>		[0..1]		105
	Record	<Rcrd>		[0..*]		105

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges**
 - **CBPR_Charges_TextualRule:**

Total Charges And Tax Amount must equal the sum of the individual recode amounts

5.82.8 Interest

XML Tag: Intrst

Presence: [0..1]

Definition: Provides details of the interest amount included in the entry amount.

Usage: This component (on transaction level) can be used if the booking is for a single transaction, and interest amount is included in the entry amount. It can also be used if individual interest amounts are applied to individual transactions in the case of a batch or aggregate amount booking.

The **Intrst** block contains the following elements (see datatype "TransactionInterest4_1" on page 481 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TotalInterestAndTaxAmount	<TtlIntrstAndTaxAmt>		[0..1]		482
	Record	<Rcrd>		[0..*]		482

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Interest**

– **CBPR_Interest_TextualRule:**

Total Charges And Tax Amount must equal the sum of the individual recode amounts







5.82.9 RelatedParties










XML Tag: RltdPties

Presence: [0..1]

Definition: Set of elements used to identify the parties related to the underlying transaction.

The **RltdPties** block contains the following elements (see datatype "TransactionParties6_1" on page 482 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InitiatingParty	<InitgPty>		[0..1]		483
	Debtor	<Dbtr>		[0..1]		483
	DebtorAccount	<DbtrAcct>		[0..1]		484
	UltimateDebtor	<UltmtDbtr>		[0..1]		485
	Creditor	<Cdtr>		[0..1]		485
	CreditorAccount	<CdtrAcct>		[0..1]		486
	UltimateCreditor	<UltmtCdtr>		[0..1]		486
	TradingParty	<TradgPty>		[0..1]		487
	Proprietary	<Prtry>		[0..*]		487

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties](#)

Comment:

All Related Parties must be identified in the same way as they were in the original payment instruction.







5.82.10 RelatedAgents

XML Tag: RltdAgts

Presence: [0..1]

Definition: Set of elements used to identify the agents related to the underlying transaction.

The **RltdAgts** block contains the following elements (see datatype "TransactionAgents5_1" on page 472 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructingAgent	<InstgAgt>		[0..1]		473
	InstructedAgent	<InstdAgt>		[0..1]		473
	DebtorAgent	<DbtrAgt>		[0..1]	⚠	474
	CreditorAgent	<CdtrAgt>		[0..1]	⚠	474
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]		475
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]		475
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]		476
	ReceivingAgent	<RcvgAgt>		[0..1]		476
	DeliveringAgent	<DlvrAgt>		[0..1]		476
	IssuingAgent	<IssgAgt>		[0..1]		477
	SettlementPlace	<SttlmPlc>		[0..1]		477
	Proprietary	<Prtry>		[0..*]		478

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents**

Comment:
All Related Agents must be identified in the same way as they were in the original payment instruction.

5.82.11 LocalInstrument

XML Tag: LclInstrm

Presence: [0..1]

Definition: User community specific instrument.

Usage: This element is used to specify a local instrument, local clearing option and/or further qualify the service or service level.

The **LclInstrm** block contains the following elements (see datatype "LocalInstrument2Choice 1" on page 242 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		242
	Proprietary	<Prtry>	Or}	[1..1]	⚠	242

5.82.12 Purpose

XML Tag: Purp

Presence: [0..1]

Definition: Underlying reason for the payment transaction.

Usage: Purpose is used by the end-customers, that is initiating party, (ultimate) debtor, (ultimate) creditor to provide information concerning the nature of the payment. Purpose is a content element, which is not used for processing by any of the agents involved in the payment chain.

The **Purp** block contains the following elements (see datatype "[Purpose2Choice 1](#)" on page 402 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		403
	Proprietary	<Prtry>	Or}	[1..1]	⚠	403

5.82.13 RelatedRemittanceInformation

XML Tag: RltdRmtInf

Presence: [0..10]

Definition: Provides information related to the handling of the remittance information by any of the agents in the transaction processing chain.

The **RltdRmtInf** block contains the following elements (see datatype "[RemittanceLocation7 1](#)" on page 414 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RemittanceIdentification	<RmtId>		[0..1]	⚠	414
	RemittanceLocationDetails	<RmtLctnDtls>		[0..*]		414

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation](#)

This element has change repeatability, the maximum occurrence has been changed to : 2

5.82.14 RemittanceInformation

XML Tag: RmtInf

Presence: [0..1]

Definition: Structured information that enables the matching, that is reconciliation, of a payment with the items that the payment is intended to settle, such as commercial invoices in an account receivable system.

The **RmtInf** block contains the following elements (see datatype "RemittanceInformation16_1" on [page 412](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]	⚠ R[0..1]	413
	Structured	<Strd>		[0..*]		413

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation**
 - **CBPR_Remittance_Rules_TextualRule:**
 1. Use of Structured Remittance must be bilaterally or multilaterally agreed
 2. Structured Remittance can be repeated, however the total business data for all occurrences (excluding tags) must not exceed 9,000 characters.

5.82.15 RelatedDates

XML Tag: RltdDts

Presence: [0..1]

Definition: Set of elements used to identify the dates related to the underlying transactions.

The **RltdDts** block contains the following elements (see datatype "TransactionDates3_1" on [page 478](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AcceptanceDateTime	<AccptncDtTm>		[0..1]	⚠	479
	TradeActivityContractualSettlementDate	<TradActvtyCtrctlSttlmDt>		[0..1]		479
	TradeDate	<TradDt>		[0..1]		479
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]		479
	StartDate	<StartDt>		[0..1]		479
	EndDate	<EndDt>		[0..1]		480
	TransactionDateTime	<TxDtTm>		[0..1]	⚠	480
	Proprietary	<Prtry>		[0..*]		480

5.82.16 RelatedPrice

XML Tag: RltdPric

Presence: [0..1]

Definition: Set of elements used to identify the price information related to the underlying transaction.

The **RltdPric** block contains the following elements (see datatype "[TransactionPrice4Choice 1](#)" on page 488 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DealPrice	<DealPric>	{Or	[1..1]		488
	Proprietary	<Prtry>	Or}	[1..*]		489

5.82.17 RelatedQuantities

XML Tag: RltdQties

Presence: [0..*]

Definition: Set of elements used to identify the related quantities, such as securities, in the underlying transaction.

The **RltdQties** block contains the following elements (see datatype "[TransactionQuantities3Choice 1](#)" on page 489 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Quantity	<Qty>	{Or	[1..1]		489
	OriginalAndCurrentFaceAmount	<OrgnlAndCurFaceAmt>	Or	[1..1]		490
	Proprietary	<Prtry>	Or}	[1..1]		490

5.82.18 FinancialInstrumentIdentification

XML Tag: FinInstrmId


Presence: [0..1]

Definition: Identification of a security, as assigned under a formal or proprietary identification scheme.

The **FinInstrmId** block contains the following elements (see datatype "[SecurityIdentification19 1](#)" on page 427 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ISIN	<ISIN>		[0..1]		428

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OtherIdentification	<OthrId>		[0..*]		428
	Description	<Desc>		[0..1]		429







5.82.19 Tax




XML Tag: Tax

Presence: [0..1]

Definition: Provides details on the tax.

The **Tax** block contains the following elements (see datatype "[TaxInformation8_1](#)" on page 448 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		448
	Debtor	<Dbtr>		[0..1]		449
	AdministrationZone	<AdmstnZone>		[0..1]		449
	ReferenceNumber	<RefNb>		[0..1]		449
	Method	<Mtd>		[0..1]		450
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		450
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		450
	Date	<Dt>		[0..1]		450
	SequenceNumber	<SeqNb>		[0..1]		451
	Record	<Rcrd>		[0..*]		451







5.82.20 ReturnInformation


XML Tag: RtrInf

Presence: [0..1]

Definition: Provides the return information.

The **RtrInf** block contains the following elements (see datatype "[PaymentReturnReason5_1](#)" on page 289 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OriginalBankTransactionCode	<OrgnIBkTxCd>		[0..1]		290

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Originator	<Orgtr>		[0..1]		290
	Reason	<Rsn>		[0..1]		291
	AdditionalInformation	<AddtlInf>		[0..*]	⚠	291

5.82.21 CorporateAction

XML Tag: CorpActn

Presence: [0..1]

Definition: Set of elements used to identify the underlying corporate action.

The **CorpActn** block contains the following elements (see datatype "CorporateAction9 1" on page 133 for details)

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	EventType	<EvtTp>		[1..1]	⚠	133
	EventIdentification	<EvtId>		[1..1]	⚠	134

5.82.22 SafekeepingAccount

XML Tag: SfkpgAcct

Presence: [0..1]

Definition: Safekeeping or investment account. A safekeeping account is an account on which a securities entry is made. An investment account is an account between an investor(s) and a fund manager or a fund. The account can contain holdings in any investment fund or investment fund class managed (or distributed) by the fund manager, within the same fund family.

The **SfkpgAcct** block contains the following elements (see datatype "SecuritiesAccount19 1" on page 425 for details)

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	426
	Type	<Tp>		[0..1]		426
	Name	<Nm>		[0..1]	⚠	427

5.82.23 CashDeposit

XML Tag: CshDpst

Presence: [0..*]

Definition: Provides the details of a cash deposit for an amount of money in cash notes and/or coins.

The **CshDpst** block contains the following elements (see datatype "CashDeposit1 1" on page 103 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NoteDenomination	<NoteDnmtn>		[1..1]	⚠	103
	NumberOfNotes	<NbOfNotes>		[1..1]		104
	Amount	<Amt>		[1..1]	⚠	104

5.82.24 CardTransaction

XML Tag: CardTx

Presence: [0..1]

Definition: Provides the data related to the card (number, scheme), terminal (number, identification) and transactional data used to uniquely identify a card transaction.

The **CardTx** block contains the following elements (see datatype "CardTransaction17 1" on page 88 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Card	<Card>		[0..1]		88
	POI	<POI>		[0..1]		89
	Transaction	<Tx>		[0..1]		89
	PrePaidAccount	<PrePdAcct>		[0..1]		89

5.82.25 AdditionalTransactionInformation

XML Tag: AddtlTxInf

Presence: [0..1]

Definition: Further details of the transaction.

Datatype: "CBPR_RestrictedFINXMax500Text" on page 515

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/AdditionalTransactionInformation

Type changed to: CBPR_RestrictedFINXMax500Text on page 515

5.82.26 SupplementaryData

XML Tag: SPlmtryData

Presence: [0..*]

Definition: Additional information that cannot be captured in the structured elements and/or any other specific block.

The **SPlmtryData** block contains the following elements (see datatype "[SupplementaryData1](#)" on page 436 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		436
	Envelope	<Envlp>		[1..1]		436

Usage Guideline details

- This element([camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Supplementary-Data](#)) is removed.

5.83 FinancialIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the organisation identification scheme.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		178
	Proprietary	<Prtry>	Or}	[1..1]		178

Used in element(s)

["SchemeName"](#) on page 200

5.83.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalFinancialInstitutionIdentification1Code"](#) on page 541

5.83.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["Max35Text" on page 557](#)

5.84 FinancialIdentificationSchemeName1Choice__1

Definition: Sets of elements to identify a name of the organisation identification scheme.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		179
	Proprietary	<Prtry>	Or}	[1..1]	⚠	179

Used in element(s)

["SchemeName" on page 203](#)

5.84.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalFinancialInstitutionIdentification1Code" on page 541](#)

5.84.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ProprietaryAgent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/CreditorAgent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.85 FinancialInstitutionIdentification18__1

Definition: Specifies the details to identify a financial institution.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		181
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		182
	LEI	<LEI>		[0..1]		182
	Name	<Nm>		[0..1]	▲	182
	PostalAddress	<PstlAdr>		[0..1]		184
	Other	<Othr>		[0..1]		184

Used in element(s)

"FinancialInstitutionIdentification" on page 56, "FinancialInstitutionIdentification" on page 57, "FinancialInstitutionIdentification" on page 60

5.85.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: ["BICFIDec2014Identifier" on page 506](#)

5.85.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype ["ClearingSystemMemberIdentification2_1" on page 112](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]	M	112
	MemberIdentification	<Mmbld>		[1..1]	⚠	115

5.85.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: ["LEIIdentifier" on page 554](#)

5.85.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: ["CBPR_RestrictedFINXMax140Text_Extended" on page 510](#)

Usage Guideline details

- on camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/Name**
 Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 510](#)
- on camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/Name**
 Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 510](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/Name**
 Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 510](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/Name**
Type changed to: [CBPR RestrictedFINXMax140Text Extended on page 510](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor/Agent/FinancialInstitutionIdentification/Name**
Type changed to: CBPR RestrictedFINXMax140Text Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/Name**
Type changed to: CBPR RestrictedFINXMax140Text Extended on page 510

5.85.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24__1" on page 313 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		313
	Department	<Dept>		[0..1]	⚠	314
	SubDepartment	<SubDept>		[0..1]	⚠	318
	StreetName	<StrtNm>		[0..1]	⚠	323
	BuildingNumber	<BldgNb>		[0..1]	⚠	328
	BuildingName	<BldgNm>		[0..1]	⚠	332
	Floor	<Flr>		[0..1]	⚠	337
	PostBox	<PstBx>		[0..1]	⚠	342
	Room	<Room>		[0..1]	⚠	346
	PostCode	<PstCd>		[0..1]	⚠	351
	TownName	<TwnNm>		[0..1]	⚠	356
	TownLocationName	<TwnLctnNm>		[0..1]	⚠	360
	DistrictName	<DstrctNm>		[0..1]	⚠	365
	CountrySubDivision	<CtrySubDvsn>		[0..1]	⚠	370
	Country	<Ctry>		[0..1]		374
	AddressLine	<AdrLine>		[0..7]	⚠ R[0..3] R[0..3] R[0..3] R[0..3]	374

5.85.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericFinancialIdentification1_1" on page 201 for details)

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	201
	SchemeName	<SchmeNm>		[0..1]		203
	Issuer	<Issr>		[0..1]	⚠	203

5.86 FinancialInstitutionIdentification18__2

Definition: Specifies the details to identify a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]		185
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		185
	LEI	<LEI>		[0..1]		186
	Name	<Nm>		[0..1]	⚠	186
	PostalAddress	<PstAdr>		[0..1]		186
	Other	<Othr>		[0..1]		187

Used in element(s)

"FinancialInstitutionIdentification" on page 59

5.86.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 506

5.86.2 ClearingSystemMemberIdentification

XML Tag: ClrSysMmbld

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "[ClearingSystemMemberIdentification2](#)" on page 111 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]	M	111
	MemberIdentification	<Mmbld>		[1..1]		112

5.86.3 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "[LEIIdentifier](#)" on page 554

5.86.4 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "[CBPR_RestrictedFINXMax140Text_Extended](#)" on page 510

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/Name](#)
 Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 510
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/Name](#)
 Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 510
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/Name](#)
 Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 510
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/Name](#)
 Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 510

5.86.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24 1" on page 313 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		313
	Department	<Dept>		[0..1]		314
	SubDepartment	<SubDept>		[0..1]		318
	StreetName	<StrtNm>		[0..1]		323
	BuildingNumber	<BldgNb>		[0..1]		328
	BuildingName	<BldgNm>		[0..1]		332
	Floor	<Flr>		[0..1]		337
	PostBox	<PstBx>		[0..1]		342
	Room	<Room>		[0..1]		346
	PostCode	<PstCd>		[0..1]		351
	TownName	<TwnNm>		[0..1]		356
	TownLocationName	<TwnLctnNm>		[0..1]		360
	DistrictName	<DstrctNm>		[0..1]		365
	CountrySubDivision	<CtrySubDvsn>		[0..1]		370
	Country	<Ctry>		[0..1]		374
	AddressLine	<AdrLine>		[0..7]	R[0..3] R[0..3] R[0..3] R[0..3]	374

5.86.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericFinancialIdentification1 1" on page 201 for details)

Removed -
 Partial Removed -
 Ignored -
 Partial Ignored -
 Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	201
	SchemeName	<SchmeNm>		[0..1]		203
	Issuer	<Issr>		[0..1]	⚠	203

5.87 FinancialInstitutionIdentification18__3

Definition: Specifies the details to identify a financial institution.

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BICFI	<BICFI>		[0..1]	M	188
	ClearingSystemMemberIdentification	<ClrSysMmbld>		[0..1]		189
	LEI	<LEI>		[0..1]		189
	Name	<Nm>		[0..1]	🚫	189
	PostalAddress	<PstlAdr>		[0..1]	🚫	190
	Other	<Othr>		[0..1]	🚫	191

Used in element(s)

"FinancialInstitutionIdentification" on page 61

5.87.1 BICFI

XML Tag: BICFI

Presence: [0..1]

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Datatype: "BICFIDec2014Identifier" on page 506

Usage Guideline details

- on camt.052.001.08/.header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.052.001.08/.header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**
This element is now mandatory, the minimum occurrence has been changed to : 1
- on camt.052.001.08/.header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI**

This element is now mandatory, the minimum occurrence has been changed to : 1

- on `camt.052.001.08/header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI`

This element is now mandatory, the minimum occurrence has been changed to : 1

5.87.2 ClearingSystemMemberIdentification

XML Tag: `ClrSysMmbld`

Presence: [0..1]

Definition: Information used to identify a member within a clearing system.

The **ClrSysMmbld** block contains the following elements (see datatype "ClearingSystemMemberIdentification2_1" on page 112 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ClearingSystemIdentification	<ClrSysId>		[0..1]	M	112
	MemberIdentification	<Mmbld>		[1..1]	▲	115

5.87.3 LEI

XML Tag: `LEI`

Presence: [0..1]

Definition: Legal entity identifier of the financial institution.

Datatype: "LEIIdentifier" on page 554

5.87.4 Name

XML Tag: `Nm`

Presence: [0..1]

Definition: Name by which an agent is known and which is usually used to identify that agent.

Datatype: "Max140Text" on page 555

Usage Guideline details

- This element(`camt.052.001.08/header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name`) is removed.
- This element(`camt.052.001.08/header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name`) is removed.
- This element(`camt.052.001.08/header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name`) is removed.

- This element([camt.052.001.08/header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Name](#)) is removed.

5.87.5 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "[PostalAddress24](#)" on [page 309](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		309
	Department	<Dept>		[0..1]		310
	SubDepartment	<SubDept>		[0..1]		310
	StreetName	<StrtNm>		[0..1]		310
	BuildingNumber	<BldgNb>		[0..1]		310
	BuildingName	<BldgNm>		[0..1]		310
	Floor	<Flr>		[0..1]		310
	PostBox	<PstBx>		[0..1]		311
	Room	<Room>		[0..1]		311
	PostCode	<PstCd>		[0..1]	⚠	311
	TownName	<TwnNm>		[0..1]		312
	TownLocationName	<TwnLctnNm>		[0..1]		312
	DistrictName	<DstrctNm>		[0..1]		312
	CountrySubDivision	<CtrySubDvsn>		[0..1]		312
	Country	<Ctry>		[0..1]		312
	AddressLine	<AdrLine>		[0..7]		312

Usage Guideline details

- This element([camt.052.001.08/header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress](#)) is removed.
- This element([camt.052.001.08/header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress](#)) is removed.

- This element(`camt.052.001.08/header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress`) is removed.
- This element(`camt.052.001.08/header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress`) is removed.

5.87.6 Other

XML Tag: Othr

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "`GenericFinancialIdentification1`" on page 200 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		200
	SchemeName	<SchmeNm>		[0..1]		200
	Issuer	<Issr>		[0..1]		201

Usage Guideline details

- This element(`camt.052.001.08/header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other`) is removed.
- This element(`camt.052.001.08/header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other`) is removed.
- This element(`camt.052.001.08/header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other`) is removed.
- This element(`camt.052.001.08/header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/Other`) is removed.

5.88 FinancialInstrumentQuantity1Choice

Definition: Choice between formats for the quantity of security.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unit	<Unit>	{Or	[1..1]		192
	FaceAmount	<FaceAmt>	Or	[1..1]		192

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AmortisedValue	<AmtsdVal>	Or}	[1..1]		192

Used in element(s)

["Quantity" on page 489](#)

5.88.1 Unit

XML Tag: Unit

Presence: [1..1]

Definition: Quantity expressed as a number, for example, a number of shares.

Datatype: ["DecimalNumber" on page 526](#)

5.88.2 FaceAmount

XML Tag: FaceAmt

Presence: [1..1]

Definition: Quantity expressed as an amount representing the face amount, that is, the principal, of a debt instrument.

Datatype: ["ImpliedCurrencyAndAmount" on page 553](#)

5.88.3 AmortisedValue

XML Tag: AmtsdVal

Presence: [1..1]

Definition: Quantity expressed as an amount representing the current amortised face amount of a bond, for example, a periodic reduction/increase of a bond's principal amount.

Datatype: ["ImpliedCurrencyAndAmount" on page 553](#)

5.89 FromToAmountRange1

Definition: Range of amount values.

❌ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ⊘ Partial Ignored -
 ⚠️ Details below -
 M Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromAmount	<FrAmt>		[1..1]		193
	ToAmount	<ToAmt>		[1..1]		193

Used in element(s)

["FromToAmount" on page 238](#)

5.89.1 FromAmount

XML Tag: FrAmt

Presence: [1..1]

Definition: Lower boundary of a range of amount values.

The **FrAmt** block contains the following elements (see datatype "[AmountRangeBoundary1](#)" on page 48 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BoundaryAmount	<BdryAmt>		[1..1]		48
	Included	<Incl>		[1..1]		49

5.89.2 ToAmount

XML Tag: ToAmt

Presence: [1..1]

Definition: Upper boundary of a range of amount values.

The **ToAmt** block contains the following elements (see datatype "[AmountRangeBoundary1](#)" on page 48 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BoundaryAmount	<BdryAmt>		[1..1]		48
	Included	<Incl>		[1..1]		49

5.90 Garnishment3__1

Definition: Provides remittance information about a payment for garnishment-related purposes.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		194
	Garnishee	<Grnshee>		[0..1]		194
	GarnishmentAdministrator	<GrshmtAdmstr>		[0..1]		195
	ReferenceNumber	<RefNb>		[0..1]	⚠	195
	Date	<Dt>		[0..1]		195

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RemittedAmount	<RmtdAmt>		[0..1]		195
	FamilyMedicalInsuranceIndicator	<FmlyMdcllnsrncInd>		[0..1]		196
	EmployeeTerminationIndicator	<MplyeeTermntnInd>		[0..1]		196

Used in element(s)

"GarnishmentRemittance" on page 435







5.90.1 Type


XML Tag: Tp

Presence: [1..1]

Definition: Specifies the type of garnishment.

The **Tp** block contains the following elements (see datatype "GarnishmentType1_1" on page 197 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		197
	Issuer	<Issr>		[0..1]		198







5.90.2 Garnishee


XML Tag: Grnshee

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor, in this case, to the garnisher.

The **Grnshee** block contains the following elements (see datatype "PartyIdentification135_3" on page 277 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		277
	PostalAddress	<PstlAdr>		[0..1]		278
	Identification	<Id>		[0..1]		278
	CountryOfResidence	<CtryOfRes>		[0..1]		279
	ContactDetails	<CtctDtls>		[0..1]		279

5.90.3 GarnishmentAdministrator

XML Tag: GrnshmtAdmstr

Presence: [0..1]

Definition: Party on the credit side of the transaction who administers the garnishment on behalf of the ultimate beneficiary.

The **GrnshmtAdmstr** block contains the following elements (see datatype "[PartyIdentification135_4](#)" on page 280 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	▲	280
	PostalAddress	<PstlAdr>		[0..1]		280
	Identification	<Id>		[0..1]		281
	CountryOfResidence	<CtryOfRes>		[0..1]		281
	ContactDetails	<CtctDtls>		[0..1]		282

5.90.4 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Reference information that is specific to the agency receiving the garnishment.

Datatype: "[CBPR_RestrictedFINXMax140Text_Extended](#)" on page 510

Usage Guideline details

- **on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/ReferenceNumber](#)**

Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 510

5.90.5 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date of payment which garnishment was taken from.

Datatype: "[ISODate](#)" on page 552

5.90.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]

Definition: Amount of money remitted for the referred document.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

5.90.7 FamilyMedicalInsuranceIndicator

XML Tag: FmlyMdclInsrncInd

Presence: [0..1]

Definition: Indicates if the person to whom the garnishment applies (that is, the ultimate debtor) has family medical insurance coverage available.

Datatype: ["TrueFalseIndicator" on page 576](#)

5.90.8 EmployeeTerminationIndicator

XML Tag: MplyeeTermntnInd

Presence: [0..1]

Definition: Indicates if the employment of the person to whom the garnishment applies (that is, the ultimate debtor) has been terminated.

Datatype: ["TrueFalseIndicator" on page 576](#)

5.91 GarnishmentType1Choice__1

Definition: Specifies the type of garnishment.

❌ Removed - ⊗ Partial Removed - ◇ Ignored - ⊗ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		196
	Proprietary	<Prtry>	Or}	[1..1]	⚠️	197

Used in element(s)

["CodeOrProprietary" on page 197](#)

5.91.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Garnishment type in a coded form.

Would suggest this to be an External Code List to contain:

GNCS Garnishment from a third party payer for Child Support

GNDP Garnishment from a Direct Payer for Child Support

GTPP Garnishment from a third party payer to taxing agency.

Datatype: ["ExternalGarnishmentType1Code" on page 543](#)

5.91.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of garnishment.

Datatype: ["CBPR RestrictedFINXMax35Text Extended" on page 513](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Type/CodeOrProprietary/Proprietary](#)
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

5.92 GarnishmentType1__1

Definition: Specifies the type of garnishment.

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		197
	Issuer	</lssr>		[0..1]	⚠	198

Used in element(s)

["Type" on page 194](#)

5.92.1 CodeOrProprietary

XML Tag: CdOrPrtry

Presence: [1..1]

Definition: Provides the type details of the garnishment.

The **CdOrPrtry** block contains the following elements (see datatype ["GarnishmentType1Choice 1" on page 196](#) for details)

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		196
	Proprietary	<Prtry>	Or}	[1..1]	⚠	197

5.92.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the garnishment type.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended"](#) on page 513

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Type/Issuer](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 513

5.93 GenericAccountIdentification1__1

Definition: Information related to a generic account identification.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	198
	SchemeName	<SchmeNm>		[0..1]		199
	Issuer	<Issr>		[0..1]	⚠	199

Used in element(s)

["Other"](#) on page 24

5.93.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: ["CBPR_RestrictedFINXMax34Text"](#) on page 512

Usage Guideline details

- on [camt.052.001.08/Report/Account/Identification/Other/Identification](#)

Type changed to: [CBPR_RestrictedFINXMax34Text](#) on page 512

- on [camt.052.001.08/Report/Entry/CardTransaction/PrePaidAccount/Identification/Other/Identification](#)

Type changed to: [CBPR_RestrictedFINXMax34Text](#) on page 512

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/PrePaidAccount/Identification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax34Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/CreditorAccount/Identification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax34Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/DebtorAccount/Identification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax34Text on page 512](#)
- on **camt.052.001.08/Report/RelatedAccount/Identification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax34Text on page 512](#)

5.93.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[AccountSchemeName1Choice_1](#)" on page 34 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below - M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		35
	Proprietary	<Prtry>	Or}	[1..1]	⚠	35

5.93.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "[CBPR RestrictedFINXMax35Text](#)" on page 512

Usage Guideline details

- on **camt.052.001.08/Report/Account/Identification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/CardTransaction/PrePaidAccount/Identification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/PrePaidAccount/Identification/Other/Issuer**

Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/CreditorAccount/Identification/Other/Issuer](#)

Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/DebtorAccount/Identification/Other/Issuer](#)

Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

- on [camt.052.001.08/Report/RelatedAccount/Identification/Other/Issuer](#)

Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.94 GenericFinancialIdentification1

Definition: Information related to an identification of a financial institution.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		200
	SchemeName	<SchmeNm>		[0..1]		200
	Issuer	<Issr>		[0..1]		201

Used in element(s)

["Other" on page 191](#)

5.94.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: ["Max35Text" on page 557](#)

5.94.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype ["FinancialIdentificationSchemeName1Choice" on page 178](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		178
	Proprietary	<Prtry>	Or}	[1..1]		178

5.94.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 557

5.95 GenericFinancialIdentification1__1

Definition: Information related to an identification of a financial institution.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	201
	SchemeName	<SchmeNm>		[0..1]		203
	Issuer	<Issr>		[0..1]	⚠	203

Used in element(s)

"Other" on page 184, "Other" on page 187

5.95.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/Other/Identification**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/Other/Identification**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.95.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[FinancialIdentificationSchemeName1Choice_1](#)" on page 179 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		179
	Proprietary	<Prtry>	Or}	[1..1]	⚠	179

5.95.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on **camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)



- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor/Agent/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.96 GenericIdentification1__1

Definition: Information related to an identification, for example party identification or account identification.

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	206

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SchemeName	<SchmeNm>		[0..1]		206
	Issuer	<Issr>		[0..1]		206

Used in element(s)

["CardBrand" on page 286](#)

5.96.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- **on [camt.052.001.08/Report/Entry/CardTransaction/Card/CardBrand/Identification](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- **on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Card/Card-Brand/Identification](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.96.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- **on [camt.052.001.08/Report/Entry/CardTransaction/Card/CardBrand/SchemeName](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- **on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Card/Card-Brand/SchemeName](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.96.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/CardTransaction/Card/CardBrand/Issuer](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Card/CardBrand/Issuer](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.97 GenericIdentification30

Definition: Information related to an identification, for example, party identification or account identification.

❌ Removed -
 ⊖ Partial Removed -
 ◇ Ignored -
 ⊕ Partial Ignored -
 ⚠ Details below -
 M Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		207
	Issuer	<Issr>		[1..1]		207
	SchemeName	<SchmeNm>		[0..1]		207

Used in element(s)

["Proprietary" on page 37](#)

5.97.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Proprietary information, often a code, issued by the data source scheme issuer.

Datatype: ["Exact4AlphaNumericText" on page 530](#)

5.97.2 Issuer

XML Tag: Issr

Presence: [1..1]

Definition: Entity that assigns the identification.

Datatype: ["Max35Text" on page 557](#)

5.97.3 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Short textual description of the scheme.

Datatype: ["Max35Text" on page 557](#)

5.98 GenericIdentification30__1

Definition: Information related to an identification, for example, party identification or account identification.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		208
	Issuer	<Issr>		[1..1]	⚠	208
	SchemeName	<SchmeNm>		[0..1]	⚠	213

Used in element(s)

["Proprietary" on page 38](#)

5.98.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Proprietary information, often a code, issued by the data source scheme issuer.

Datatype: ["Exact4AlphaNumericText" on page 530](#)

5.98.2 Issuer

XML Tag: Issr

Presence: [1..1]

Definition: Entity that assigns the identification.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 513](#)

Usage Guideline details

- on [camt.052.001.08/GroupHeader/MessageRecipient/PostalAddress/AddressType/Proprietary/Issuer](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)
- on [camt.052.001.08/Report/Account/Owner/PostalAddress/AddressType/Proprietary/Issuer](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)
- on [camt.052.001.08/Report/Account/Service/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)

- on **camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/PostalAddress/AddressType/Proprietary/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

5.98.3 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Short textual description of the scheme.

Datatype: ["CBPR RestrictedFINXMax35Text Extended" on page 513](#)

Usage Guideline details

- on **camt.052.001.08/GroupHeader/MessageRecipient/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Account/Owner/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Account/Service/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName**

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/PostalAddress/AddressType/Proprietary/SchemeName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

5.99 GenericIdentification30__2

Definition: Information related to an identification, for example, party identification or account identification.

❌ Removed - ⊖ Partial Removed - ◇ Ignored - ⚠️ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		218
	Issuer	<Issr>		[1..1]	⚠️	218
	SchemeName	<SchmeNm>		[0..1]	⚠️	219

Used in element(s)

["Type" on page 426](#)

5.99.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Proprietary information, often a code, issued by the data source scheme issuer.

Datatype: ["Exact4AlphaNumericText" on page 530](#)

5.99.2 Issuer

XML Tag: Issr

Presence: [1..1]

Definition: Entity that assigns the identification.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/SafekeepingAccount/Type/Issuer](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.99.3 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Short textual description of the scheme.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/SafekeepingAccount/Type/SchemeName](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.100 GenericIdentification32__1

Definition: Identification of an entity.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	219
	Type	<Tp>		[0..1]		220
	Issuer	<Issr>		[0..1]		220
	ShortName	<ShrtNm>		[0..1]	⚠	220

Used in element(s)

["Identification" on page 303](#)

5.100.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification of the entity.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/CardTransaction/POI/Identification/Identification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/POI/Identification/Identification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.100.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Type of identified entity.

Datatype: ["PartyType3Code" on page 563](#)

5.100.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity assigning the identification (for example merchant, acceptor, acquirer, or tax authority).

Datatype: ["PartyType4Code" on page 564](#)

5.100.4 ShortName

XML Tag: ShrtNm

Presence: [0..1]

Definition: Name of the entity.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/CardTransaction/POI/Identification/ShortName](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/POI/Identification/ShortName](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.101 GenericIdentification3__1

Definition: Information related to an identification, for example, party identification or account identification.

⓪ Removed - ⓪ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	221
	Issuer	<Issr>		[0..1]	⚠	221

Used in element(s)

"Proprietary" on page 105

5.101.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Name or number assigned by an entity to enable recognition of that entity, for example, account identifier.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/Charges/Record/Type/Proprietary/Identification](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Type/Proprietary/Identification](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.101.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/Charges/Record/Type/Proprietary/Issuer](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Type/Proprietary/Issuer](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.102 GenericOrganisationIdentification1

Definition: Information related to an identification of an organisation.

❌ Removed -
 ⊖ Partial Removed -
 ◇ Ignored -
 ⊖ Partial Ignored -
 ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		222
	SchemeName	<SchmeNm>		[0..1]		222
	Issuer	<Issr>		[0..1]		222

Used in element(s)

"Other" on page 248

5.102.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "Max35Text" on page 557

5.102.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[OrganisationIdentificationSchemeName1Choice](#)" on page 251 for details)

❌ Removed -
 ⊖ Partial Removed -
 ◇ Ignored -
 ⊖ Partial Ignored -
 ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		252
	Proprietary	<Prtry>	Or}	[1..1]		252

5.102.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "Max35Text" on page 557

5.103 GenericOrganisationIdentification1__1

Definition: Information related to an identification of an organisation.

❌ Removed - ⊖ Partial Removed - ◇ Ignored - ⊖ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠️	223
	SchemeName	<SchmeNm>		[0..1]		224
	Issuer	<Issr>		[0..1]	⚠️	224

Used in element(s)

"Other" on page 249

5.103.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on **camt.052.001.08/GroupHeader/MessageRecipient/Identification/OrganisationIdentification/Other/Identification**
 Type changed to: CBPR RestrictedFINXMax35Text on page 512
- on **camt.052.001.08/Report/Account/Owner/Identification/OrganisationIdentification/Other/Identification**
 Type changed to: CBPR RestrictedFINXMax35Text on page 512
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/Identification/OrganisationIdentification/Other/Identification**
 Type changed to: CBPR RestrictedFINXMax35Text on page 512
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/Identification/OrganisationIdentification/Other/Identification**
 Type changed to: CBPR RestrictedFINXMax35Text on page 512
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/Identification/OrganisationIdentification/Other/Identification**
 Type changed to: CBPR RestrictedFINXMax35Text on page 512
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/Identification/OrganisationIdentification/Other/Identification**
 Type changed to: CBPR RestrictedFINXMax35Text on page 512

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/Identification/OrganisationIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/Identification/OrganisationIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/Identification/OrganisationIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/Identification/OrganisationIdentification/Other/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.103.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[OrganisationIdentificationSchemeName1Choice_1](#)" on page 252 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		252
	Proprietary	<Prtry>	Or}	[1..1]	⚠	253

5.103.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "[CBPR RestrictedFINXMax35Text](#)" on page 512

Usage Guideline details

- on **camt.052.001.08/GroupHeader/MessageRecipient/Identification/OrganisationIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Account/Owner/Identification/OrganisationIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/Identification/OrganisationIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/Identification/OrganisationIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/Identification/OrganisationIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/Identification/OrganisationIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/Identification/OrganisationIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/Identification/OrganisationIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/Identification/OrganisationIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/Identification/OrganisationIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.104 GenericOrganisationIdentification1__2

Definition: Information related to an identification of an organisation.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	226
	SchemeName	<SchmeNm>		[0..1]		226
	Issuer	<Issr>		[0..1]	⚠	227

Used in element(s)

"Other" on page 251

5.104.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification assigned by an institution.

Datatype: "CBPR RestrictedFINXMax35Text Extended" on page 513

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/Identification
 Type changed to: CBPR RestrictedFINXMax35Text Extended on page 513
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/Identification
 Type changed to: CBPR RestrictedFINXMax35Text Extended on page 513

5.104.2 SchemeName


XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "OrganisationIdentificationSchemeName1Choice 2" on page 254 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		254
	Proprietary	<Prtry>	Or}	[1..1]		254

5.104.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.







Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 513

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 513
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/Issuer
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 513

5.105 GenericPersonIdentification1

Definition: Information related to an identification of a person.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		227
	SchemeName	<SchmeNm>		[0..1]		228
	Issuer	<Issr>		[0..1]		228

Used in element(s)

"Other" on page 292

5.105.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: ["Max35Text" on page 557](#)







5.105.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype ["PersonIdentificationScheme-Name1Choice" on page 297](#) for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		297
	Proprietary	<Prtry>	Or}	[1..1]		298

5.105.3 Issuer

XML Tag: Issr







Presence: [0..1]



Definition: Entity that assigns the identification.

Datatype: ["Max35Text" on page 557](#)

5.106 GenericPersonIdentification1__1

Definition: Information related to an identification of a person.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		228
	SchemeName	<SchmeNm>		[0..1]		230
	Issuer	<Issr>		[0..1]		230

Used in element(s)

["Other" on page 293](#)

5.106.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/GroupHeader/MessageRecipient/Identification/PrivateIdentification/Other/Identification](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Account/Owner/Identification/PrivateIdentification/Other/Identification](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/Identification/PrivateIdentification/Other/Identification](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/Identification/PrivateIdentification/Other/Identification](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/Identification/PrivateIdentification/Other/Identification](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/Identification/PrivateIdentification/Other/Identification](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/Identification/PrivateIdentification/Other/Identification](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/Identification/PrivateIdentification/Other/Identification](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/Identification/PrivateIdentification/Other/Identification](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other/Identification](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other/Identification](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/Identification/PrivateIdentification/Other/Identification](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)







5.106.2 SchemeName


XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[PersonIdentificationScheme-Name1Choice 1](#)" on page 298 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		298
	Proprietary	<Prtry>	Or}	[1..1]		298

5.106.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 512

Usage Guideline details

- on camt.052.001.08/GroupHeader/MessageRecipient/Identification/PrivateIdentification/Other/Issuer**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on camt.052.001.08/Report/Account/Owner/Identification/PrivateIdentification/Other/Issuer**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/Identification/PrivateIdentification/Other/Issuer**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/Identification/PrivateIdentification/Other/Issuer**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/Identification/PrivateIdentification/Other/Issuer**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/Identification/PrivateIdentification/Other/Issuer**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/Identification/PrivateIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/Identification/PrivateIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/Identification/PrivateIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/Identification/PrivateIdentification/Other/Issuer**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.107 GenericPersonIdentification1__2

Definition: Information related to an identification of a person.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	231
	SchemeName	<SchmeNm>		[0..1]		232
	Issuer	<Issr>		[0..1]	⚠	232

Used in element(s)

["Other" on page 295](#), ["Other" on page 297](#)

5.107.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unique and unambiguous identification of a person.

Datatype: ["CBPR RestrictedFINXMax35Text Extended" on page 513](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/Identification](#)
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/Identification](#)
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

5.107.2 SchemeName

XML Tag: SchmeNm

Presence: [0..1]

Definition: Name of the identification scheme.

The **SchmeNm** block contains the following elements (see datatype "[PersonIdentificationSchemeName1Choice 2](#)" on page 299 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		300
	Proprietary	<Prtry>	Or}	[1..1]	⚠	300

5.107.3 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Entity that assigns the identification.

Datatype: "[CBPR RestrictedFINXMax35Text Extended](#)" on page 513

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/Issuer](#)
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/Issuer](#)
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

5.108 GroupHeader81__1

Definition: Provides further details on the message.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[1..1]	⚠	233
	CreationDateTime	<CreDtTm>		[1..1]	⚠	233
	MessageRecipient	<MsgRcpt>		[0..1]		234
	MessagePagination	<MsgPgntn>		[0..1]	⊘	234
	OriginalBusinessQuery	<OrgnlBizQry>		[0..1]		235
	AdditionalInformation	<AddtlInf>		[0..1]	⚠	235

Used in element(s)

"GroupHeader" on page 21

5.108.1 MessageIdentification

XML Tag: MsgId

Presence: [1..1]

Definition: Point to point reference, as assigned by the account servicing institution, and sent to the account owner or the party authorised to receive the message, to unambiguously identify the message.

Usage: The account servicing institution has to make sure that MessageIdentification is unique per account owner for a pre-agreed period.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on **camt.052.001.08/GroupHeader/MessageIdentification**
Type changed to: CBPR_RestrictedFINXMax35Text on page 512

5.108.2 CreationDateTime

XML Tag: CreDtTm

Presence: [1..1]

Definition: Date and time at which the message was created.

Datatype: "CBPR_DateTime" on page 508

Usage Guideline details

- on **camt.052.001.08/GroupHeader/CreationDateTime**

Type changed to: [CBPR DateTime on page 508](#)

5.108.3 MessageRecipient

XML Tag: MsgRcpt

Presence: [0..1]

Definition: Party authorised by the account owner to receive information about movements on the account.

Usage: MessageRecipient should only be identified when different from the account owner.

The **MsgRcpt** block contains the following elements (see datatype "[PartyIdentification135_1](#)" on page 271 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	271
	PostalAddress	<PstlAdr>		[0..1]		271
	Identification	<Id>		[0..1]		272
	CountryOfResidence	<CtryOfRes>		[0..1]	⊘	273
	ContactDetails	<CtctDtls>		[0..1]		273

5.108.4 MessagePagination

XML Tag: MsgPgntn

Presence: [0..1]

Definition: Provides details on the page number of the message.

Usage: The pagination of the message is only allowed when agreed between the parties.

The **MsgPgntn** block contains the following elements (see datatype "[Pagination1](#)" on page 259 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PageNumber	<PgNb>		[1..1]		259
	LastPageIndicator	<LastPgInd>		[1..1]		259

Usage Guideline details

- This element([camt.052.001.08/GroupHeader/MessagePagination](#)) is removed.

5.108.5 OriginalBusinessQuery

XML Tag: OrgnlBizQry

Presence: [0..1]

Definition: Unique identification, as assigned by the original requestor, to unambiguously identify the business query message.

The **OrgnlBizQry** block contains the following elements (see datatype "[OriginalBusinessQuery1__1](#)" on page [255](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[1..1]	⚠	256
	MessageNameIdentification	<MsgNmId>		[0..1]	⚠	256
	CreationDateTime	<CreDtTm>		[0..1]	⚠	256

5.108.6 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Further details of the message.

Datatype: "[CBPR_RestrictedFINXMax500Text](#)" on page [515](#)

Usage Guideline details

- on [camt.052.001.08/GroupHeader/AdditionalInformation](#)
Type changed to: [CBPR_RestrictedFINXMax500Text](#) on page [515](#)

5.109 IdentificationSource3Choice__1

Definition: Choice between source of identification of a financial instrument.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		236
	Proprietary	<Prtry>	Or}	[1..1]	⚠	236

Used in element(s)

["Type" on page 258](#)

5.109.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Unique and unambiguous identification source, as assigned via a pre-determined code list.

Datatype: ["ExternalFinancialInstrumentIdentificationType1Code" on page 542](#)

5.109.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Unique and unambiguous identification source using a proprietary identification scheme.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 513](#)






Usage Guideline details


- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/FinancialInstrumentIdentification/OtherIdentification/Type/Proprietary](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)

5.110 ImplementationSpecification1

Definition: Identifies the implementation specification to which the ISO 20022 message conforms.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -

 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Registry	<Regy>		[1..1]		236
	Identification	<Id>		[1..1]		237

Used in element(s)

["MarketPractice" on page 17](#)

5.110.1 Registry

XML Tag: Regy

Presence: [1..1]

Definition: Name of the implementation specification registry in which the implementation specification of the ISO 20022 message is maintained.

For example, "MyStandards".

Datatype: ["Max350Text" on page 556](#)

5.110.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identifier which unambiguously identifies, within the implementation specification registry, the implementation specification to which the ISO 20022 message is compliant. This can be done via a URN. It can also contain a version number or date.

For instance, "2018-01-01 - Version 2" or "urn:uuid:6e8bc430-9c3a-11d9-9669-0800200c9a66".

Datatype: ["Max2048Text" on page 556](#)

5.111 ImpliedCurrencyAmountRange1Choice

Definition: Choice between ranges of values in which an amount is considered valid or a specified amount value which has to be matched or unmatched to be valid.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromAmount	<FrAmt>	{Or	[1..1]		237
	ToAmount	<ToAmt>	Or	[1..1]		238
	FromToAmount	<FrToAmt>	Or	[1..1]		238
	EqualAmount	<EQAmt>	Or	[1..1]		238
	NotEqualAmount	<NEQAmt>	Or}	[1..1]		238

Used in element(s)

["Amount" on page 36](#)

5.111.1 FromAmount

XML Tag: FrAmt

Presence: [1..1]

Definition: Lower boundary of a range of amount values.

The **FrAmt** block contains the following elements (see datatype ["AmountRangeBoundary1" on page 48](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BoundaryAmount	<BdryAmt>		[1..1]		48
	Included	<Incl>		[1..1]		49

5.111.2 ToAmount

XML Tag: ToAmt

Presence: [1..1]

Definition: Upper boundary of a range of amount values.

The **ToAmt** block contains the following elements (see datatype "[AmountRangeBoundary1](#)" on page 48 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BoundaryAmount	<BdryAmt>		[1..1]		48
	Included	<Incl>		[1..1]		49

5.111.3 FromToAmount

XML Tag: FrToAmt

Presence: [1..1]

Definition: Range of valid amount values.

The **FrToAmt** block contains the following elements (see datatype "[FromToAmountRange1](#)" on page 192 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromAmount	<FrAmt>		[1..1]		193
	ToAmount	<ToAmt>		[1..1]		193

5.111.4 EqualAmount

XML Tag: EQAmt

Presence: [1..1]

Definition: Exact value an amount must match to be considered valid.

Datatype: "[ImpliedCurrencyAndAmount](#)" on page 553

5.111.5 NotEqualAmount

XML Tag: NEQAmt

Presence: [1..1]

Definition: Value that an amount must not match to be considered valid.

Datatype: "[ImpliedCurrencyAndAmount](#)" on page 553

5.112 InterestRecord2__1

Definition: Provides transaction specific interest information that applies to the underlying transaction.

⊖ Removed - ⊖ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		239
	CreditDebitIndicator	<CdtDbtInd>		[1..1]		239
	Type	<Tp>		[0..1]		239
	Rate	<Rate>		[0..1]		240
	FromDate	<FrToDt>		[0..1]		240
	Reason	<Rsn>		[0..1]	⚠	240
	Tax	<Tax>		[0..1]		241

Used in element(s)

["Record" on page 482](#)

5.112.1 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of interest included in the entry amount.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

5.112.2 CreditDebitIndicator

XML Tag: CdtDbtInd

Presence: [1..1]

Definition: Indicates whether the interest amount included in the entry is credit or debit amount.

Usage: A zero amount is considered to be a credit.

Datatype: ["CreditDebitCode" on page 526](#)







5.112.3 Type


XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of interest.

The **Tp** block contains the following elements (see datatype ["InterestType1Choice__1" on page 241](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		241
	Proprietary	<Prtry>	Or}	[1..1]		242







5.112.4 Rate

XML Tag: Rate

Presence: [0..1]

Definition: Set of elements used to qualify the interest rate.

The **Rate** block contains the following elements (see datatype "[Rate4_1](#)" on page 403 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		404
	ValidityRange	<VldtyRg>		[0..1]		404







5.112.5 FromToDate



XML Tag: FrToDt

Presence: [0..1]

Definition: Range of time between a start date and an end date for the calculation of the interest.

The **FrToDt** block contains the following elements (see datatype "[DateTimePeriod1_1](#)" on page 150 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDateTime	<FrDtTm>		[1..1]		151
	ToDateTime	<ToDtTm>		[1..1]		151

5.112.6 Reason

XML Tag: Rsn

Presence: [0..1]

Definition: Specifies the reason for the interest.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 512

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Interest/Record/Reason](#)
Type changed to: [CBPR RestrictedFINXMax35Text](#) on page 512
- on [camt.052.001.08/Report/Entry/Interest/Record/Reason](#)
Type changed to: [CBPR RestrictedFINXMax35Text](#) on page 512

5.112.7 Tax

XML Tag: Tax

Presence: [0..1]

Definition: Provides details on the tax applied to charges.

The **Tax** block contains the following elements (see datatype "[TaxCharges2_1](#)" on page 443 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]	▲	443
	Rate	<Rate>		[0..1]		444
	Amount	<Amt>		[0..1]		444

5.113 InterestType1Choice__1

Definition: Interest type is expressed as a code or a text.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		241
	Proprietary	<Prtry>	Or}	[1..1]	▲	242

Used in element(s)

"Type" on page 25, "Type" on page 239

5.113.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the type of interest.

Datatype: "[InterestType1Code](#)" on page 554

5.113.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the type of interest in uncoded form.







Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)


Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Interest/Record/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/Interest/Record/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Interest/Type/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.114 LocalInstrument2Choice__1

Definition: Set of elements that further identifies the type of local instruments being requested by the initiating party.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		242
	Proprietary	<Prtry>	Or}	[1..1]		242

Used in element(s)

["LocalInstrument" on page 171](#)

5.114.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the local instrument, as published in an external local instrument code list.

Datatype: ["ExternalLocalInstrument1Code" on page 544](#)

5.114.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the local instrument, as a proprietary code.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/LocalInstrument/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.115 MessageIdentification2__1

Definition: Set of elements providing the identification of a message.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageNameIdentification	<MsgNmId>		[0..1]	⚠	243
	MessageIdentification	<MsgId>		[0..1]	⚠	243

Used in element(s)

["AdditionalInformationIndicator" on page 421](#)

5.115.1 MessageNameIdentification

XML Tag: MsgNmId

Presence: [0..1]

Definition: Specifies the message name identifier of the message that will be used to provide additional details.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/AdditionalInformationIndicator/MessageNameIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.115.2 MessageIdentification

XML Tag: MsgId

Presence: [0..1]

Definition: Specifies the identification of the message that will be used to provide additional details.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/AdditionalInformationIndicator/MessageIdentification](#)
Type changed to: [CBPR RestrictedFINXMax35Text](#) on page 512

5.116 NameAndAddress16__1

Definition: Information that locates and identifies a party.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[1..1]	⚠	244
	Address	<Adr>		[1..1]		244

Used in element(s)

"PostalAddress" on page 416

5.116.1 Name

XML Tag: Nm

Presence: [1..1]

Definition: Name by which a party is known and is usually used to identify that party.

Datatype: ["CBPR RestrictedFINXMax140Text Extended"](#) on page 510

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Name](#)
Type changed to: [CBPR RestrictedFINXMax140Text Extended](#) on page 510

5.116.2 Address

XML Tag: Adr

Presence: [1..1]

Definition: Postal address of a party.

The **Adr** block contains the following elements (see datatype ["PostalAddress24__1"](#) on page 313 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		313
	Department	<Dept>		[0..1]	⚠	314
	SubDepartment	<SubDept>		[0..1]	⚠	318
	StreetName	<StrtNm>		[0..1]	⚠	323
	BuildingNumber	<BldgNb>		[0..1]	⚠	328
	BuildingName	<BldgNm>		[0..1]	⚠	332
	Floor	<Flr>		[0..1]	⚠	337
	PostBox	<PstBx>		[0..1]	⚠	342
	Room	<Room>		[0..1]	⚠	346
	PostCode	<PstCd>		[0..1]	⚠	351
	TownName	<TwnNm>		[0..1]	⚠	356
	TownLocationName	<TwnLctnNm>		[0..1]	⚠	360
	DistrictName	<DstrctNm>		[0..1]	⚠	365
	CountrySubDivision	<CtrySubDvsn>		[0..1]	⚠	370
	Country	<Ctry>		[0..1]		374
	AddressLine	<AdrLine>		[0..7]	⚠ R[0..3]	374

5.117 NumberAndSumOfTransactions1

Definition: Set of elements providing the total sum of entries.

⊖ Removed - ⊖ Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NumberOfEntries	<NbOfNtries>		[0..1]		245
	Sum	<Sum>		[0..1]		246

Used in element(s)

"CreditEntries" on page 470, "DebitEntries" on page 470, "TotalCreditEntries" on page 467, "TotalDebitEntries" on page 467

5.117.1 NumberOfEntries

XML Tag: NbOfNtries

Presence: [0..1]

Definition: Number of individual entries included in the report.

Datatype: ["Max15NumericText" on page 555](#)

5.117.2 Sum

XML Tag: Sum

Presence: [0..1]

Definition: Total of all individual entries included in the report.

Datatype: ["DecimalNumber" on page 526](#)

5.118 NumberAndSumOfTransactions4

Definition: Set of elements providing the total sum of entries.

⊖ Removed - ⊖ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NumberOfEntries	<NbOfNtries>		[0..1]		246
	Sum	<Sum>		[0..1]		246
	TotalNetEntry	<TtlNetNtry>		[0..1]		246

Used in element(s)

["TotalEntries" on page 467](#)

5.118.1 NumberOfEntries

XML Tag: NbOfNtries

Presence: [0..1]

Definition: Number of individual entries included in the report.

Datatype: ["Max15NumericText" on page 555](#)

5.118.2 Sum

XML Tag: Sum

Presence: [0..1]

Definition: Total of all individual entries included in the report.

Datatype: ["DecimalNumber" on page 526](#)

5.118.3 TotalNetEntry

XML Tag: TtlNetNtry

Presence: [0..1]

Definition: Resulting debit or credit amount of the netted amounts for all debit and credit entries.

The **TtlNetNtry** block contains the following elements (see datatype "[AmountAndDirection35](#)" on [page 48](#) for details)

🚫 Removed - 🚫 Partial Removed - ⚠ Ignored - 🚫 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		48
	CreditDebitIndicator	<CdtDbtInd>		[1..1]		48

5.119 OrganisationIdentification29

Definition: Unique and unambiguous way to identify an organisation.

🚫 Removed - 🚫 Partial Removed - ⚠ Ignored - 🚫 Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]	M	247
	LEI	<LEI>		[0..1]		247
	Other	<Othr>		[0..*]	🚫	248

Used in element(s)

"[OrganisationIdentification](#)" on [page 259](#)

5.119.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: "[AnyBICDec2014Identifier](#)" on [page 500](#)

Usage Guideline details

- on [camt.052.001.08/header/Related/From/OrganisationIdentification/Identification/OrganisationIdentification/AnyBIC](#)

This element is now mandatory, the minimum occurrence has been changed to : 1

5.119.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: "[LEIIdentifier](#)" on [page 554](#)

5.119.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericOrganisationIdentification1](#)" on page 222 for details)

⊗ Removed - ⊗ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		222
	SchemeName	<SchmeNm>		[0..1]		222
	Issuer	<Issr>		[0..1]		222

Usage Guideline details

- This element([camt.052.001.08/header/From/OrganisationIdentification/Identification/OrganisationIdentification/Other](#)) is removed.
- This element([camt.052.001.08/header/Related/From/OrganisationIdentification/Identification/OrganisationIdentification/Other](#)) is removed.
- This element([camt.052.001.08/header/Related/To/OrganisationIdentification/Identification/OrganisationIdentification/Other](#)) is removed.
- This element([camt.052.001.08/header/To/OrganisationIdentification/Identification/OrganisationIdentification/Other](#)) is removed.

5.120 OrganisationIdentification29__1

Definition: Unique and unambiguous way to identify an organisation.

⊗ Removed - ⊗ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		249
	LEI	<LEI>		[0..1]		249
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	249

Used in element(s)

"[OrganisationIdentification](#)" on page 261

5.120.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: ["AnyBICDec2014Identifier" on page 500](#)

5.120.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: ["LEIIdentifier" on page 554](#)

5.120.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype ["GenericOrganisationIdentification1__1"](#) on page 223 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	▲	223
	SchemeName	<SchmeNm>		[0..1]		224
	Issuer	<Issr>		[0..1]	▲	224

Usage Guideline details

- on camt.052.001.08/GroupHeader/MessageRecipient/Identification/OrganisationIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on camt.052.001.08/Report/Account/Owner/Identification/OrganisationIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/Identification/OrganisationIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/Identification/OrganisationIdentification/Other**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/Identification/OrganisationIdentification/Other**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/Identification/OrganisationIdentification/Other**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/Identification/OrganisationIdentification/Other**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/Identification/OrganisationIdentification/Other**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/Identification/OrganisationIdentification/Other**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other**

This element has change repeatability, the maximum occurrence has been changed to : 2

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/Identification/OrganisationIdentification/Other**

This element has change repeatability, the maximum occurrence has been changed to : 2

5.121 OrganisationIdentification29__2

Definition: Unique and unambiguous way to identify an organisation.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		251
	LEI	<LEI>		[0..1]		251
	Other	<Othr>		[0..*]	R[0..2] R[0..2]	251

Used in element(s)

"OrganisationIdentification" on page 262, "OrganisationIdentification" on page 263

5.121.1 AnyBIC

XML Tag: AnyBIC

Presence: [0..1]

Definition: Business identification code of the organisation.

Datatype: ["AnyBICDec2014Identifier"](#) on page 500

5.121.2 LEI

XML Tag: LEI

Presence: [0..1]

Definition: Legal entity identification as an alternate identification for a party.

Datatype: ["LEIIdentifier"](#) on page 554

5.121.3 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of an organisation, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype ["GenericOrganisationIdentification1_2"](#) on page 226 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	226
	SchemeName	<SchmeNm>		[0..1]		226
	Issuer	<Issr>		[0..1]	⚠	227

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2

5.122 OrganisationIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the organisation identification scheme.

🚫 Removed - 🚫 Partial Removed - ⚠ Ignored - ⚠ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		252
	Proprietary	<Prtry>	Or}	[1..1]		252

Used in element(s)

"SchemeName" on page 222

5.122.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalOrganisationIdentification1Code" on page 544

5.122.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: "Max35Text" on page 557

5.123 OrganisationIdentificationScheme-Name1Choice__1

Definition: Sets of elements to identify a name of the organisation identification scheme.

🚫 Removed - 🚫 Partial Removed - ⚠ Ignored - ⚠ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		252
	Proprietary	<Prtry>	Or}	[1..1]	⚠	253

Used in element(s)

"SchemeName" on page 224

5.123.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalOrganisationIdentification1Code" on page 544](#)

5.123.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/GroupHeader/MessageRecipient/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Account/Owner/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)

Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)

Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)

Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.124 OrganisationIdentificationScheme-Name1Choice__2

Definition: Sets of elements to identify a name of the organisation identification scheme.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		254
	Proprietary	<Prtry>	Or}	[1..1]	▲	254

Used in element(s)

["SchemeName" on page 226](#)

5.124.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalOrganisationIdentification1Code" on page 544](#)

5.124.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR RestrictedFINXMax35Text Extended" on page 513](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/OrganisationIdentification/Other/SchemeName/Proprietary](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

5.125 OriginalAndCurrentQuantities1

Definition: Original and current value of an asset-back instrument.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FaceAmount	<FaceAmt>		[1..1]		255
	AmortisedValue	<AmtsdVal>		[1..1]		255

Used in element(s)

"OriginalAndCurrentFaceAmount" on page 490

5.125.1 FaceAmount

XML Tag: FaceAmt

Presence: [1..1]

Definition: Quantity expressed as an amount representing the face amount, that is, the principal of a debt instrument.

Datatype: ["ImpliedCurrencyAndAmount"](#) on page 553

5.125.2 AmortisedValue

XML Tag: AmtsdVal

Presence: [1..1]




Definition: Quantity expressed as an amount representing the current amortised face amount of a bond, for example, a periodic reduction/increase of a bond's principal amount.

Datatype: ["ImpliedCurrencyAndAmount"](#) on page 553

5.126 OriginalBusinessQuery1__1

Definition: Unique identification, as assigned by the original requestor, to unambiguously identify the business query message.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<MsgId>		[1..1]		256
	MessageNameIdentification	<MsgNmId>		[0..1]		256
	CreationDateTime	<CreDtTm>		[0..1]		256

Used in element(s)

["OriginalBusinessQuery"](#) on page 235

5.126.1 MessageIdentification

XML Tag: MsgId

Presence: [1..1]

Definition: Point to point reference, as assigned by the original initiating party, to unambiguously identify the original query message.

Datatype: ["CBPR_RestrictedFINXMax35Text"](#) on page 512

Usage Guideline details

- on [camt.052.001.08/GroupHeader/OriginalBusinessQuery/MessageIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 512

5.126.2 MessageNameIdentification

XML Tag: MsgNmId

Presence: [0..1]

Definition: Specifies the query message name identifier to which the message refers.

Datatype: ["CBPR_RestrictedFINXMax35Text"](#) on page 512

Usage Guideline details

- on [camt.052.001.08/GroupHeader/OriginalBusinessQuery/MessageNameIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 512

5.126.3 CreationDateTime

XML Tag: CreDtTm

Presence: [0..1]

Definition: Date and time at which the message was created.

Datatype: ["CBPR_DateTime"](#) on page 508

Usage Guideline details

- on [camt.052.001.08/GroupHeader/OriginalBusinessQuery/CreationDateTime](#)
Type changed to: [CBPR DateTime](#) on page 508

5.127 OtherContact1

Definition: Communication device number or electronic address used for communication.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ChannelType	<ChanITp>		[1..1]		257
	Identification	<Id>		[0..1]		257

Used in element(s)

"Other" on page 121, "Other" on page 131

5.127.1 ChannelType

XML Tag: ChanITp

Presence: [1..1]

Definition: Method used to contact the financial institution's contact for the specific tax region.

Datatype: "Max4Text" on page 557

5.127.2 Identification

XML Tag: Id

Presence: [0..1]

Definition: Communication value such as phone number or email address.

Datatype: "Max128Text" on page 555

5.128 OtherIdentification1__1

Definition: Other accepted financial instrument's identification than ISIN.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	258
	Suffix	<Sfx>		[0..1]	⚠	258
	Type	<Tp>		[1..1]		258

Used in element(s)

"OtherIdentification" on page 428

5.128.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification of a security.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 513

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/FinancialInstrumentIdentification/OtherIdentification/Identification

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)

5.128.2 Suffix

XML Tag: Sfx

Presence: [0..1]

Definition: Identifies the suffix of the security identification.

Datatype: "CBPR_RestrictedFINXMax16Text_Extended" on page 510

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/FinancialInstrumentIdentification/OtherIdentification/Suffix

Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 510](#)

5.128.3 Type

XML Tag: Tp

Presence: [1..1]

Definition: Type of the identification.

The **Tp** block contains the following elements (see datatype "IdentificationSource3Choice_1" on page 235 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below - M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		236
	Proprietary	<Prtry>	Or}	[1..1]	▲	236

5.129 Pagination1

Definition: Number used to sequence pages when it is not possible for data to be conveyed in a single message and the data has to be split across several pages (messages).

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PageNumber	<PgNb>		[1..1]		259
	LastPageIndicator	<LastPgInd>		[1..1]		259

Used in element(s)

"MessagePagination" on page 234, "ReportPagination" on page 28

5.129.1 PageNumber

XML Tag: PgNb

Presence: [1..1]

Definition: Page number.

Datatype: "Max5NumericText" on page 558

5.129.2 LastPageIndicator

XML Tag: LastPgInd

Presence: [1..1]

Definition: Indicates the last page.

Datatype: "YesNoIndicator" on page 585

5.130 Party38Choice

Definition: Nature or use of the account.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		259
	PrivateIdentification	<PrvtId>	Or}	[1..1]	⊘	260

Used in element(s)

"Identification" on page 269

5.130.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "[OrganisationIdentification29](#)" on page 247 for details)

🚫 Removed - 🚫 Partial Removed - ⚠ Ignored - ⚠ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]	M	247
	LEI	<LEI>		[0..1]		247
	Other	<Othr>		[0..*]	🚫	248

5.130.2 PrivatIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "[PersonIdentification13](#)" on page 291 for details)

🚫 Removed - 🚫 Partial Removed - ⚠ Ignored - ⚠ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		292
	Other	<Othr>		[0..*]		292

Usage Guideline details

- This element([camt.052.001.08/header/From/OrganisationIdentification/Identification/PrivatIdentification](#)) is removed.
- This element([camt.052.001.08/header/Related/From/OrganisationIdentification/Identification/PrivatIdentification](#)) is removed.
- This element([camt.052.001.08/header/Related/To/OrganisationIdentification/Identification/PrivatIdentification](#)) is removed.
- This element([camt.052.001.08/header/To/OrganisationIdentification/Identification/PrivatIdentification](#)) is removed.

5.131 Party38Choice__1

Definition: Nature or use of the account.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		261
	PrivateIdentification	<PrvtId>	Or}	[1..1]		261

Used in element(s)

"Identification" on page 272, "Identification" on page 276, "Identification" on page 284

5.131.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29_1" on page 248 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		249
	LEI	<LEI>		[0..1]		249
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	249

5.131.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13_1" on page 293 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		293
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	293

5.132 Party38Choice__2

Definition: Nature or use of the account.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		262
	PrivateIdentification	<PrvtId>	Or}	[1..1]		262

Used in element(s)

"Identification" on page 278

5.132.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29_2" on page 250 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		251
	LEI	<LEI>		[0..1]		251
	Other	<Othr>		[0..*]	R[0..2]	251

5.132.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13_2" on page 295 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		295
	Other	<Othr>		[0..*]	R[0..2]	295

5.133 Party38Choice__3

Definition: Nature or use of the account.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		263
	PrivateIdentification	<PrvtId>	Or}	[1..1]		263

Used in element(s)

"Identification" on page 281

5.133.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Unique and unambiguous way to identify an organisation.

The **OrgId** block contains the following elements (see datatype "OrganisationIdentification29_2" on page 250 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AnyBIC	<AnyBIC>		[0..1]		251
	LEI	<LEI>		[0..1]		251
	Other	<Othr>		[0..*]	R[0..2]	251

5.133.2 PrivateIdentification

XML Tag: PrvtId

Presence: [1..1]

Definition: Unique and unambiguous identification of a person, for example a passport.

The **PrvtId** block contains the following elements (see datatype "PersonIdentification13_3" on page 296 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		296
	Other	<Othr>		[0..*]	R[0..2]	297

5.134 Party40Choice__1

Definition: Identification of a person, an organisation or a financial institution.

❌ Removed - ⊗ Partial Removed - ◇ Ignored - ⊠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		264
	Agent	<Agt>	Or}	[1..1]		264

Used in element(s)

"Creditor" on page 485, "Debtor" on page 483, "InitiatingParty" on page 483, "Party" on page 397, "UltimateCreditor" on page 486, "UltimateDebtor" on page 485

5.134.1 Party

XML Tag: Pty

Presence: [1..1]

Definition: Identification of a person or an organisation.

The **Pty** block contains the following elements (see datatype "PartyIdentification135_2" on page 274 for details)

❌ Removed - ⊗ Partial Removed - ◇ Ignored - ⊠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	274
	PostalAddress	<PstlAdr>		[0..1]		275
	Identification	<Id>		[0..1]		276
	CountryOfResidence	<CtryOfRes>		[0..1]		276
	ContactDetails	<CtctDtls>		[0..1]		276

5.134.2 Agent

XML Tag: Agt

Presence: [1..1]

Definition: Identification of a financial institution.

The **Agt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6_2" on page 57 for details)

❌ Removed - ⊗ Partial Removed - ◇ Ignored - ⊠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		57
	BranchIdentification	<BrnchId>		[0..1]		58

5.135 Party40Choice__2

Definition: Identification of a person, an organisation or a financial institution.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		265
	Agent	<Agt>	Or}	[1..1]		265

Used in element(s)

"TradingParty" on page 487

5.135.1 Party

XML Tag: Pty

Presence: [1..1]

Definition: Identification of a person or an organisation.

The **Pty** block contains the following elements (see datatype "PartyIdentification135__2" on page 274 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	▲	274
	PostalAddress	<PstlAdr>		[0..1]		275
	Identification	<Id>		[0..1]		276
	CountryOfResidence	<CtryOfRes>		[0..1]		276
	ContactDetails	<CtctDtls>		[0..1]		276

5.135.2 Agent

XML Tag: Agt

Presence: [1..1]

Definition: Identification of a financial institution.

The **Agt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6__3" on page 58 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		59
	BranchIdentification	<BrnchId>		[0..1]		59

5.136 Party44Choice__1

Definition: Identification of a person, an organisation or a financial institution.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]	⊘	266
	FinancialInstitutionIdentification	<FIId>	Or}	[1..1]		267

Used in element(s)

"From" on page 14, "From" on page 73, "To" on page 15, "To" on page 74

5.136.1 OrganisationIdentification

XML Tag: OrgId

Presence: [1..1]

Definition: Identification of a person or an organisation.

The **OrgId** block contains the following elements (see datatype "[PartyIdentification135](#)" on page 267 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⊘	267
	PostalAddress	<PstAdr>		[0..1]	⊘	268
	Identification	<Id>		[0..1]	⊘	269
	CountryOfResidence	<CtryOfRes>		[0..1]	⊘	269
	ContactDetails	<CtctDtls>		[0..1]	⊘	270

Usage Guideline details

- This element([camt.052.001.08/header/From/OrganisationIdentification](#)) is removed.
- This element([camt.052.001.08/header/Related/From/OrganisationIdentification](#)) is removed.
- This element([camt.052.001.08/header/Related/To/OrganisationIdentification](#)) is removed.

- This element([camt.052.001.08/header/To/OrganisationIdentification](#)) is removed.

5.136.2 FinancialInstitutionIdentification

XML Tag: FIId

Presence: [1..1]

Definition: Identification of a financial institution.

The **FIId** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_5](#)" on page 61 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		61
	BranchIdentification	<BrnchId>		[0..1]	⊘	62

5.137 PartyIdentification135

Definition: Specifies the identification of a person or an organisation.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⊘	267
	PostalAddress	<PstlAdr>		[0..1]	⊘	268
	Identification	<Id>		[0..1]	⊘	269
	CountryOfResidence	<CtryOfRes>		[0..1]	⊘	269
	ContactDetails	<CtctDtls>		[0..1]	⊘	270

Used in element(s)

["OrganisationIdentification"](#) on page 266

5.137.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "[Max140Text](#)" on page 555

Usage Guideline details

- This element(**camt.052.001.08.header.From.OrganisationIdentification.Name**) is removed.
- This element(**camt.052.001.08.header.Related.From.OrganisationIdentification.Name**) is removed.
- This element(**camt.052.001.08.header.Related.To.OrganisationIdentification.Name**) is removed.
- This element(**camt.052.001.08.header.To.OrganisationIdentification.Name**) is removed.

5.137.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "PostalAddress24" on page 309 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		309
	Department	<Dept>		[0..1]		310
	SubDepartment	<SubDept>		[0..1]		310
	StreetName	<StrtNm>		[0..1]		310
	BuildingNumber	<BldgNb>		[0..1]		310
	BuildingName	<BldgNm>		[0..1]		310
	Floor	<Flr>		[0..1]		310
	PostBox	<PstBx>		[0..1]		311
	Room	<Room>		[0..1]		311
	PostCode	<PstCd>		[0..1]		311
	TownName	<TwnNm>		[0..1]		312
	TownLocationName	<TwnLctnNm>		[0..1]		312
	DistrictName	<DstrctNm>		[0..1]		312
	CountrySubDivision	<CtrySubDvsn>		[0..1]		312
	Country	<Ctry>		[0..1]		312
	AddressLine	<AdrLine>		[0..7]		312

Usage Guideline details

- This element([camt.052.001.08/header/From/OrganisationIdentification/PostalAddress](#)) is removed.
- This element([camt.052.001.08/header/Related/From/OrganisationIdentification/PostalAddress](#)) is removed.
- This element([camt.052.001.08/header/Related/To/OrganisationIdentification/PostalAddress](#)) is removed.
- This element([camt.052.001.08/header/To/OrganisationIdentification/PostalAddress](#)) is removed.

5.137.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice](#)" on page 259 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		259
	PrivateIdentification	<PrvtId>	Or}	[1..1]	⊘	260

Usage Guideline details

- This element([camt.052.001.08/header/Related/From/OrganisationIdentification/Identification](#)) is removed.
- This element([camt.052.001.08/header/Related/To/OrganisationIdentification/Identification](#)) is removed.
- This element([camt.052.001.08/header/To/OrganisationIdentification/Identification](#)) is removed.

5.137.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 525

Usage Guideline details

- This element([camt.052.001.08/header/From/OrganisationIdentification/CountryOfResidence](#)) is removed.
- This element([camt.052.001.08/header/Related/From/OrganisationIdentification/CountryOfResidence](#)) is removed.
- This element([camt.052.001.08/header/Related/To/OrganisationIdentification/CountryOfResidence](#)) is removed.
- This element([camt.052.001.08/header/To/OrganisationIdentification/CountryOfResidence](#)) is removed.

5.137.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 117 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		118
	Name	<Nm>		[0..1]		118
	PhoneNumber	<PhneNb>		[0..1]		118
	MobileNumber	<MobNb>		[0..1]		119
	FaxNumber	<FaxNb>		[0..1]		119
	EmailAddress	<EmailAdr>		[0..1]		119
	EmailPurpose	<EmailPurp>		[0..1]		120
	JobTitle	<JobTitl>		[0..1]		120
	Responsibility	<Rspnsblty>		[0..1]		120
	Department	<Dept>		[0..1]		121
	Other	<Othr>		[0..*]		121
	PreferredMethod	<PrefrdMtd>		[0..1]		121

Usage Guideline details

- This element([camt.052.001.08/header/From/OrganisationIdentification/ContactDetails](#)) is removed.

- This element([camt.052.001.08/header/Related/From/OrganisationIdentification/ContactDetails](#)) is removed.
- This element([camt.052.001.08/header/Related/To/OrganisationIdentification/ContactDetails](#)) is removed.
- This element([camt.052.001.08/header/To/OrganisationIdentification/ContactDetails](#)) is removed.

5.138 PartyIdentification135__1

Definition: Specifies the identification of a person or an organisation.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	▲	271
	PostalAddress	<PstlAdr>		[0..1]		271
	Identification	<Id>		[0..1]		272
	CountryOfResidence	<CtryOfRes>		[0..1]	⊘	273
	ContactDetails	<CtctDtls>		[0..1]	⊘	273

Used in element(s)

["MessageRecipient"](#) on page 234, ["Owner"](#) on page 96

5.138.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: ["CBPR_RestrictedFINXMax140Text_Extended"](#) on page 510

Usage Guideline details

- on [camt.052.001.08/GroupHeader/MessageRecipient/Name](#)
 Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 510
- on [camt.052.001.08/Report/Account/Owner/Name](#)
 Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 510

5.138.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstAdr** block contains the following elements (see datatype "PostalAddress24_1" on page 313 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		313
	Department	<Dept>		[0..1]	⚠️	314
	SubDepartment	<SubDept>		[0..1]	⚠️	318
	StreetName	<StrtNm>		[0..1]	⚠️	323
	BuildingNumber	<BldgNb>		[0..1]	⚠️	328
	BuildingName	<BldgNm>		[0..1]	⚠️	332
	Floor	<Flr>		[0..1]	⚠️	337
	PostBox	<PstBx>		[0..1]	⚠️	342
	Room	<Room>		[0..1]	⚠️	346
	PostCode	<PstCd>		[0..1]	⚠️	351
	TownName	<TwnNm>		[0..1]	⚠️	356
	TownLocationName	<TwnLctnNm>		[0..1]	⚠️	360
	DistrictName	<DstrctNm>		[0..1]	⚠️	365
	CountrySubDivision	<CtrySubDvsn>		[0..1]	⚠️	370
	Country	<Ctry>		[0..1]		374
	AddressLine	<AdrLine>		[0..7]	⚠️ R[0..3] R[0..3]	374

5.138.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "Party38Choice_1" on page 260 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		261
	PrivateIdentification	<PrvtId>	Or}	[1..1]		261

5.138.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "CountryCode" on page 525

Usage Guideline details

- This element([camt.052.001.08/GroupHeader/MessageRecipient/CountryOfResidence](#)) is removed.

5.138.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4](#)" on page 117 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]	⊘	118
	Name	<Nm>		[0..1]	⊘	118
	PhoneNumber	<PhneNb>		[0..1]	⊘	118
	MobileNumber	<MobNb>		[0..1]	⊘	119
	FaxNumber	<FaxNb>		[0..1]	⊘	119
	EmailAddress	<EmailAdr>		[0..1]	⊘	119
	EmailPurpose	<EmailPurp>		[0..1]	⊘	120
	JobTitle	<JobTitl>		[0..1]	⊘	120
	Responsibility	<Rspnsblty>		[0..1]	⊘	120
	Department	<Dept>		[0..1]	⊘	121
	Other	<Othr>		[0..*]	⊘	121
	PreferredMethod	<PrefrdMtd>		[0..1]	⊘	121

Usage Guideline details

- This element([camt.052.001.08/Report/Account/Owner/ContactDetails](#)) is removed.

5.139 PartyIdentification135__2

Definition: Specifies the identification of a person or an organisation.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	▲	274
	PostalAddress	<PstlAdr>		[0..1]		275
	Identification	<Id>		[0..1]		276
	CountryOfResidence	<CtryOfRes>		[0..1]		276
	ContactDetails	<CtctDtls>		[0..1]		276

Used in element(s)

"Invoicee" on page 434, "Invoicer" on page 433, "Party" on page 264, "Party" on page 265

5.139.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 510

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/Name
 Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 510
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/Name
 Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 510
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/Name
 Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 510
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/Name
 Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 510
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/Name
 Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 510

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/Name**
Type changed to: [CBPR RestrictedFINXMax140Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/Name**
Type changed to: [CBPR RestrictedFINXMax140Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/Name**
Type changed to: [CBPR RestrictedFINXMax140Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/Name**
Type changed to: [CBPR RestrictedFINXMax140Text](#) Extended on page 510

5.139.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "[PostalAddress24_1](#)" on page 313 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		313
	Department	<Dept>		[0..1]	⚠	314
	SubDepartment	<SubDept>		[0..1]	⚠	318
	StreetName	<StrtNm>		[0..1]	⚠	323
	BuildingNumber	<BldgNb>		[0..1]	⚠	328
	BuildingName	<BldgNm>		[0..1]	⚠	332
	Floor	<Flr>		[0..1]	⚠	337
	PostBox	<PstBx>		[0..1]	⚠	342
	Room	<Room>		[0..1]	⚠	346
	PostCode	<PstCd>		[0..1]	⚠	351
	TownName	<TwnNm>		[0..1]	⚠	356
	TownLocationName	<TwnLctnNm>		[0..1]	⚠	360
	DistrictName	<DstrctNm>		[0..1]	⚠	365

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CountrySubDivision	<CtrySubDvsn>		[0..1]		370
	Country	<Ctry>		[0..1]		374
	AddressLine	<AdrLine>		[0..7]	R[0..3] R[0..3] R[0..3] R[0..3]	374

5.139.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice 1](#)" on page 260 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		261
	PrivateIdentification	<PrvtId>	Or}	[1..1]		261

5.139.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "[CountryCode](#)" on page 525

5.139.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "[Contact4 1](#)" on page 122 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		122
	Name	<Nm>		[0..1]		123

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PhoneNumber	<PhneNb>		[0..1]	⊘	124
	MobileNumber	<MobNb>		[0..1]	⊘	125
	FaxNumber	<FaxNb>		[0..1]	⊘	126
	EmailAddress	<EmailAdr>		[0..1]	⊘	127
	EmailPurpose	<EmailPurp>		[0..1]	⊘	128
	JobTitle	<JobTitt>		[0..1]	⊘	129
	Responsibility	<Rspnsblty>		[0..1]	⊘	129
	Department	<Dept>		[0..1]	⊘	130
	Other	<Othr>		[0..*]	⊘	131
	PreferredMethod	<PrefrdMtd>		[0..1]	⊘	132

5.140 PartyIdentification135__3

Definition: Specifies the identification of a person or an organisation.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	277
	PostalAddress	<PstlAdr>		[0..1]		278
	Identification	<Id>		[0..1]		278
	CountryOfResidence	<CtryOfRes>		[0..1]		279
	ContactDetails	<CtctDtls>		[0..1]		279

Used in element(s)

"Garnishee" on page 194

5.140.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 510

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Name

Type changed to: CBPR RestrictedFINXMax140Text Extended on page 510







5.140.2 PostalAddress















XML Tag: PstIAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstIAdr** block contains the following elements (see datatype "PostalAddress24_1" on page 313 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		313
	Department	<Dept>		[0..1]		314
	SubDepartment	<SubDept>		[0..1]		318
	StreetName	<StrtNm>		[0..1]		323
	BuildingNumber	<BldgNb>		[0..1]		328
	BuildingName	<BldgNm>		[0..1]		332
	Floor	<Flr>		[0..1]		337
	PostBox	<PstBx>		[0..1]		342
	Room	<Room>		[0..1]		346
	PostCode	<PstCd>		[0..1]		351
	TownName	<TwnNm>		[0..1]		356
	TownLocationName	<TwnLctnNm>		[0..1]		360
	DistrictName	<DstrctNm>		[0..1]		365
	CountrySubDivision	<CtrySubDvsn>		[0..1]		370
	Country	<Ctry>		[0..1]		374
	AddressLine	<AdrLine>		[0..7]	 R[0..3]	374

5.140.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "Party38Choice_2" on page 261 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		262
	PrivateIdentification	<PrvtId>	Or}	[1..1]		262

5.140.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "CountryCode" on page 525

5.140.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "Contact4_1" on page 122 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]		122
	Name	<Nm>		[0..1]		123
	PhoneNumber	<PhneNb>		[0..1]		124
	MobileNumber	<MobNb>		[0..1]		125
	FaxNumber	<FaxNb>		[0..1]		126
	EmailAddress	<EmailAdr>		[0..1]		127
	EmailPurpose	<EmailPurp>		[0..1]		128
	JobTitle	<JobTitl>		[0..1]		129
	Responsibility	<Rspnsblty>		[0..1]		129
	Department	<Dept>		[0..1]		130
	Other	<Othr>		[0..*]		131
	PreferredMethod	<PrefrdMtd>		[0..1]		132

5.141 PartyIdentification135__4

Definition: Specifies the identification of a person or an organisation.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	▲	280
	PostalAddress	<PstlAdr>		[0..1]		280
	Identification	<Id>		[0..1]		281
	CountryOfResidence	<CtryOfRes>		[0..1]		281
	ContactDetails	<CtctDtls>		[0..1]		282

Used in element(s)

"[GarnishmentAdministrator](#)" on page 195

5.141.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: "[CBPR_RestrictedFINXMax140Text_Extended](#)" on page 510

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Name](#)
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 510

5.141.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype "[PostalAddress24_1](#)" on page 313 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		313

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Department	<Dept>		[0..1]		314
	SubDepartment	<SubDept>		[0..1]		318
	StreetName	<StrtNm>		[0..1]		323
	BuildingNumber	<BldgNb>		[0..1]		328
	BuildingName	<BldgNm>		[0..1]		332
	Floor	<Flr>		[0..1]		337
	PostBox	<PstBx>		[0..1]		342
	Room	<Room>		[0..1]		346
	PostCode	<PstCd>		[0..1]		351
	TownName	<TwnNm>		[0..1]		356
	TownLocationName	<TwnLctnNm>		[0..1]		360
	DistrictName	<DstrctNm>		[0..1]		365
	CountrySubDivision	<CtrySubDvsn>		[0..1]		370
	Country	<Ctry>		[0..1]		374
	AddressLine	<AdrLine>		[0..7]	R[0..3]	374

5.141.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "[Party38Choice 3](#)" on page 262 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		263
	PrivateIdentification	<PrvtId>	Or}	[1..1]		263

5.141.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "CountryCode" on page 525

5.141.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "Contact4_1" on page 122 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]	⊘	122
	Name	<Nm>		[0..1]	⚠	123
	PhoneNumber	<PhneNb>		[0..1]	⊘	124
	MobileNumber	<MobNb>		[0..1]	⊘	125
	FaxNumber	<FaxNb>		[0..1]	⊘	126
	EmailAddress	<EmailAdr>		[0..1]	⊘	127
	EmailPurpose	<EmailPurp>		[0..1]	⊘	128
	JobTitle	<JobTitl>		[0..1]	⊘	129
	Responsibility	<Rspnsblty>		[0..1]	⊘	129
	Department	<Dept>		[0..1]	⊘	130
	Other	<Othr>		[0..*]	⊘	131
	PreferredMethod	<PrefrdMtd>		[0..1]	⊘	132

5.142 PartyIdentification135__5

Definition: Specifies the identification of a person or an organisation.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	283
	PostalAddress	<PstlAdr>		[0..1]		283
	Identification	<Id>		[0..1]		284
	CountryOfResidence	<CtryOfRes>		[0..1]		284
	ContactDetails	<CtctDtls>		[0..1]		284

Used in element(s)

["Originator" on page 290](#)

5.142.1 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Datatype: ["CBPR_RestrictedFINXMax140Text" on page 509](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/Name](#)
Type changed to: [CBPR_RestrictedFINXMax140Text on page 509](#)

5.142.2 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

The **PstlAdr** block contains the following elements (see datatype ["PostalAddress24_1" on page 313](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		313
	Department	<Dept>		[0..1]	⚠	314
	SubDepartment	<SubDept>		[0..1]	⚠	318
	StreetName	<StrtNm>		[0..1]	⚠	323
	BuildingNumber	<BldgNb>		[0..1]	⚠	328
	BuildingName	<BldgNm>		[0..1]	⚠	332
	Floor	<Flr>		[0..1]	⚠	337
	PostBox	<PstBx>		[0..1]	⚠	342
	Room	<Room>		[0..1]	⚠	346
	PostCode	<PstCd>		[0..1]	⚠	351
	TownName	<TwnNm>		[0..1]	⚠	356
	TownLocationName	<TwnLctnNm>		[0..1]	⚠	360

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DistrictName	<DstrctNm>		[0..1]	⚠	365
	CountrySubDivision	<CtrySubDvsn>		[0..1]	⚠	370
	Country	<Ctry>		[0..1]		374
	AddressLine	<AdrLine>		[0..7]	⚠ R[0..3]	374

5.142.3 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique and unambiguous identification of a party.

The **Id** block contains the following elements (see datatype "Party38Choice_1" on page 260 for details)

⓪ Removed - ⓧ Partial Removed - ⬠ Ignored - ⬠ⓧ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OrganisationIdentification	<OrgId>	{Or	[1..1]		261
	PrivateIdentification	<PrvtId>	Or}	[1..1]		261

5.142.4 CountryOfResidence

XML Tag: CtryOfRes

Presence: [0..1]

Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Datatype: "CountryCode" on page 525

5.142.5 ContactDetails

XML Tag: CtctDtls

Presence: [0..1]

Definition: Set of elements used to indicate how to contact the party.

The **CtctDtls** block contains the following elements (see datatype "Contact4_1" on page 122 for details)

⓪ Removed - ⓧ Partial Removed - ⬠ Ignored - ⬠ⓧ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NamePrefix	<NmPrfx>		[0..1]	⓪	122

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	123
	PhoneNumber	<PhneNb>		[0..1]	🚫	124
	MobileNumber	<MobNb>		[0..1]	🚫	125
	FaxNumber	<FaxNb>		[0..1]	🚫	126
	EmailAddress	<EmailAdr>		[0..1]	🚫	127
	EmailPurpose	<EmailPurp>		[0..1]	🚫	128
	JobTitle	<JobTitl>		[0..1]	🚫	129
	Responsibility	<Rspnsblty>		[0..1]	🚫	129
	Department	<Dept>		[0..1]	🚫	130
	Other	<Othr>		[0..*]	🚫	131
	PreferredMethod	<PrefrdMtd>		[0..1]		132

5.143 PaymentCard4__1

Definition: Electronic money product that provides the cardholder with a portable and specialised computer device, which typically contains a microprocessor.

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlainCardData	<PlainCardData>		[0..1]		285
	CardCountryCode	<CardCtryCd>		[0..1]		286
	CardBrand	<CardBrnd>		[0..1]		286
	AdditionalCardData	<AddtlCardData>		[0..1]	⚠	286

Used in element(s)

"Card" on page 80, "Card" on page 88

5.143.1 PlainCardData

XML Tag: PlainCardData

Presence: [0..1]

Definition: Sensitive data associated with the card performing the transaction.

The **PlainCardData** block contains the following elements (see datatype "PlainCardData1__1" on page 300 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PAN	<PAN>		[1..1]		301
	CardSequenceNumber	<CardSeqNb>		[0..1]		301
	EffectiveDate	<FctvDt>		[0..1]		301
	ExpiryDate	<XpryDt>		[1..1]		301
	ServiceCode	<SvcCd>		[0..1]		301
	TrackData	<TrckData>		[0..*]		302
	CardSecurityCode	<CardSctyCd>		[0..1]		302

5.143.2 CardCountryCode

XML Tag: CardCtryCd

Presence: [0..1]

Definition: Country code assigned to the card by the card issuer.

Datatype: ["Exact3NumericText" on page 530](#)







5.143.3 CardBrand




XML Tag: CardBrnd

Presence: [0..1]

Definition: Brand name of the card.

The **CardBrnd** block contains the following elements (see datatype "[GenericIdentification1_1](#)" on [page 205](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		206
	SchemeName	<SchmeNm>		[0..1]		206
	Issuer	<Issr>		[0..1]		206

5.143.4 AdditionalCardData

XML Tag: AddtlCardData

Presence: [0..1]

Definition: Additional card issuer specific data.

Datatype: ["CBPR_RestrictedFINXMax70Text" on page 515](#)

Usage Guideline details

- on **camt.052.001.08/Report/Entry/CardTransaction/Card/AdditionalCardData**
Type changed to: [CBPR RestrictedFINXMax70Text on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Card/AdditionalCardData**
Type changed to: [CBPR RestrictedFINXMax70Text on page 515](#)

5.144 PaymentContext3

Definition: Payment context in which the transaction is performed.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CardPresent	<CardPres>		[0..1]		287
	CardholderPresent	<CrdhldrPres>		[0..1]		287
	OnLineContext	<OnLineCntxt>		[0..1]		288
	AttendanceContext	<AttndncCntxt>		[0..1]		288
	TransactionEnvironment	<TxEnvt>		[0..1]		288
	TransactionChannel	<TxChanl>		[0..1]		288
	AttendantMessageCapable	<AttndntMsgCpbl>		[0..1]		288
	AttendantLanguage	<AttndntLang>		[0..1]		288
	CardDataEntryMode	<CardDataNtryMd>		[1..1]		289
	FallbackIndicator	<FlbckInd>		[0..1]		289
	AuthenticationMethod	<AuthntcnMtd>		[0..1]		289

Used in element(s)

["PaymentContext" on page 83](#)

5.144.1 CardPresent

XML Tag: CardPres

Presence: [0..1]

Definition: Indicates whether the transaction has been initiated by a card physically present or not.

Datatype: ["TrueFalseIndicator" on page 576](#)

5.144.2 CardholderPresent

XML Tag: CrdhldrPres

Presence: [0..1]

Definition: Indicates whether the transaction has been initiated in presence of the cardholder or not.

Datatype: "TrueFalseIndicator" on page 576

5.144.3 OnLineContext

XML Tag: OnLineCntxt

Presence: [0..1]

Definition: On-line or off-line context of the transaction.

Datatype: "TrueFalseIndicator" on page 576

5.144.4 AttendanceContext

XML Tag: AttndncCntxt

Presence: [0..1]

Definition: Human attendance at the POI location during the transaction.

Datatype: "AttendanceContext1Code" on page 501

5.144.5 TransactionEnvironment

XML Tag: TxEnvnt

Presence: [0..1]

Definition: Indicates the environment of the transaction.

Datatype: "TransactionEnvironment1Code" on page 576

5.144.6 TransactionChannel

XML Tag: TxChanl

Presence: [0..1]

Definition: Identifies the type of the communication channels used by the cardholder to the acceptor system.

Datatype: "TransactionChannel1Code" on page 575

5.144.7 AttendantMessageCapable

XML Tag: AttndntMsgCpbl

Presence: [0..1]

Definition: Indicates whether a message can be sent or not on an attendant display (attendant display present or not).

Datatype: "TrueFalseIndicator" on page 576

5.144.8 AttendantLanguage

XML Tag: AttndntLang

Presence: [0..1]

Definition: Language used to display messages to the attendant.

Datatype: ["ISO2ALanguageCode" on page 552](#)

5.144.9 CardDataEntryMode

XML Tag: CardDataNtryMd

Presence: [1..1]

Definition: Entry mode of the card data.

Datatype: ["CardDataReading1Code" on page 517](#)

5.144.10 FallbackIndicator

XML Tag: FllbckInd

Presence: [0..1]

Definition: Indicator of a card entry mode fallback.

Datatype: ["TrueFalseIndicator" on page 576](#)

5.144.11 AuthenticationMethod

XML Tag: AuthntcnMtd

Presence: [0..1]

Definition: Method used to authenticate a cardholder.

The **AuthntcnMtd** block contains the following elements (see datatype ["CardholderAuthentication2" on page 91](#) for details)

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AuthenticationMethod	<AuthntcnMtd>		[1..1]		91
	AuthenticationEntity	<AuthntcnNtty>		[1..1]		92

5.145 PaymentReturnReason5__1

Definition: Provides further details on the reason of the return of the transaction.

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	OriginalBankTransactionCode	<OrgnIBkTxCd>		[0..1]	⚠	290
	Originator	<Orgtr>		[0..1]		290
	Reason	<Rsn>		[0..1]		291
	AdditionalInformation	<AddtlInf>		[0..*]	⚠	291

Rules**R22 ReturnReasonRule ✓**

If Reason/Code is equal to NARR, then AdditionalInformation must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00077
- *Error Text:* Invalid message content for additional return reason.

Used in element(s)

"ReturnInformation" on page 175

5.145.1 OriginalBankTransactionCode

XML Tag: OrgnlBkTxCd

Presence: [0..1]

Definition: Bank transaction code included in the original entry for the transaction.

The **OrgnlBkTxCd** block contains the following elements (see datatype "[BankTransactionCodeStructure4 1](#)" on page 51 for details)

❌ Removed - ⊖ Partial Removed - ◇ Ignored - ⊠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Domain	<Domn>		[0..1]		52
	Proprietary	<Prtry>		[0..1]		52

Usage Guideline details

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Original-BankTransactionCode**

- **CBPR_Domain_Proprietary_Recommendation_TextualRule:**

BankTransactionCode/ Domain/ Code is the preferred option and should be used when possible.

5.145.2 Originator

XML Tag: Orgtr

Presence: [0..1]

Definition: Party that issues the return.

The **Orgtr** block contains the following elements (see datatype "[PartyIdentification135 5](#)" on page 282 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]	⚠	283
	PostalAddress	<PstlAdr>		[0..1]		283
	Identification	<Id>		[0..1]		284
	CountryOfResidence	<CtryOfRes>		[0..1]		284
	ContactDetails	<CtctDtls>		[0..1]		284

5.145.3 Reason

XML Tag: Rsn

Presence: [0..1]

Definition: Specifies the reason for the return.

The **Rsn** block contains the following elements (see datatype "[ReturnReason5Choice_1](#)" on page 425 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		425
	Proprietary	<Prtry>	Or}	[1..1]	⚠	425

5.145.4 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..*]

Definition: Further details on the return reason.

Datatype: "[CBPR_RestrictedFINXMax105Text](#)" on page 509







Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/AdditionalInformation](#)

Type changed to: [CBPR_RestrictedFINXMax105Text](#) on page 509

5.146 PersonIdentification13

Definition: Unique and unambiguous way to identify a person.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		292
	Other	<Othr>		[0..*]		292

Used in element(s)

"PrivateIdentification" on page 260







5.146.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "DateAndPlaceOfBirth1" on page 144 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		145
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		145
	CityOfBirth	<CityOfBirth>		[1..1]		145
	CountryOfBirth	<CtryOfBirth>		[1..1]		145







5.146.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericPersonIdentification1" on page 227 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		227
	SchemeName	<SchmeNm>		[0..1]		228
	Issuer	<Issr>		[0..1]		228

5.147 PersonIdentification13__1

Definition: Unique and unambiguous way to identify a person.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		293
	Other	<Othr>		[0..*]	R[0..2] R[0..2] R[0..2] R[0..2]	293

Used in element(s)

"PrivateIdentification" on page 261

5.147.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "DateAndPlaceOfBirth1__1" on page 145 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		146
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]	▲	146
	CityOfBirth	<CityOfBirth>		[1..1]	▲	147
	CountryOfBirth	<CtryOfBirth>		[1..1]		148

5.147.2 Other

XML Tag: Othr


Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "GenericPersonIdentification1__1" on page 228 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	▲	228

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	SchemeName	<SchmeNm>		[0..1]		230
	Issuer	<Issr>		[0..1]		230

Usage Guideline details

- **on camt.052.001.08/GroupHeader/MessageRecipient/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.052.001.08/Report/Account/Owner/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/Identification/PrivateIdentification/Other**

This element has change repeatability, the maximum occurrence has been changed to : 2

5.148 PersonIdentification13__2

Definition: Unique and unambiguous way to identify a person.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		295
	Other	<Othr>		[0..*]	R[0..2]	295

Used in element(s)

"PrivateIdentification" on page 262

5.148.1 DateAndPlaceOfBirth

XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "[DateAndPlaceOfBirth1](#)" on page 144 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		145
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		145
	CityOfBirth	<CityOfBirth>		[1..1]		145
	CountryOfBirth	<CtryOfBirth>		[1..1]		145

5.148.2 Other



XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericPersonIdentification1__2](#)" on page 231 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]







Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		231
	SchemeName	<SchmeNm>		[0..1]		232
	Issuer	<Issr>		[0..1]		232

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other
This element has change repeatability, the maximum occurrence has been changed to : 2

5.149 PersonIdentification13__3

Definition: Unique and unambiguous way to identify a person.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DateAndPlaceOfBirth	<DtAndPlcOfBirth>		[0..1]		296
	Other	<Othr>		[0..*]	R[0..2]	297

Used in element(s)

"PrivateIdentification" on page 263







5.149.1 DateAndPlaceOfBirth



XML Tag: DtAndPlcOfBirth

Presence: [0..1]

Definition: Date and place of birth of a person.

The **DtAndPlcOfBirth** block contains the following elements (see datatype "DateAndPlaceOfBirth1__1" on page 145 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	BirthDate	<BirthDt>		[1..1]		146
	ProvinceOfBirth	<PrvcOfBirth>		[0..1]		146
	CityOfBirth	<CityOfBirth>		[1..1]		147
	CountryOfBirth	<CtryOfBirth>		[1..1]		148

5.149.2 Other

XML Tag: Othr

Presence: [0..*]

Definition: Unique identification of a person, as assigned by an institution, using an identification scheme.

The **Othr** block contains the following elements (see datatype "[GenericPersonIdentification1_2](#)" on page 231 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	231
	SchemeName	<SchmeNm>		[0..1]		232
	Issuer	<Issr>		[0..1]	⚠	232

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other**
This element has change repeatability, the maximum occurrence has been changed to : 2

5.150 PersonIdentificationSchemeName1Choice

Definition: Sets of elements to identify a name of the identification scheme.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		297
	Proprietary	<Prtry>	Or}	[1..1]		298

Used in element(s)

["SchemeName"](#) on page 228

5.150.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "[ExternalPersonIdentification1Code](#)" on page 545

5.150.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["Max35Text" on page 557](#)

5.151 PersonIdentificationSchemeName1Choice__1

Definition: Sets of elements to identify a name of the identification scheme.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		298
	Proprietary	<Prtry>	Or}	[1..1]	⚠	298

Used in element(s)

["SchemeName" on page 230](#)

5.151.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalPersonIdentification1Code" on page 545](#)

5.151.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/GroupHeader/MessageRecipient/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Account/Owner/Identification/PrivateIdentification/Other/SchemeName/Proprietary](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)


- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/Identification/PrivateIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/Identification/PrivateIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/Identification/PrivateIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/Identification/PrivateIdentification/Other/SchemeName/Proprietary**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.152 PersonIdentificationSchemeName1Choice__2

Definition: Sets of elements to identify a name of the identification scheme.

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ▲ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		300

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]		300

Used in element(s)

"SchemeName" on page 232

5.152.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: "ExternalPersonIdentification1Code" on page 545

5.152.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.







Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 513

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/Identification/PrivateIdentification/Other/SchemeName/Proprietary**
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/Identification/PrivateIdentification/Other/SchemeName/Proprietary**
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 513

5.153 PlainCardData1__1

Definition: Sensible data associated with the payment card performing the transaction.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PAN	<PAN>		[1..1]		301
	CardSequenceNumber	<CardSeqNb>		[0..1]		301
	EffectiveDate	<FctvDt>		[0..1]		301

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ExpiryDate	<XpryDt>		[1..1]		301
	ServiceCode	<SvcCd>		[0..1]		301
	TrackData	<TrckData>		[0..*]		302
	CardSecurityCode	<CardSctyCd>		[0..1]		302

Used in element(s)

["PlainCardData" on page 285](#)

5.153.1 PAN

XML Tag: PAN

Presence: [1..1]

Definition: Primary Account Number (PAN) of the card, or card number.

Datatype: ["Min8Max28NumericText" on page 559](#)

5.153.2 CardSequenceNumber

XML Tag: CardSeqNb

Presence: [0..1]

Definition: Identify a card inside a set of cards with the same card number (PAN).

Datatype: ["Min2Max3NumericText" on page 558](#)

5.153.3 EffectiveDate

XML Tag: FctvDt

Presence: [0..1]

Definition: Date as from which the card can be used.

Datatype: ["ISOYearMonth" on page 553](#)

5.153.4 ExpiryDate

XML Tag: XpryDt

Presence: [1..1]

Definition: Expiry date of the card.

Datatype: ["ISOYearMonth" on page 553](#)

5.153.5 ServiceCode

XML Tag: SvcCd

Presence: [0..1]

Definition: Services attached to the card, as defined in ISO 7813.

Datatype: "Exact3NumericText" on page 530







5.153.6 TrackData


XML Tag: TrckData

Presence: [0..*]

Definition: Magnetic track or equivalent payment card data.

The **TrckData** block contains the following elements (see datatype "TrackData1__1" on page 472 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TrackNumber	<TrckNb>		[0..1]		472
	TrackValue	<TrckVal>		[1..1]		472







5.153.7 CardSecurityCode

XML Tag: CardSctyCd

Presence: [0..1]

Definition: Card security code (CSC) associated with the card performing the transaction.







The **CardSctyCd** block contains the following elements (see datatype "CardSecurityInformation1" on page 86 for details)



 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CSCManagement	<CSCMgmt>		[1..1]		86
	CSCValue	<CSCVal>		[0..1]		86

5.154 PointOfInteraction1__1

Definition: Point of interaction (POI) performing the transaction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		303
	SystemName	<SysNm>		[0..1]		303
	GroupIdentification	<Grpld>		[0..1]		303
	Capabilities	<Cpblties>		[0..1]		304

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Component	<Cmpnt>		[0..*]		304

Used in element(s)

"POI" on page 80, "POI" on page 89

5.154.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification of the POI (Point Of Interaction) for the acquirer or its agent.

The **Id** block contains the following elements (see datatype "[GenericIdentification32_1](#)" on page 219 for details)

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ⚠ Details below -
 M Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	219
	Type	<Tp>		[0..1]		220
	Issuer	<Issr>		[0..1]		220
	ShortName	<ShrtNm>		[0..1]	⚠	220

5.154.2 SystemName

XML Tag: SysNm

Presence: [0..1]

Definition: Common name assigned by the acquirer to the POI system.

Datatype: "[CBPR_RestrictedFINXMax70Text](#)" on page 515

Usage Guideline details

- on [camt.052.001.08/Report/Entry/CardTransaction/POI/SystemName](#)**
 Type changed to: [CBPR_RestrictedFINXMax70Text](#) on page 515
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/POI/SystemName](#)**
 Type changed to: [CBPR_RestrictedFINXMax70Text](#) on page 515

5.154.3 GroupIdentification

XML Tag: Grpld

Presence: [0..1]

Definition: Identifier assigned by the merchant identifying a set of POI terminals performing some categories of transactions.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/CardTransaction/POI/GroupIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/POI/GroupIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.154.4 Capabilities

XML Tag: Cpbilities

Presence: [0..1]

Definition: Capabilities of the POI performing the transaction.

The **Cpbilities** block contains the following elements (see datatype "[PointOfInteractionCapabilities1](#)" on [page 305](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CardReadingCapabilities	<CardRdngCpbilities>		[0..*]		305
	CardholderVerificationCapabilities	<CrdhldrVrftcnCpbilities>		[0..*]		305
	OnLineCapabilities	<OnLineCpbilities>		[0..1]		305
	DisplayCapabilities	<DispCpbilities>		[0..*]		306
	PrintLineWidth	<PrtLineWidth>		[0..1]		306

5.154.5 Component

XML Tag: Cmpnt

Presence: [0..*]

Definition: Data related to a component of the POI performing the transaction.

The **Cmpnt** block contains the following elements (see datatype "[PointOfInteractionComponent1_1](#)" on [page 306](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	POIComponentType	<POICmpntTp>		[1..1]		307
	ManufacturerIdentification	<Manfctrld>		[0..1]	⚠	307
	Model	<Mdl>		[0..1]	⚠	307
	VersionNumber	<VrsnNb>		[0..1]	⚠	307
	SerialNumber	<SrlNb>		[0..1]	⚠	308
	ApprovalNumber	<ApprvlNb>		[0..*]	⚠	308

5.155 PointOfInteractionCapabilities1

Definition: Capabilities of the POI performing the transaction.

❌ Removed - ⊖ Partial Removed - ◇ Ignored - ⊖◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CardReadingCapabilities	<CardRdngCpblties>		[0..*]		305
	CardholderVerificationCapabilities	<CrdhldrVrftcnCpblties>		[0..*]		305
	OnLineCapabilities	<OnLineCpblties>		[0..1]		305
	DisplayCapabilities	<DispCpblties>		[0..*]		306
	PrintLineWidth	<PrtLineWidth>		[0..1]		306

Used in element(s)

"Capabilities" on page 304

5.155.1 CardReadingCapabilities

XML Tag: CardRdngCpblties

Presence: [0..*]

Definition: Card reading capabilities of the POI performing the transaction.

Datatype: "CardDataReading1Code" on page 517

5.155.2 CardholderVerificationCapabilities

XML Tag: CrdhldrVrftcnCpblties

Presence: [0..*]

Definition: Cardholder verification capabilities of the POI performing the transaction.

Datatype: "CardholderVerificationCapability1Code" on page 521

5.155.3 OnLineCapabilities

XML Tag: OnLineCpblties

Presence: [0..1]

Definition: On-line and off-line capabilities of the POI.

Datatype: "OnLineCapability1Code" on page 560

5.155.4 DisplayCapabilities

XML Tag: DispCpblties

Presence: [0..*]

Definition: Capabilities of the display components performing the transaction.

The **DispCpblties** block contains the following elements (see datatype "DisplayCapabilities1" on page 155 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DisplayType	<DispTp>		[1..1]		155
	NumberOfLines	<NbOfLines>		[1..1]		155
	LineWidth	<LineWidth>		[1..1]		156

5.155.5 PrintLineWidth

XML Tag: PrtLineWidth

Presence: [0..1]

Definition: Number of columns of the printer component.

Datatype: "Max3NumericText" on page 557

5.156 PointOfInteractionComponent1__1

Definition: Data related to a component of the POI performing the transaction.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	POIComponentType	<POICmpntTp>		[1..1]		307
	ManufacturerIdentification	<ManfctrId>		[0..1]	⚠	307
	Model	<Mdl>		[0..1]	⚠	307
	VersionNumber	<VrsnNb>		[0..1]	⚠	307
	SerialNumber	<SrlNb>		[0..1]	⚠	308
	ApprovalNumber	<ApprvlNb>		[0..*]	⚠	308

Used in element(s)

["Component" on page 304](#)

5.156.1 POIComponentType

XML Tag: POICmpntTp

Presence: [1..1]

Definition: Type of component belonging to a POI Terminal.

Datatype: ["POIComponentType1Code" on page 561](#)

5.156.2 ManufacturerIdentification

XML Tag: Manfctrld

Presence: [0..1]

Definition: Identification of the software, hardware or system provider of the POI component.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- **on [camt.052.001.08/Report/Entry/CardTransaction/POI/Component/ManufacturerIdentification](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- **on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/POI/Component/ManufacturerIdentification](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.156.3 Model

XML Tag: Mdl

Presence: [0..1]

Definition: Identification of a model of POI component for a given manufacturer.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- **on [camt.052.001.08/Report/Entry/CardTransaction/POI/Component/Model](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- **on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/POI/Component/Model](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.156.4 VersionNumber

XML Tag: VrsnNb

Presence: [0..1]

Definition: Version of component belonging to a given model.

Datatype: ["CBPR_RestrictedFINXMax16Text" on page 510](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/CardTransaction/POI/Component/VersionNumber](#)
Type changed to: [CBPR_RestrictedFINXMax16Text on page 510](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/POI/Component/VersionNumber](#)
Type changed to: [CBPR_RestrictedFINXMax16Text on page 510](#)

5.156.5 SerialNumber

XML Tag: SrlNb

Presence: [0..1]

Definition: Serial number of a component.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/CardTransaction/POI/Component/SerialNumber](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/POI/Component/SerialNumber](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.156.6 ApprovalNumber

XML Tag: ApprvlNb

Presence: [0..*]

Definition: Unique approval number for a component, delivered by a certification body.

Usage: More than one approval number could be present, when assigned by different bodies. The certification body identification must be provided within the approval number (for example at the beginning of the value).

Datatype: ["CBPR_RestrictedFINXMax70Text" on page 515](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/CardTransaction/POI/Component/ApprovalNumber](#)
Type changed to: [CBPR_RestrictedFINXMax70Text on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/POI/Component/ApprovalNumber](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) on page 515

5.157 PostalAddress24

Definition: Information that locates and identifies a specific address, as defined by postal services.

⊖ Removed - ⊖ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		309
	Department	<Dept>		[0..1]		310
	SubDepartment	<SubDept>		[0..1]		310
	StreetName	<StrtNm>		[0..1]		310
	BuildingNumber	<BldgNb>		[0..1]		310
	BuildingName	<BldgNm>		[0..1]		310
	Floor	<Flr>		[0..1]		310
	PostBox	<PstBx>		[0..1]		311
	Room	<Room>		[0..1]		311
	PostCode	<PstCd>		[0..1]	⚠	311
	TownName	<TwnNm>		[0..1]		312
	TownLocationName	<TwnLctnNm>		[0..1]		312
	DistrictName	<DstrctNm>		[0..1]		312
	CountrySubDivision	<CtrySubDvsn>		[0..1]		312
	Country	<Ctry>		[0..1]		312
	AddressLine	<AdrLine>		[0..7]		312

Used in element(s)

["PostalAddress" on page 63](#), ["PostalAddress" on page 268](#), ["PostalAddress" on page 190](#)

5.157.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype ["AddressType3Choice" on page 37](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		37
	Proprietary	<Prtry>	Or}	[1..1]		37

5.157.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: "Max70Text" on page 558

5.157.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: "Max70Text" on page 558

5.157.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: "Max70Text" on page 558

5.157.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: "Max16Text" on page 556

5.157.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: "Max35Text" on page 557

5.157.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: ["Max70Text" on page 558](#)

5.157.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: ["Max16Text" on page 556](#)

5.157.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: ["Max70Text" on page 558](#)

5.157.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: ["Max16Text" on page 556](#)

Usage Guideline details

- **on `camt.052.001.08/header/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress/PostCode`**

Comment:
If Postal address is used, it is recommended to add Post Code when available.
- **on `camt.052.001.08/header/Related/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress/PostCode`**

Comment:
If Postal address is used, it is recommended to add Post Code when available.
- **on `camt.052.001.08/header/Related/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress/PostCode`**

Comment:
If Postal address is used, it is recommended to add Post Code when available.
- **on `camt.052.001.08/header/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/PostalAddress/PostCode`**

Comment:

If Postal address is used, it is recommended to add Post Code when available.

5.157.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: "Max35Text" on page 557

5.157.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: "Max35Text" on page 557

5.157.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: "Max35Text" on page 557

5.157.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: "Max35Text" on page 557

5.157.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: "CountryCode" on page 525

5.157.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: "Max70Text" on page 558

5.158 PostalAddress24__1

Definition: Information that locates and identifies a specific address, as defined by postal services.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		313
	Department	<Dept>		[0..1]	⚠	314
	SubDepartment	<SubDept>		[0..1]	⚠	318
	StreetName	<StrtNm>		[0..1]	⚠	323
	BuildingNumber	<BldgNb>		[0..1]	⚠	328
	BuildingName	<BldgNm>		[0..1]	⚠	332
	Floor	<Flr>		[0..1]	⚠	337
	PostBox	<PstBx>		[0..1]	⚠	342
	Room	<Room>		[0..1]	⚠	346
	PostCode	<PstCd>		[0..1]	⚠	351
	TownName	<TwnNm>		[0..1]	⚠	356
	TownLocationName	<TwnLctnNm>		[0..1]	⚠	360
	DistrictName	<DstrctNm>		[0..1]	⚠	365
	CountrySubDivision	<CtrySubDvsn>		[0..1]	⚠	370
	Country	<Ctry>		[0..1]		374
	AddressLine	<AdrLine>		[0..7]	⚠ R[0..3] R[0..3] R[0..3] R[0..3]	374

Used in element(s)

["Address" on page 244](#), ["PostalAddress" on page 271](#), ["PostalAddress" on page 184](#), ["PostalAddress" on page 70](#), ["PostalAddress" on page 275](#), ["PostalAddress" on page 186](#), ["PostalAddress" on page 72](#), ["PostalAddress" on page 278](#), ["PostalAddress" on page 280](#), ["PostalAddress" on page 283](#)

5.158.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype ["AddressType3Choice__1" on page 38](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		38
	Proprietary	<Prtry>	Or}	[1..1]		38

5.158.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: "CBPR_RestrictedFINXMax70Text_Extended" on page 515

Usage Guideline details

- on **camt.052.001.08/GroupHeader/MessageRecipient/PostalAddress/Department**
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 515
- on **camt.052.001.08/Report/Account/Owner/PostalAddress/Department**
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 515
- on **camt.052.001.08/Report/Account/Servicer/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 515
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/PostalAddress/Department**
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 515
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/PostalAddress/Department**
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/PostalAddress/Department**
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: CBPR_RestrictedFINXMax70Text_Extended on page 515

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor/Agent/BranchIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/PostalAddress/Department**
Type changed to: CBPR RestrictedFINXMax70Text Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/PostalAddress/Department**
Type changed to: CBPR RestrictedFINXMax70Text Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/PostalAddress/Department**
Type changed to: CBPR RestrictedFINXMax70Text Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/PostalAddress/Department**
Type changed to: CBPR RestrictedFINXMax70Text Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/Department**
Type changed to: CBPR RestrictedFINXMax70Text Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Department**
Type changed to: CBPR RestrictedFINXMax70Text Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Department**
Type changed to: CBPR RestrictedFINXMax70Text Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/PostalAddress/Department**
Type changed to: CBPR RestrictedFINXMax70Text Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/PostalAddress/Department**
Type changed to: CBPR RestrictedFINXMax70Text Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/PostalAddress/Department**
Type changed to: CBPR RestrictedFINXMax70Text Extended on page 515

5.158.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: "CBPR RestrictedFINXMax70Text Extended" on page 515

Usage Guideline details

- on **camt.052.001.08/GroupHeader/MessageRecipient/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Account/Owner/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Account/Servicer/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/PostalAddress/SubDepartment**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

5.158.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: ["CBPR RestrictedFINXMax70Text Extended" on page 515](#)

Usage Guideline details

- on **camt.052.001.08/GroupHeader/MessageRecipient/PostalAddress/StreetName**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Account/Owner/PostalAddress/StreetName**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/PostalAddress/StreetName**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/PostalAddress/StreetName**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName**

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/PostalAddress/StreetName](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/PostalAddress/StreetName**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/PostalAddress/StreetName**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

5.158.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: ["CBPR RestrictedFINXMax16Text Extended"](#) on page 510

Usage Guideline details

- on **camt.052.001.08/GroupHeader/MessageRecipient/PostalAddress/BuildingNumber**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Account/Owner/PostalAddress/BuildingNumber**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/PostalAddress/BuildingNumber**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/PostalAddress/BuildingNumber**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/PostalAddress/BuildingNumber**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/PostalAddress/BuildingNumber**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber**

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor/Party/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/PostalAddress/BuildingNumber](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

5.158.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: ["CBPR RestrictedFINXMax35Text Extended" on page 513](#)

Usage Guideline details

- on **camt.052.001.08/GroupHeader/MessageRecipient/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Account/Owner/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Account/Servicer/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/PostalAddress/BuildingName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

5.158.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: ["CBPR RestrictedFINXMax70Text Extended" on page 515](#)

Usage Guideline details

- on **camt.052.001.08/GroupHeader/MessageRecipient/PostalAddress/Floor**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Account/Owner/PostalAddress/Floor**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/PostalAddress/Floor**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/PostalAddress/Floor**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/Floor**

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/PostalAddress/Floor](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

5.158.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: ["CBPR RestrictedFINXMax16Text Extended" on page 510](#)

Usage Guideline details

- on [camt.052.001.08/GroupHeader/MessageRecipient/PostalAddress/PostBox](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Account/Owner/PostalAddress/PostBox](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Account/Servicer/FinancialInstitutionIdentification/PostalAddress/PostBox](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/PostalAddress/PostBox](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/PostalAddress/PostBox](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/PostalAddress/PostBox](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor/Agent/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/PostalAddress/PostBox**
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

5.158.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: ["CBPR RestrictedFINXMax70Text Extended" on page 515](#)

Usage Guideline details

- on **camt.052.001.08/GroupHeader/MessageRecipient/PostalAddress/Room**

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Account/Owner/PostalAddress/Room](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/PostalAddress/Room](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/PostalAddress/Room](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/Room](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/PostalAddress/Room](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/Room](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/PostalAddress/Room](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/Room](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/PostalAddress/Room](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/Room](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/PostalAddress/Room](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/PostalAddress/Room](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/PostalAddress/Room](#)

Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/BranchIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/Room**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/PostalAddress/Room**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

5.158.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: ["CBPR RestrictedFINXMax16Text Extended"](#) on page 510

Usage Guideline details

- on **camt.052.001.08/GroupHeader/MessageRecipient/PostalAddress/PostCode**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Account/Owner/PostalAddress/PostCode**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/PostalAddress/PostCode**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/PostalAddress/PostCode**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode**
Type changed to: [CBPR RestrictedFINXMax16Text](#) Extended on page 510
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/PostalAddress/PostCode**

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/PostalAddress/PostCode](#)
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/BranchIdentification/PostalAddress/PostCode](#)
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode](#)
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/PostalAddress/PostCode](#)
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/PostalAddress/PostCode](#)
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/PostalAddress/PostCode](#)
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/PostalAddress/PostCode](#)
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/PostCode](#)
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/PostCode](#)
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/PostCode](#)
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/PostalAddress/PostCode](#)
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/PostalAddress/PostCode](#)
Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/PostalAddress/PostCode](#)

Type changed to: [CBPR RestrictedFINXMax16Text Extended on page 510](#)

5.158.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: "[CBPR RestrictedFINXMax35Text Extended](#)" on page 513

Usage Guideline details

- on [camt.052.001.08/GroupHeader/MessageRecipient/PostalAddress/TownName](#)
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on [camt.052.001.08/Report/Account/Owner/PostalAddress/TownName](#)
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on [camt.052.001.08/Report/Account/Servicer/FinancialInstitutionIdentification/PostalAddress/TownName](#)
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on [camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/PostalAddress/TownName](#)
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on [camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/TownName](#)
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/PostalAddress/TownName](#)
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/TownName](#)
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/PostalAddress/TownName](#)
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownName](#)
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/PostalAddress/TownName](#)
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor/Agent/BranchIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor/Party/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/PostalAddress/TownName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

5.158.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: ["CBPR RestrictedFINXMax35Text Extended" on page 513](#)

Usage Guideline details

- on **camt.052.001.08/GroupHeader/MessageRecipient/PostalAddress/TownLocationName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Account/Owner/PostalAddress/TownLocationName**

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/TownLocationName](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/TownLocationName**

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/PostalAddress/TownLocationName**

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/PostalAddress/TownLocationName**

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/PostalAddress/TownLocationName**

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

5.158.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: ["CBPR RestrictedFINXMax35Text Extended" on page 513](#)

Usage Guideline details

- on **camt.052.001.08/GroupHeader/MessageRecipient/PostalAddress/DistrictName**

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Account/Owner/PostalAddress/DistrictName**

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/PostalAddress/DistrictName**

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/PostalAddress/DistrictName**

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName**

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/PostalAddress/DistrictName**

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/PostalAddress/DistrictName**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/PostalAddress/DistrictName**

Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

5.158.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: ["CBPR RestrictedFINXMax35Text Extended" on page 513](#)

Usage Guideline details

- **on camt.052.001.08/GroupHeader/MessageRecipient/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- **on camt.052.001.08/Report/Account/Owner/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- **on camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- **on camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- **on camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor/Agent/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor/Party/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text Extended on page 513](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/PostalAddress/CountrySubDivision**
Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

5.158.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: ["CountryCode"](#) on page 525

5.158.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: "CBPR RestrictedFINXMax70Text Extended" on page 515

Usage Guideline details

- **on camt.052.001.08/GroupHeader/MessageRecipient/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Account/Owner/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor/Agent/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor/Party/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Debtor/Agent/BranchIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/AddressLine**
This element has change repeatability, the maximum occurrence has been changed to : 3
- **on camt.052.001.08/GroupHeader/MessageRecipient/PostalAddress/AddressLine**
Type changed to: CBPR RestrictedFINXMax70Text Extended on page 515
- **on camt.052.001.08/Report/Account/Owner/PostalAddress/AddressLine**
Type changed to: CBPR RestrictedFINXMax70Text Extended on page 515
- **on camt.052.001.08/Report/Account/Service/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: CBPR RestrictedFINXMax70Text Extended on page 515
- **on camt.052.001.08/Report/Entry/Charges/Record/Agent/BranchIdentification/PostalAddress/AddressLine**
Type changed to: CBPR RestrictedFINXMax70Text Extended on page 515
- **on camt.052.001.08/Report/Entry/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: CBPR RestrictedFINXMax70Text Extended on page 515
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/BranchIdentification/PostalAddress/AddressLine**
Type changed to: CBPR RestrictedFINXMax70Text Extended on page 515

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DeliveringAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructedAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/InstructingAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent2/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IntermediaryAgent3/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/IssuingAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/ReceivingAgent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Settlement-Place/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text Extended on page 515](#)

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor/Party/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor/Party/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty/Party/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Party/Party/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty/Party/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateCreditor/Party/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/BranchIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Agent/FinancialInstitutionIdentification/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor/Party/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/Garnishee/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/GarnishmentRemittance/GarnishmentAdministrator/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicee/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/Invoicer/PostalAddress/AddressLine**
Type changed to: [CBPR RestrictedFINXMax70Text](#) Extended on page 515
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Originator/PostalAddress/AddressLine**

Type changed to: CBPR RestrictedFINXMax70Text Extended on page 515

5.159 PostalAddress24__2

Definition: Information that locates and identifies a specific address, as defined by postal services.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AddressType	<AdrTp>		[0..1]		384
	Department	<Dept>		[0..1]	▲	385
	SubDepartment	<SubDept>		[0..1]	▲	385
	StreetName	<StrtNm>		[0..1]	▲	385
	BuildingNumber	<BldgNb>		[0..1]	▲	386
	BuildingName	<BldgNm>		[0..1]	▲	386
	Floor	<Flr>		[0..1]	▲	386
	PostBox	<PstBx>		[0..1]	▲	386
	Room	<Room>		[0..1]	▲	387
	PostCode	<PstCd>		[0..1]	▲	387
	TownName	<TwnNm>		[0..1]	▲	387
	TownLocationName	<TwnLctnNm>		[0..1]	▲	388
	DistrictName	<DstrctNm>		[0..1]	▲	388
	CountrySubDivision	<CtrySubDvsn>		[0..1]	▲	388
	Country	<Ctry>		[0..1]		388
	AddressLine	<AdrLine>		[0..7]	▲ R[0..3]	389

Used in element(s)

"PostalAddress" on page 65

5.159.1 AddressType

XML Tag: AdrTp

Presence: [0..1]

Definition: Identifies the nature of the postal address.

The **AdrTp** block contains the following elements (see datatype "AddressType3Choice 1" on page 38 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		38
	Proprietary	<Prtry>	Or}	[1..1]		38

5.159.2 Department

XML Tag: Dept

Presence: [0..1]

Definition: Identification of a division of a large organisation or building.

Datatype: ["CBPR_RestrictedFINXMax70Text" on page 515](#)

Usage Guideline details

- on [camt.052.001.08/Report/Account/Service/BranchIdentification/PostalAddress/Department](#)
Type changed to: [CBPR_RestrictedFINXMax70Text on page 515](#)

5.159.3 SubDepartment

XML Tag: SubDept

Presence: [0..1]

Definition: Identification of a sub-division of a large organisation or building.

Datatype: ["CBPR_RestrictedFINXMax70Text" on page 515](#)

Usage Guideline details

- on [camt.052.001.08/Report/Account/Service/BranchIdentification/PostalAddress/SubDepartment](#)
Type changed to: [CBPR_RestrictedFINXMax70Text on page 515](#)

5.159.4 StreetName

XML Tag: StrtNm

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Datatype: ["CBPR_RestrictedFINXMax70Text" on page 515](#)

Usage Guideline details

- on [camt.052.001.08/Report/Account/Service/BranchIdentification/PostalAddress/StreetName](#)
Type changed to: [CBPR_RestrictedFINXMax70Text on page 515](#)

5.159.5 BuildingNumber

XML Tag: BldgNb

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Datatype: "CBPR_RestrictedFINXMax16Text_Extended" on page 510

Usage Guideline details

- on [camt.052.001.08/Report/Account/Servicer/BranchIdentification/PostalAddress/BuildingNumber](#)

Type changed to: CBPR_RestrictedFINXMax16Text_Extended on page 510

5.159.6 BuildingName

XML Tag: BldgNm

Presence: [0..1]

Definition: Name of the building or house.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 513

Usage Guideline details

- on [camt.052.001.08/Report/Account/Servicer/BranchIdentification/PostalAddress/BuildingName](#)

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 513

5.159.7 Floor

XML Tag: Flr

Presence: [0..1]

Definition: Floor or storey within a building.

Datatype: "CBPR_RestrictedFINXMax70Text" on page 515

Usage Guideline details

- on [camt.052.001.08/Report/Account/Servicer/BranchIdentification/PostalAddress/Floor](#)

Type changed to: CBPR_RestrictedFINXMax70Text on page 515

5.159.8 PostBox

XML Tag: PstBx

Presence: [0..1]

Definition: Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended" on page 510](#)

Usage Guideline details

- on [camt.052.001.08/Report/Account/Service/BranchIdentification/PostalAddress/PostBox](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 510](#)

5.159.9 Room

XML Tag: Room

Presence: [0..1]

Definition: Building room number.

Datatype: ["CBPR_RestrictedFINXMax70Text" on page 515](#)

Usage Guideline details

- on [camt.052.001.08/Report/Account/Service/BranchIdentification/PostalAddress/Room](#)
Type changed to: [CBPR_RestrictedFINXMax70Text on page 515](#)

5.159.10 PostCode

XML Tag: PstCd

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Datatype: ["CBPR_RestrictedFINXMax16Text_Extended" on page 510](#)

Usage Guideline details

- on [camt.052.001.08/Report/Account/Service/BranchIdentification/PostalAddress/PostCode](#)
Type changed to: [CBPR_RestrictedFINXMax16Text_Extended on page 510](#)

5.159.11 TownName

XML Tag: TwnNm

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 513](#)

Usage Guideline details

- on [camt.052.001.08/Report/Account/Service/BranchIdentification/PostalAddress/TownName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 513

5.159.12 TownLocationName

XML Tag: TwnLctnNm

Presence: [0..1]

Definition: Specific location name within the town.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended"](#) on page 513

Usage Guideline details

- on [camt.052.001.08/Report/Account/Service/BranchIdentification/PostalAddress/TownLocationName](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 513

5.159.13 DistrictName

XML Tag: DstrctNm

Presence: [0..1]

Definition: Identifies a subdivision within a country sub-division.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended"](#) on page 513

Usage Guideline details

- on [camt.052.001.08/Report/Account/Service/BranchIdentification/PostalAddress/District-Name](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 513

5.159.14 CountrySubDivision

XML Tag: CtrySubDvsn

Presence: [0..1]

Definition: Identifies a subdivision of a country such as state, region, county.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended"](#) on page 513

Usage Guideline details

- on [camt.052.001.08/Report/Account/Service/BranchIdentification/PostalAddress/CountrySub-Division](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on page 513

5.159.15 Country

XML Tag: Ctry

Presence: [0..1]

Definition: Nation with its own government.

Datatype: ["CountryCode" on page 525](#)

5.159.16 AddressLine

XML Tag: AdrLine

Presence: [0..7]

Definition: Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

Datatype: ["CBPR_RestrictedFINXMax70Text_Extended" on page 515](#)

Usage Guideline details

- on [camt.052.001.08/Report/Account/Servicer/BranchIdentification/PostalAddress/AddressLine](#)
This element has change repeatability, the maximum occurrence has been changed to : 3
- on [camt.052.001.08/Report/Account/Servicer/BranchIdentification/PostalAddress/AddressLine](#)
Type changed to: [CBPR_RestrictedFINXMax70Text_Extended on page 515](#)

5.160 Price7__1

Definition: Type and information about a price.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		389
	Value	<Val>		[1..1]		390

Used in element(s)

["DealPrice" on page 488](#)

5.160.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Specification of the price type.

The **Tp** block contains the following elements (see datatype ["YieldedOrValueType1Choice" on page 497](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Yielded	<Yldd>	{Or	[1..1]		497
	ValueType	<ValTp>	Or}	[1..1]		497







5.160.2 Value


XML Tag: Val

Presence: [1..1]

Definition: Value of the price, for example, as a currency and value.







The **Val** block contains the following elements (see datatype "PriceRateOrAmount3Choice_1" on page 390 for details)


 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>	{Or	[1..1]		390
	Amount	<Amt>	Or}	[1..1]		390

5.161 PriceRateOrAmount3Choice__1

Definition: Choice of formats for the price.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>	{Or	[1..1]		390
	Amount	<Amt>	Or}	[1..1]		390

Used in element(s)

"Value" on page 390

5.161.1 Rate

XML Tag: Rate

Presence: [1..1]

Definition: Price expressed as a rate, that is percentage.

Datatype: "PercentageRate" on page 567

5.161.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Price expressed as a currency and value.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedPrice/DealPrice/Value/Amount](#)
Type changed to: [ActiveOrHistoricCurrencyAndAmount on page 498](#)

5.162 Product2__1

Definition: Product purchased to be paid.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ProductCode	<PdctCd>		[1..1]	⚠	391
	UnitOfMeasure	<UnitOfMeasr>		[0..1]		392
	ProductQuantity	<PdctQty>		[0..1]		392
	UnitPrice	<UnitPric>		[0..1]		392
	ProductAmount	<PdctAmt>		[0..1]		392
	TaxType	<TaxTp>		[0..1]	⚠	392
	AdditionalProductInformation	<AddtlPdctInf>		[0..1]	⚠	392

Used in element(s)

["Product" on page 85](#)

5.162.1 ProductCode

XML Tag: PdctCd

Presence: [1..1]

Definition: Product code of the item purchased.

Datatype: ["CBPR_RestrictedFINXMax70Text" on page 515](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Transaction/Individual/Product/ProductCode](#)
Type changed to: [CBPR_RestrictedFINXMax70Text on page 515](#)

5.162.2 UnitOfMeasure

XML Tag: UnitOfMeasr

Presence: [0..1]

Definition: Unit of measure of the item purchased.

Datatype: ["UnitOfMeasure1Code" on page 577](#)

5.162.3 ProductQuantity

XML Tag: PdctQty

Presence: [0..1]

Definition: Product quantity.

Datatype: ["DecimalNumber" on page 526](#)

5.162.4 UnitPrice

XML Tag: UnitPric

Presence: [0..1]

Definition: Price per unit of product.

Datatype: ["ImpliedCurrencyAndAmount" on page 553](#)

5.162.5 ProductAmount

XML Tag: PdctAmt

Presence: [0..1]

Definition: Monetary value of purchased product.

Datatype: ["ImpliedCurrencyAndAmount" on page 553](#)

5.162.6 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Information on tax paid on the product.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Transaction/Individual/Product/TaxType](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.162.7 AdditionalProductInformation

XML Tag: AddtlPdctInf

Presence: [0..1]

Definition: Additional information related to the product.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Transaction/Individual/Product/AdditionalProductInformation](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.163 ProprietaryAgent4__1

Definition: Identifies a proprietary party.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]	⚠	393
	Agent	<Agt>		[1..1]		393

Used in element(s)

["Proprietary" on page 478](#)

5.163.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Specifies the type of proprietary agent.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/Proprietary/Type](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)







5.163.2 Agent

XML Tag: Agt

Presence: [1..1]

Definition: Organisation established primarily to provide financial services.







The **Agt** block contains the following elements (see datatype ["BranchAndFinancialInstitutionIdentification6_2" on page 57](#) for details)




 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		57
	BranchIdentification	<BrnchId>		[0..1]		58

5.164 ProprietaryBankTransactionCodeStructure1__1

Definition: Set of elements to fully identify a proprietary bank transaction code.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>		[1..1]		394
	Issuer	<Issr>		[0..1]	 	395

Used in element(s)

"Proprietary" on page 52

5.164.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Proprietary bank transaction code to identify the underlying transaction.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on camt.052.001.08/Report/Entry/BankTransactionCode/Proprietary/Code**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/BankTransactionCode/Proprietary/Code**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Original-BankTransactionCode/Proprietary/Code**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on camt.052.001.08/Report/TransactionsSummary/TotalEntriesPerBankTransaction-Code/BankTransactionCode/Proprietary/Code**
 Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.164.2 Issuer

XML Tag: Issr

Presence: [0..1]

Definition: Identification of the issuer of the proprietary bank transaction code.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- **on camt.052.001.08/Report/Entry/BankTransactionCode/Proprietary/Issuer**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/BankTransactionCode/Proprietary/Issuer**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Original-BankTransactionCode/Proprietary/Issuer**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.052.001.08/Report/TransactionsSummary/TotalEntriesPerBankTransaction-Code/BankTransactionCode/Proprietary/Issuer**
This element is now mandatory, the minimum occurrence has been changed to : 1
- **on camt.052.001.08/Report/Entry/BankTransactionCode/Proprietary/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/BankTransactionCode/Proprietary/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Original-BankTransactionCode/Proprietary/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- **on camt.052.001.08/Report/TransactionsSummary/TotalEntriesPerBankTransaction-Code/BankTransactionCode/Proprietary/Issuer**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.165 ProprietaryDate3__1

Definition: Set of elements used to identify a proprietary date.

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ▲ Details below -
 M Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]	▲	396

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Date	<Dt>		[1..1]		396

Used in element(s)

"Proprietary" on page 480

5.165.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Specifies the type of date.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedDates/Proprietary/Type](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.165.2 Date

XML Tag: Dt

Presence: [1..1]

Definition: Date in ISO format.

The **Dt** block contains the following elements (see datatype "[DateAndDateTime2Choice 1](#)" on page 143 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Date	<Dt>	{Or	[1..1]		144
	DateTime	<DtTm>	Or}	[1..1]	⚠	144

5.166 ProprietaryParty5__1

Definition: Identifies a proprietary party.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]	⚠	397

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>		[1..1]		397

Used in element(s)

"Proprietary" on page 487

5.166.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Specifies the type of proprietary party.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary/Type

Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.166.2 Party

XML Tag: Pty

Presence: [1..1]

Definition: Proprietary party.

The **Pty** block contains the following elements (see datatype "Party40Choice_1" on page 263 for details)

- ⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		264
	Agent	<Agt>	Or}	[1..1]		264

5.167 ProprietaryPrice2__1

Definition: Set of elements used to identify a proprietary price.

- ⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]	⚠	398

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Price	<Pric>		[1..1]		398

Used in element(s)

"Proprietary" on page 489

5.167.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Specifies the type of price.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedPrice/Proprietary/Type](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.167.2 Price

XML Tag: Pric

Presence: [1..1]

Definition: Proprietary price specification related to the underlying transaction.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

5.168 ProprietaryQuantity1__1

Definition: Set of elements to identify a proprietary quantity.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]	⚠	398
	Quantity	<Qty>		[1..1]	⚠	399

Used in element(s)

"Proprietary" on page 490

5.168.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Identifies the type of proprietary quantity reported.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedQuantities/Proprietary/Type](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.168.2 Quantity

XML Tag: Qty

Presence: [1..1]

Definition: Provides the proprietary quantity in free format.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedQuantities/Proprietary/Quantity](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.169 ProprietaryReference1__1

Definition: Set of elements to identify a proprietary reference.

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ⚠ Details below -
 M Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]	⚠	399
	Reference	<Ref>		[1..1]	⚠	400

Used in element(s)

["Proprietary" on page 496](#)

5.169.1 Type

XML Tag: Tp

Presence: [1..1]

Definition: Identifies the type of reference reported.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References/Proprietary/Type](#)
Type changed to: [CBPR RestrictedFINXMax35Text](#) on page 512

5.169.2 Reference

XML Tag: Ref

Presence: [1..1]

Definition: Proprietary reference specification related to the underlying transaction.

Datatype: ["CBPR RestrictedFINXMax35Text"](#) on page 512

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References/Proprietary/Reference](#)
Type changed to: [CBPR RestrictedFINXMax35Text](#) on page 512

5.170 ProxyAccountIdentification1__1

Definition: Information related to a proxy identification of the account.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		400
	Identification	<Id>		[1..1]	⚠	401

Used in element(s)

["Proxy"](#) on page 96, ["Proxy"](#) on page 94

5.170.1 Type


XML Tag: Tp

Presence: [0..1]

Definition: Type of the proxy identification.

The **Tp** block contains the following elements (see datatype ["ProxyAccountType1Choice_1"](#) on page 401 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		402
	Proprietary	<Prtry>	Or}	[1..1]		402

5.170.2 Identification

XML Tag: Id

Presence: [1..1]

Definition: Identification used to indicate the account identification under another specified name.







Datatype: "CBPR_RestrictedFINXMax320Text_Extended" on page 512


Usage Guideline details

- on camt.052.001.08/Report/Account/Proxy/Identification**
 Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 512
- on camt.052.001.08/Report/Entry/CardTransaction/PrePaidAccount/Proxy/Identification**
 Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 512
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/PrePaidAccount/Proxy/Identification**
 Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 512
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/CreditorAccount/Proxy/Identification**
 Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 512
- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/DebtorAccount/Proxy/Identification**
 Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 512
- on camt.052.001.08/Report/RelatedAccount/Proxy/Identification**
 Type changed to: CBPR_RestrictedFINXMax320Text_Extended on page 512

5.171 ProxyAccountType1Choice__1

Definition: Specifies the scheme used for the identification of an account alias.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		402
	Proprietary	<Prtry>	Or}	[1..1]		402

Used in element(s)

["Type" on page 400](#)

5.171.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Name of the identification scheme, in a coded form as published in an external list.

Datatype: ["ExternalProxyAccountType1Code" on page 546](#)

5.171.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Name of the identification scheme, in a free text form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- **on camt.052.001.08/Report/Account/Proxy/Type/Proprietary**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- **on camt.052.001.08/Report/Entry/CardTransaction/PrePaidAccount/Proxy/Type/Proprietary**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/PrePaidAccount/Proxy/Type/Proprietary**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/CreditorAccount/Proxy/Type/Proprietary**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/DebtorAccount/Proxy/Type/Proprietary**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- **on camt.052.001.08/Report/RelatedAccount/Proxy/Type/Proprietary**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.172 Purpose2Choice__1

Definition: Specifies the underlying reason for the payment transaction.

Usage: Purpose is used by the end-customers, that is initiating party, (ultimate) debtor, (ultimate) creditor to provide information concerning the nature of the payment. Purpose is a content element, which is not used for processing by any of the agents involved in the payment chain.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		403
	Proprietary	<Prtry>	Or}	[1..1]	⚠	403

Used in element(s)

["Purpose" on page 171](#)

5.172.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Underlying reason for the payment transaction, as published in an external purpose code list.

Datatype: ["ExternalPurpose1Code" on page 547](#)

5.172.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Purpose, in a proprietary form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Purpose/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.173 Rate4__1

Definition: Set of elements used to qualify the interest rate.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		404
	ValidityRange	<VldtyRg>		[0..1]		404

Used in element(s)

["Rate" on page 25](#), ["Rate" on page 240](#)







5.173.1 Type


XML Tag: Tp

Presence: [1..1]

Definition: Specifies the type of interest rate.

The **Tp** block contains the following elements (see datatype "[RateType4Choice__1](#)" on page 404 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Percentage	<Pctg>	{Or	[1..1]		405
	Other	<Othr>	Or}	[1..1]		405







5.173.2 ValidityRange

XML Tag: VldtyRg

Presence: [0..1]

Definition: An amount range where the interest rate is applicable.







The **VldtyRg** block contains the following elements (see datatype "[ActiveOrHistoricCurrencyAndAmountRange2](#)" on page 36 for details)


 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		36
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		36
	Currency	<Ccy>		[1..1]		37

5.174 RateType4Choice__1

Definition: Specifies the rate as a percentage or a text.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Percentage	<Pctg>	{Or	[1..1]		405
	Other	<Othr>	Or}	[1..1]		405

Used in element(s)

"Type" on page 404

5.174.1 Percentage

XML Tag: Pctg

Presence: [1..1]

Definition: Ratio of the amount of interest paid during a certain period of time compared to the principal amount of the interest bearing financial instrument.

Datatype: ["PercentageRate" on page 567](#)

5.174.2 Other

XML Tag: Othr

Presence: [1..1]

Definition: Rate type expressed, in an other form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Interest/Record/Rate/Type/Other](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/Interest/Record/Rate/Type/Other](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Interest/Rate/Type/Other](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.175 ReferredDocumentInformation7__1

Definition: Set of elements used to identify the documents referred to in the remittance information.

⊗ Removed -
 ⊗ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ▲ Details below -
 M Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		405
	Number	<Nb>		[0..1]	▲	406
	RelatedDate	<RltdDt>		[0..1]		406
	LineDetails	<LineDtls>		[0..*]		406

Used in element(s)

["ReferredDocumentInformation" on page 432](#)







5.175.1 Type


XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of referred document.

The **Tp** block contains the following elements (see datatype "[ReferredDocumentType4_1](#)" on [page 407](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		408
	Issuer	</lssr>		[0..1]		408

5.175.2 Number

XML Tag: Nb

Presence: [0..1]

Definition: Unique and unambiguous identification of the referred document.

Datatype: "[CBPR_RestrictedFINXMax35Text_Extended](#)" on [page 513](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/ReferredDocumentInformation/Number](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended](#) on [page 513](#)

5.175.3 RelatedDate

XML Tag: RltdDt

Presence: [0..1]

Definition: Date associated with the referred document.

Datatype: "[ISODate](#)" on [page 552](#)







5.175.4 LineDetails

XML Tag: LineDtls

Presence: [0..*]

Definition: Set of elements used to provide the content of the referred document line.

The **LineDtls** block contains the following elements (see datatype "[DocumentLineInformation1_1](#)" on [page 158](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..*]		159
	Description	<Desc>		[0..1]	⚠	159
	Amount	<Amt>		[0..1]		159

5.176 ReferredDocumentType3Choice

Definition: Specifies the type of the document referred in the remittance information.

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		407
	Proprietary	<Prtry>	Or}	[1..1]		407

Used in element(s)

"CodeOrProprietary" on page 408

5.176.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Document type in a coded form.

Datatype: "DocumentType6Code" on page 527

5.176.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary identification of the type of the remittance document.

Datatype: "Max35Text" on page 557

5.177 ReferredDocumentType4__1

Definition: Specifies the type of the document referred in the remittance information.

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	CodeOrProprietary	<CdOrPrtry>		[1..1]		408
	Issuer	<Issr>		[0..1]	⚠	408

Used in element(s)["Type" on page 405](#)

5.177.1 CodeOrProprietary

XML Tag: CdOrPrtry*Presence:* [1..1]*Definition:* Provides the type details of the referred document.The **CdOrPrtry** block contains the following elements (see datatype "[ReferredDocumentType3Choice](#)" on page 407 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		407
	Proprietary	<Prtry>	Or}	[1..1]		407

5.177.2 Issuer

XML Tag: Issr*Presence:* [0..1]*Definition:* Identification of the issuer of the reference document type.*Datatype:* "[CBPR RestrictedFINXMax35Text Extended](#)" on page 513**Usage Guideline details**

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/ReferredDocumentInformation/Type/Issuer](#)

Type changed to: [CBPR RestrictedFINXMax35Text Extended](#) on page 513

5.178 RemittanceAmount2__1

Definition: Nature of the amount and currency on a document referred to in the remittance section, typically either the original amount due/payable or the amount actually remitted for the referenced document.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		409
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		409
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		409

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxAmount	<TaxAmt>		[0..*]		409
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		410
	RemittedAmount	<RmtdAmt>		[0..1]		410

Used in element(s)

"ReferredDocumentAmount" on page 433

5.178.1 DuePayableAmount

XML Tag: DuePyblAmt

Presence: [0..1]

Definition: Amount specified is the exact amount due and payable to the creditor.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 498







5.178.2 DiscountAppliedAmount

XML Tag: DscntApldAmt

Presence: [0..*]

Definition: Amount specified for the referred document is the amount of discount to be applied to the amount due and payable to the creditor.

The **DscntApldAmt** block contains the following elements (see datatype "DiscountAmountAndType1" on page 152 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		152
	Amount	<Amt>		[1..1]		153

5.178.3 CreditNoteAmount

XML Tag: CdtNoteAmt

Presence: [0..1]

Definition: Amount specified for the referred document is the amount of a credit note.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 498







5.178.4 TaxAmount

XML Tag: TaxAmt

Presence: [0..*]

Definition: Quantity of cash resulting from the calculation of the tax.

The **TaxAmt** block contains the following elements (see datatype "[TaxAmountAndType1](#)" on page 438 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		438
	Amount	<Amt>		[1..1]		438







5.178.5 AdjustmentAmountAndReason



XML Tag: AdjstmntAmtAndRsn

Presence: [0..*]

Definition: Specifies detailed information on the amount and reason of the document adjustment.

The **AdjstmntAmtAndRsn** block contains the following elements (see datatype "[DocumentAdjustment1_1](#)" on page 156 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		156
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		156
	Reason	<Rsn>		[0..1]		156
	AdditionalInformation	<AddtlInf>		[0..1]		157

5.178.6 RemittedAmount

XML Tag: RmtdAmt







Presence: [0..1]

Definition: Amount of money remitted for the referred document.

Datatype: "[ActiveOrHistoricCurrencyAndAmount](#)" on page 498

5.179 RemittanceAmount3__1

Definition: Nature of the amount and currency on a document referred to in the remittance section, typically either the original amount due/payable or the amount actually remitted for the referenced document.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		411

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		411
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		411
	TaxAmount	<TaxAmt>		[0..*]		411
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		412
	RemittedAmount	<RmtdAmt>		[0..1]		412

Used in element(s)

"Amount" on page 159

5.179.1 DuePayableAmount

XML Tag: DuePyblAmt

Presence: [0..1]

Definition: Amount specified is the exact amount due and payable to the creditor.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 498

5.179.2 DiscountAppliedAmount

XML Tag: DscntApldAmt

Presence: [0..*]

Definition: Amount of discount to be applied to the amount due and payable to the creditor.

The **DscntApldAmt** block contains the following elements (see datatype "DiscountAmountAnd-Type1_1" on page 153 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		153
	Amount	<Amt>		[1..1]		153

5.179.3 CreditNoteAmount

XML Tag: CdtNoteAmt

Presence: [0..1]

Definition: Amount of a credit note.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 498

5.179.4 TaxAmount

XML Tag: TaxAmt

Presence: [0..*]

Definition: Amount of the tax.

The **TaxAmt** block contains the following elements (see datatype "TaxAmountAndType1_1" on page 439 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		439
	Amount	<Amt>		[1..1]		439

5.179.5 AdjustmentAmountAndReason

XML Tag: AdjstmntAmtAndRsn

Presence: [0..*]

Definition: Specifies detailed information on the amount and reason of the adjustment.

The **AdjstmntAmtAndRsn** block contains the following elements (see datatype "DocumentAdjustment1_1" on page 156 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		156
	CreditDebitIndicator	<CdtDbtInd>		[0..1]		156
	Reason	<Rsn>		[0..1]	⚠	156
	AdditionalInformation	<AddtlInf>		[0..1]	⚠	157

5.179.6 RemittedAmount

XML Tag: RmtdAmt

Presence: [0..1]


Definition: Amount of money remitted.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 498

5.180 RemittanceInformation16__1

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system.

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unstructured	<Ustrd>		[0..*]	 R[0..1]	413
	Structured	<Strd>		[0..*]		413

Used in element(s)

["RemittanceInformation" on page 172](#)

5.180.1 Unstructured

XML Tag: Ustrd

Presence: [0..*]

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in an unstructured form.

Datatype: ["CBPR_RestrictedFINXMax140Text_Extended" on page 510](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Unstructured](#)
This element has change repeatability, the maximum occurrence has been changed to : 1
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Unstructured](#)
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 510](#)







5.180.2 Structured

XML Tag: Strd


Presence: [0..*]

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in a structured form.

The **Strd** block contains the following elements (see datatype ["StructuredRemittanceInformation16_1"](#) on page 432 for details)







 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]


Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReferredDocumentInformation	<RfrdDocInf>		[0..*]		432
	ReferredDocumentAmount	<RfrdDocAmt>		[0..1]		433
	CreditorReferenceInformation	<CdtrRefInf>		[0..1]		433

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Invoicer	<Invcr>		[0..1]		433
	Invoicee	<Invcee>		[0..1]		434
	TaxRemittance	<TaxRmt>		[0..1]		434
	GarnishmentRemittance	<GrnshmtRmt>		[0..1]		435
	AdditionalRemittanceInformation	<AddtlRmtInf>		[0..3]		435

5.181 RemittanceLocation7__1

Definition: Provides information on the remittance advice.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	RemittanceIdentification	<RmtId>		[0..1]		414
	RemittanceLocationDetails	<RmtLctnDtls>		[0..*]		414

Used in element(s)

"RelatedRemittanceInformation" on page 172

5.181.1 RemittanceIdentification

XML Tag: RmtId

Presence: [0..1]

Definition: Unique identification, as assigned by the initiating party, to unambiguously identify the remittance information sent separately from the payment instruction, such as a remittance advice.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceIdentification

Type changed to: CBPR_RestrictedFINXMax35Text on page 512

5.181.2 RemittanceLocationDetails

XML Tag: RmtLctnDtls

Presence: [0..*]

Definition: Set of elements used to provide information on the location and/or delivery of the remittance information.

The **RmtLctnDtls** block contains the following elements (see datatype "[RemittanceLocationData1__1](#)" on page 415 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Method	<Mtd>		[1..1]		415
	ElectronicAddress	<ElctrcAdr>		[0..1]	⚠	415
	PostalAddress	<PstlAdr>		[0..1]		416

5.182 RemittanceLocationData1__1

Definition: Provides additional details on the remittance advice.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Method	<Mtd>		[1..1]		415
	ElectronicAddress	<ElctrcAdr>		[0..1]	⚠	415
	PostalAddress	<PstlAdr>		[0..1]		416

Used in element(s)

"[RemittanceLocationDetails](#)" on page 414

5.182.1 Method

XML Tag: Mtd

Presence: [1..1]

Definition: Method used to deliver the remittance advice information.

Datatype: "[RemittanceLocationMethod2Code](#)" on page 571

5.182.2 ElectronicAddress

XML Tag: ElctrcAdr

Presence: [0..1]

Definition: Electronic address to which an agent is to send the remittance information.

Datatype: "[CBPR_RestrictedFINXMax2048Text_Extended](#)" on page 511

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedRemittanceInformation/RemittanceLocationDetails/ElectronicAddress](#)

Type changed to: CBPR RestrictedFINXMax2048Text Extended on page 511

5.182.3 PostalAddress

XML Tag: PstlAdr

Presence: [0..1]

Definition: Postal address to which an agent is to send the remittance information.

The **PstlAdr** block contains the following elements (see datatype "NameAndAddress16 1" on page 244 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]



Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[1..1]	⚠	244
	Address	<Adr>		[1..1]		244

5.183 ReportEntry10__1

Definition: Provides further details on an entry in the report.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	EntryReference	<NtryRef>		[0..1]	⚠	417
	Amount	<Amt>		[1..1]		417
	CreditDebitIndicator	<CdtDbtInd>		[1..1]		417
	ReversalIndicator	<RvslInd>		[0..1]		417
	Status	<Sts>		[1..1]		418
	BookingDate	<BookgDt>		[0..1]		418
	ValueDate	<ValDt>		[0..1]	M	419
	AccountServicerReference	<AcctSvcrRef>		[0..1]	⚠	419
	Availability	<Avlby>		[0..*]		419
	BankTransactionCode	<BkTxCd>		[1..1]	⚠	420
	CommissionWaiverIndicator	<ComssnWvrInd>		[0..1]		420
	AdditionalInformationIndicator	<AddtlInfInd>		[0..1]		421
	AmountDetails	<AmtDtls>		[0..1]		421
	Charges	<Chrgs>		[0..1]	⚠	421

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TechnicalInputChannel	<TechInptChanl>		[0..1]		422
	Interest	<Intrst>		[0..1]		422
	CardTransaction	<CardTx>		[0..1]		423
	EntryDetails	<NtryDtls>		[0..*]		423
	AdditionalEntryInformation	<AddtlNtryInf>		[0..1]		424

Guidelines

1. ReferenceGuideline

At least one reference should be present to identify the underlying transaction(s).

Used in element(s)

["Entry" on page 33](#)

5.183.1 EntryReference

XML Tag: NtryRef

Presence: [0..1]

Definition: Unique reference for the entry.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- **on camt.052.001.08/Report/Entry/EntryReference**
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.183.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money in the cash entry.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

5.183.3 CreditDebitIndicator

XML Tag: CdtDbtInd

Presence: [1..1]

Definition: Indicates whether the entry is a credit or a debit entry.

Datatype: ["CreditDebitCode" on page 526](#)

5.183.4 ReversalIndicator

XML Tag: RvslInd

Presence: [0..1]

Definition: Indicates whether or not the entry is the result of a reversal.

Usage: This element should only be present if the entry is the result of a reversal.

If the CreditDebitIndicator is CRDT and ReversalIndicator is Yes, the original operation was a debit entry.

If the CreditDebitIndicator is DBIT and ReversalIndicator is Yes, the original operation was a credit entry.

Datatype: ["TrueFalseIndicator" on page 576](#)

5.183.5 Status

XML Tag: Sts

Presence: [1..1]

Definition: Status of an entry on the books of the account servicer.

The **Sts** block contains the following elements (see datatype ["EntryStatus1Choice" on page 164](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		164
	Proprietary	<Prtry>	Or}	[1..1]	⊘	164

5.183.6 BookingDate

XML Tag: BookgDt

Presence: [0..1]

Definition: Date and time when an entry is posted to an account on the account servicer's books.

Usage: Booking date is the expected booking date, unless the status is booked, in which case it is the actual booking date.

The **BookgDt** block contains the following elements (see datatype ["DateAndDateTime2Choice_1" on page 143](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Date	<Dt>	{Or	[1..1]		144
	DateTime	<DtTm>	Or}	[1..1]	⚠	144

5.183.7 ValueDate

XML Tag: ValDt

Presence: [0..1]

Definition: Date and time at which assets become available to the account owner in case of a credit entry, or cease to be available to the account owner in case of a debit entry.

Usage: If entry status is pending and value date is present, then the value date refers to an expected/requested value date.

For entries subject to availability/float and for which availability information is provided, the value date must not be used. In this case the availability component identifies the number of availability days.

The **ValDt** block contains the following elements (see datatype "[DateAndDateTime2Choice_1](#)" on page 143 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Date	<Dt>	{Or	[1..1]		144
	DateTime	<DtTm>	Or}	[1..1]	▲	144

Usage Guideline details

- **on camt.052.001.08/Report/Entry/ValueDate**

This element is now mandatory, the minimum occurrence has been changed to : 1

5.183.8 AccountServicerReference

XML Tag: AcctSvcrRef

Presence: [0..1]

Definition: Unique reference as assigned by the account servicing institution to unambiguously identify the entry.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 512

Usage Guideline details

- **on camt.052.001.08/Report/Entry/AccountServicerReference**

Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 512

5.183.9 Availability

XML Tag: Avlbty

Presence: [0..*]

Definition: Indicates when the booked amount of money will become available, that is can be accessed and starts generating interest.

Usage: This type of information is used in the US and is linked to particular instruments such as cheques.

Example: When a cheque is deposited, it will be booked on the deposit day, but the amount of money will only be accessible as of the indicated availability day (according to national banking regulations).

The **Avlbt** block contains the following elements (see datatype "[CashAvailability1](#)" on page 99 for details)

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Date	<Dt>		[1..1]		99
	Amount	<Amt>		[1..1]		99
	CreditDebitIndicator	<CdtDbtInd>		[1..1]		100

5.183.10 BankTransactionCode

XML Tag: BkTxCd

Presence: [1..1]

Definition: Set of elements used to fully identify the type of underlying transaction resulting in an entry.

The **BkTxCd** block contains the following elements (see datatype "[BankTransactionCodeStructure4](#)" on page 51 for details)

🚫 Removed - 🚫 Partial Removed - ⬠ Ignored - ⬠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Domain	<Domn>		[0..1]		52
	Proprietary	<Prtry>		[0..1]		52

Usage Guideline details

- on [camt.052.001.08/Report/Entry/BankTransactionCode](#)

- **CBPR_Domain_Proprietary_Recommendation_TextualRule:**

BankTransactionCode/ Domain/ Code is the preferred option and should be used when possible.

5.183.11 CommissionWaiverIndicator

XML Tag: ComssnWvrInd

Presence: [0..1]

Definition: Indicates whether the transaction is exempt from commission.

Datatype: ["YesNoIndicator" on page 585](#)

5.183.12 AdditionalInformationIndicator

XML Tag: AddtlInfInd

Presence: [0..1]

Definition: Indicates whether the underlying transaction details are provided through a separate message, as in the case of aggregate bookings.

The **AddtlInfInd** block contains the following elements (see datatype ["MessageIdentification2_1" on page 243](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageNameIdentification	<MsgNmId>		[0..1]	⚠	243
	MessageIdentification	<MsgId>		[0..1]	⚠	243

5.183.13 AmountDetails

XML Tag: AmtDtls

Presence: [0..1]

Definition: Provides information on the original amount.

Usage: This component (on entry level) should be used when a total original batch or aggregate amount has to be provided. If required, the individual original amounts can be included in the same component on transaction details level.

The **AmtDtls** block contains the following elements (see datatype ["AmountAndCurrencyExchange3_1" on page 38](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructedAmount	<InstdAmt>		[0..1]		39
	TransactionAmount	<TxAmt>		[0..1]		39
	CounterValueAmount	<CntrValAmt>		[0..1]		40
	AnnouncedPostingAmount	<AnncdPstngAmt>		[0..1]		40
	ProprietaryAmount	<PrtryAmt>		[0..*]		40

5.183.14 Charges

XML Tag: Chrgs

Presence: [0..1]

Definition: Provides information on the charges, pre-advised or included in the entry amount.

Usage: This component is used on entry level in case of batch or aggregate bookings.

The **Chrgs** block contains the following elements (see datatype "Charges6_1" on page 105 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TotalChargesAndTaxAmount	<TtlChrgsAndTaxAmt>		[0..1]		105
	Record	<Rcrd>		[0..*]		105

Usage Guideline details

- on camt.052.001.08/Report/Entry/Charges

- CBPR_Charges_TextualRule:

Total Charges And Tax Amount must equal the sum of the individual record amounts.

5.183.15 TechnicalInputChannel

XML Tag: TechInptChanl

Presence: [0..1]

Definition: Channel used to technically input the instruction related to the entry.

The **TechInptChanl** block contains the following elements (see datatype "TechnicalInputChannel1Choice_1" on page 466 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		466
	Proprietary	<Prtry>	Or}	[1..1]	⚠	466

5.183.16 Interest

XML Tag: Intrst

Presence: [0..1]

Definition: Provides details of the interest amount included in the entry amount.

Usage: This component is used on entry level in the case of batch or aggregate bookings.

The **Intrst** block contains the following elements (see datatype "TransactionInterest4_1" on page 481 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TotalInterestAndTaxAmount	<TtlIntrstAndTaxAmt>		[0..1]		482
	Record	<Rcrd>		[0..*]		482

Usage Guideline details

- on **camt.052.001.08/Report/Entry/Interest**
 - **CBPR_Interest_TextualRule:**

Total Charges And Tax Amount must equal the sum of the individual record amounts.

5.183.17 CardTransaction

XML Tag: CardTx

Presence: [0..1]

Definition: Provides details of the card transaction included in the entry amount, when globalised by the account servicer.

The **CardTx** block contains the following elements (see datatype "CardEntry4_1" on page 80 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Card	<Card>		[0..1]		80
	POI	<POI>		[0..1]		80
	AggregatedEntry	<AggtdNtry>		[0..1]		81
	PrePaidAccount	<PrePdAcct>		[0..1]		81







5.183.18 EntryDetails


XML Tag: NtryDtls

Presence: [0..*]

Definition: Provides details on the entry.

The **NtryDtls** block contains the following elements (see datatype "EntryDetails9_1" on page 162 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Batch	<Btch>		[0..1]		162
	TransactionDetails	<TxDtls>		[0..*]	 R[1..1]	162

5.183.19 AdditionalEntryInformation

XML Tag: AddtlNtryInf

Presence: [0..1]

Definition: Further details of the entry.







Datatype: "CBPR_RestrictedFINXMax500Text" on page 515


Usage Guideline details

- on camt.052.001.08/Report/Entry/AdditionalEntryInformation
Type changed to: CBPR_RestrictedFINXMax500Text on page 515

5.184 ReportingSource1Choice__1

Definition: Specifies the source used to generate the reporting.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		424
	Proprietary	<Prtry>	Or}	[1..1]		424

Used in element(s)

"ReportingSource" on page 30

5.184.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Reporting source, as published in an external reporting source code list.

Datatype: "ExternalReportingSource1Code" on page 548

5.184.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Reporting source, in a proprietary form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/ReportingSource/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.185 ReturnReason5Choice__1

Definition: Specifies the reason for the return of the transaction.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		425
	Proprietary	<Prtry>	Or}	[1..1]	⚠	425

Used in element(s)

["Reason" on page 291](#)

5.185.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Reason for the return, as published in an external reason code list.

Datatype: ["ExternalReturnReason1Code" on page 549](#)

5.185.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Reason for the return, in a proprietary form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/ReturnInformation/Reason/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.186 SecuritiesAccount19__1

Definition: Account to or from which a securities entry is made.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	426
	Type	<Tp>		[0..1]		426
	Name	<Nm>		[0..1]	⚠	427

Used in element(s)

"SafekeepingAccount" on page 176

5.186.1 Identification

XML Tag: Id

Presence: [1..1]

Definition: Unambiguous identification for the account between the account owner and the account servicer.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/SafekeepingAccount/Identification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 512

5.186.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of securities account.

The **Tp** block contains the following elements (see datatype "[GenericIdentification30_2](#)" on page 218 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		218
	Issuer	<Issr>		[1..1]	⚠	218
	SchemeName	<SchmeNm>		[0..1]	⚠	219

5.186.3 Name

XML Tag: Nm

Presence: [0..1]

Definition: Description of the account.

Datatype: ["CBPR_RestrictedFINXMax70Text" on page 515](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/SafekeepingAccount/Name](#)
Type changed to: [CBPR_RestrictedFINXMax70Text on page 515](#)

5.187 SecurityIdentification19__1

Definition: Identification of a security.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ISIN	<ISIN>		[0..1]		428
	OtherIdentification	<OthrId>		[0..*]		428
	Description	<Desc>		[0..1]	⚠	429

Rules

R17 DescriptionPresenceRule ✓

If Description is not present then either ISIN or at least one occurrence of OtherIdentification must be present.

Error handling:

- Error severity: Fatal
- Error Code: X00192
- Error Text: At least one identification must be present.

R18 OtherIdentificationPresenceRule ✓

If OtherIdentification is not present then either ISIN or Description must be present.

Error handling:

- Error severity: Fatal
- Error Code: X00193
- Error Text: At least one identification must be present.

R19 ISINPresenceRule ✓

If ISIN is not present then either Description or at least one occurrence of OtherIdentification must be present.

Error handling:

- *Error severity:* Fatal
- *Error Code:* X00194
- *Error Text:* At least one identification must be present.

R20 DescriptionUsageRule

Description must be used alone as the last resort.

Error handling: Undefined

R21 ISINGuideline

When an ISIN code exists, it is strongly recommended that the ISIN be used.

Error handling: Undefined

Used in element(s)

"FinancialInstrumentIdentification" on page 174

5.187.1 ISIN

XML Tag: ISIN

Presence: [0..1]

Definition: International Securities Identification Number (ISIN). A numbering system designed by the United Nation's International Organisation for Standardisation (ISO). The ISIN is composed of a 2-character prefix representing the country of issue, followed by the national security number (if one exists), and a check digit. Each country has a national numbering agency that assigns ISIN numbers for securities in that country.

Datatype: "ISINOct2015Identifier" on page 552

5.187.2 OtherIdentification

XML Tag: OthrlId

Presence: [0..*]

Definition: Identification of a security by proprietary or domestic identification scheme.

The **OthrlId** block contains the following elements (see datatype "OtherIdentification1 1" on page 257 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]	⚠	258
	Suffix	<Sfx>		[0..1]	⚠	258
	Type	<Tp>		[1..1]		258

5.187.3 Description

XML Tag: Desc

Presence: [0..1]

Definition: Textual description of a security instrument.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 513](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/FinancialInstrumentIdentification/Description](#)

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)

5.188 SequenceRange1Choice__1

Definition: Specifies a choice of sequences.

❌ Removed - ⊖ Partial Removed - ◇ Ignored - ⊠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromSequence	<FrSeq>	{Or	[1..1]	⚠	429
	ToSequence	<ToSeq>	Or	[1..1]	⚠	430
	FromToSequence	<FrToSeq>	Or	[1..*]		430
	EqualSequence	<EQSeq>	Or	[1..*]	⚠	430
	NotEqualSequence	<NEQSeq>	Or}	[1..*]	⚠	430

Used in element(s)

["ReportingSequence" on page 29](#)

5.188.1 FromSequence

XML Tag: FrSeq

Presence: [1..1]

Definition: Start sequence of the range.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/ReportingSequence/FromSequence](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.188.2 ToSequence

XML Tag: ToSeq

Presence: [1..1]

Definition: End sequence of the range.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/ReportingSequence/ToSequence](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.188.3 FromToSequence

XML Tag: FrToSeq

Presence: [1..*]

Definition: Particular sequence range specified between a start sequence and an end sequence.

The **FrToSeq** block contains the following elements (see datatype "[SequenceRange1_1](#)" on page 431 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromSequence	<FrSeq>		[1..1]	⚠	431
	ToSequence	<ToSeq>		[1..1]	⚠	431

5.188.4 EqualSequence

XML Tag: EQSeq

Presence: [1..*]

Definition: Specified sequence to match.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/ReportingSequence/EqualSequence](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.188.5 NotEqualSequence

XML Tag: NEQSeq

Presence: [1..*]

Definition: Specified sequence to be excluded.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/ReportingSequence/NotEqualSequence](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.189 SequenceRange1__1

Definition: Specifies a range of sequences from a start sequence to an end sequence.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromSequence	<FrSeq>		[1..1]	⚠	431
	ToSequence	<ToSeq>		[1..1]	⚠	431

Used in element(s)

["FromToSequence" on page 430](#)

5.189.1 FromSequence

XML Tag: FrSeq

Presence: [1..1]

Definition: Start sequence of the range.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/ReportingSequence/FromToSequence/FromSequence](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.189.2 ToSequence

XML Tag: ToSeq

Presence: [1..1]

Definition: End sequence of the range.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/ReportingSequence/FromToSequence/ToSequence](#)

Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.190 StructuredRemittanceInformation16__1

Definition: Information supplied to enable the matching/reconciliation of an entry with the items that the payment is intended to settle, such as commercial invoices in an accounts' receivable system, in a structured form.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	ReferredDocumentInformation	<RfrdDocInf>		[0..*]		432
	ReferredDocumentAmount	<RfrdDocAmt>		[0..1]		433
	CreditorReferenceInformation	<CdtrRefInf>		[0..1]		433
	Invoicer	<Invcr>		[0..1]		433
	Invoicee	<Invcee>		[0..1]		434
	TaxRemittance	<TaxRmt>		[0..1]		434
	GarnishmentRemittance	<GmshmtRmt>		[0..1]		435
	AdditionalRemittanceInformation	<AddtlRmtInf>		[0..3]	⚠	435

Used in element(s)

"Structured" on page 413

5.190.1 ReferredDocumentInformation

XML Tag: RfrdDocInf

Presence: [0..*]

Definition: Provides the identification and the content of the referred document.

The **RfrdDocInf** block contains the following elements (see datatype "[ReferredDocumentInformation7__1](#)" on page 405 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		405
	Number	<Nb>		[0..1]	⚠	406
	RelatedDate	<RltdDt>		[0..1]		406
	LineDetails	<LineDtls>		[0..*]		406







5.190.2 ReferredDocumentAmount

XML Tag: RfrdDocAmt

Presence: [0..1]

Definition: Provides details on the amounts of the referred document.

The **RfrdDocAmt** block contains the following elements (see datatype "RemittanceAmount2_1" on page 408 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DuePayableAmount	<DuePyblAmt>		[0..1]		409
	DiscountAppliedAmount	<DscntApldAmt>		[0..*]		409
	CreditNoteAmount	<CdtNoteAmt>		[0..1]		409
	TaxAmount	<TaxAmt>		[0..*]		409
	AdjustmentAmountAndReason	<AdjstmntAmtAndRsn>		[0..*]		410
	RemittedAmount	<RmtdAmt>		[0..1]		410







5.190.3 CreditorReferenceInformation


XML Tag: CdtrRefInf

Presence: [0..1]

Definition: Reference information provided by the creditor to allow the identification of the underlying documents.

The **CdtrRefInf** block contains the following elements (see datatype "CreditorReferenceInformation2_1" on page 136 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		136
	Reference	<Ref>		[0..1]		137







5.190.4 Invoicer


XML Tag: Invcr

Presence: [0..1]

Definition: Identification of the organisation issuing the invoice, when it is different from the creditor or ultimate creditor.

The **Invcr** block contains the following elements (see datatype "PartyIdentification135_2" on page 274 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		274
	PostalAddress	<PstlAdr>		[0..1]		275
	Identification	<Id>		[0..1]		276
	CountryOfResidence	<CtryOfRes>		[0..1]		276
	ContactDetails	<CtctDtls>		[0..1]		276







5.190.5 Invoicee


XML Tag: Invcee

Presence: [0..1]

Definition: Identification of the party to whom an invoice is issued, when it is different from the debtor or ultimate debtor.

The **Invcee** block contains the following elements (see datatype "[PartyIdentification135_2](#)" on page 274 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Name	<Nm>		[0..1]		274
	PostalAddress	<PstlAdr>		[0..1]		275
	Identification	<Id>		[0..1]		276
	CountryOfResidence	<CtryOfRes>		[0..1]		276
	ContactDetails	<CtctDtls>		[0..1]		276







5.190.6 TaxRemittance

XML Tag: TaxRmt

Presence: [0..1]

Definition: Provides remittance information about a payment made for tax-related purposes.

The **TaxRmt** block contains the following elements (see datatype "[TaxInformation7_1](#)" on page 444 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		445

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Debtor	<Dbtr>		[0..1]		445
	UltimateDebtor	<UltmtDbtr>		[0..1]		445
	AdministrationZone	<AdmstrnZone>		[0..1]	⚠	446
	ReferenceNumber	<RefNb>		[0..1]	⚠	446
	Method	<Mtd>		[0..1]	⚠	446
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		447
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		447
	Date	<Dt>		[0..1]		447
	SequenceNumber	<SeqNb>		[0..1]		447
	Record	<Rcrd>		[0..*]		447

5.190.7 GarnishmentRemittance

XML Tag: GrnshmtRmt

Presence: [0..1]

Definition: Provides remittance information about a payment for garnishment-related purposes.

The **GrnshmtRmt** block contains the following elements (see datatype "Garnishment3_1" on page 193 for details)

ⓧ Removed - ⓧ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		194
	Garnishee	<Grnshee>		[0..1]		194
	GarnishmentAdministrator	<GrnshmtAdmstr>		[0..1]		195
	ReferenceNumber	<RefNb>		[0..1]	⚠	195
	Date	<Dt>		[0..1]		195
	RemittedAmount	<RmtdAmt>		[0..1]		195
	FamilyMedicalInsuranceIndicator	<FmlyMdclInsrncInd>		[0..1]		196
	EmployeeTerminationIndicator	<MplyeeTermntnInd>		[0..1]		196

5.190.8 AdditionalRemittanceInformation

XML Tag: AddtlRmtInf

Presence: [0..3]

Definition: Additional information, in free text form, to complement the structured remittance information.

Datatype: ["CBPR_RestrictedFINXMax140Text_Extended" on page 510](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/AdditionalRemittanceInformation](#)

Type changed to: [CBPR_RestrictedFINXMax140Text_Extended on page 510](#)

5.191 SupplementaryData1

Definition: Additional information that can not be captured in the structured fields and/or any other specific block.

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	PlaceAndName	<PlcAndNm>		[0..1]		436
	Envelope	<Envlp>		[1..1]		436

Rules

R10 SupplementaryDataRule

This component may not be used without the explicit approval of a SEG and submission to the RA of ISO 20022 compliant structure(s) to be used in the Envelope element.

Error handling: Undefined

Used in element(s)

["SupplementaryData" on page 22](#), ["SupplementaryData" on page 178](#)

5.191.1 PlaceAndName

XML Tag: PlcAndNm

Presence: [0..1]

Definition: Unambiguous reference to the location where the supplementary data must be inserted in the message instance.

In the case of XML, this is expressed by a valid XPath.

Datatype: ["Max350Text" on page 556](#)

5.191.2 Envelope

XML Tag: Envlp

Presence: [1..1]

Definition: Technical element wrapping the supplementary data.

5.192 TaxAmount2

Definition: Set of elements used to provide information on the tax amount(s) of tax record.

❌ Removed - ⊖ Partial Removed - ◇ Ignored - ⊖ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		437
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		437
	TotalAmount	<TtlAmt>		[0..1]		437
	Details	<Dtls>		[0..*]		437

Used in element(s)

["TaxAmount" on page 461](#), ["TaxAmount" on page 464](#)

5.192.1 Rate

XML Tag: Rate

Presence: [0..1]

Definition: Rate used to calculate the tax.

Datatype: ["PercentageRate" on page 567](#)

5.192.2 TaxableBaseAmount

XML Tag: TaxblBaseAmt

Presence: [0..1]

Definition: Amount of money on which the tax is based.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

5.192.3 TotalAmount

XML Tag: TtlAmt

Presence: [0..1]

Definition: Total amount that is the result of the calculation of the tax for the record.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)







5.192.4 Details

XML Tag: Dtls

Presence: [0..*]

Definition: Set of elements used to provide details on the tax period and amount.







The **Dtls** block contains the following elements (see datatype ["TaxRecordDetails2" on page 465](#) for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		465
	Amount	<Amt>		[1..1]		465

5.193 TaxAmountAndType1

Definition: Specifies the amount with a specific type.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		438
	Amount	<Amt>		[1..1]		438

Used in element(s)

"TaxAmount" on page 409







5.193.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype "TaxAmountType1Choice" on page 439 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		440
	Proprietary	<Prtry>	Or}	[1..1]		440

5.193.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: "ActiveOrHistoricCurrencyAndAmount" on page 498

5.194 TaxAmountAndType1__1

Definition: Specifies the amount with a specific type.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		439
	Amount	<Amt>		[1..1]		439

Used in element(s)

"TaxAmount" on page 411

5.194.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: Specifies the type of the amount.

The **Tp** block contains the following elements (see datatype "[TaxAmountType1Choice__1](#)" on page 440 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		440
	Proprietary	<Prtry>	Or}	[1..1]	▲	440

5.194.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Amount of money, which has been typed.

Datatype: "[ActiveOrHistoricCurrencyAndAmount](#)" on page 498

5.195 TaxAmountType1Choice

Definition: Specifies the amount type.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		440

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Proprietary	<Prtry>	Or}	[1..1]		440

Used in element(s)

"Type" on page 438

5.195.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: ["ExternalTaxAmountType1Code" on page 550](#)

5.195.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: ["Max35Text" on page 557](#)

5.196 TaxAmountType1Choice__1

Definition: Specifies the amount type.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		440
	Proprietary	<Prtry>	Or}	[1..1]	⚠	440

Used in element(s)

"Type" on page 439

5.196.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Specifies the amount type, in a coded form.

Datatype: ["ExternalTaxAmountType1Code" on page 550](#)

5.196.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Specifies the amount type, in a free-text form.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 513

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/ReferredDocumentInformation/LineDetails/Amount/TaxAmount/Type/Proprietary**
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)

5.197 TaxAuthorisation1__1

Definition: Details of the authorised tax paying party.

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ⚠ Details below -
 M Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]	⚠	441
	Name	<Nm>		[0..1]	⚠	441

Used in element(s)

"Authorisation" on page 455

5.197.1 Title

XML Tag: Titl

Presence: [0..1]

Definition: Title or position of debtor or the debtor's authorised representative.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 513

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/Debtor/Authorisation/Title**
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)
- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/Authorisation/Title**
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)

5.197.2 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the debtor or the debtor's authorised representative.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 510

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/Debtor/Authorisation/Name**

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 510

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/Authorisation/Name**

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 510

5.198 TaxAuthorisation1__2

Definition: Details of the authorised tax paying party.

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ⚠ Details below -
 M Mandatory -
 R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]	⚠	442
	Name	<Nm>		[0..1]	⚠	442

Used in element(s)

"Authorisation" on page 457

5.198.1 Title

XML Tag: Titl

Presence: [0..1]

Definition: Title or position of debtor or the debtor's authorised representative.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/Debtor/Authorisation/Title**

Type changed to: CBPR_RestrictedFINXMax35Text on page 512

5.198.2 Name

XML Tag: Nm

Presence: [0..1]

Definition: Name of the debtor or the debtor's authorised representative.

Datatype: ["CBPR_RestrictedFINXMax140Text" on page 509](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/Debtor/Authorisation/Name](#)
Type changed to: [CBPR_RestrictedFINXMax140Text on page 509](#)

5.199 TaxCharges2__1

Definition: Amount of money due to the government or tax authority, according to various pre-defined parameters such as thresholds or income.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[0..1]	⚠	443
	Rate	<Rate>		[0..1]		444
	Amount	<Amt>		[0..1]		444

Used in element(s)

["Tax" on page 26](#), ["Tax" on page 108](#), ["Tax" on page 241](#)

5.199.1 Identification

XML Tag: Id

Presence: [0..1]

Definition: Unique reference to unambiguously identify the nature of the tax levied, such as Value Added Tax (VAT).

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/Charges/Record/Tax/Identification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Charges/Record/Tax/Identification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Interest/Record/Tax/Identification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

- on **camt.052.001.08/Report/Entry/Interest/Record/Tax/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)
- on **camt.052.001.08/Report/Interest/Tax/Identification**
Type changed to: [CBPR RestrictedFINXMax35Text on page 512](#)

5.199.2 Rate

XML Tag: Rate

Presence: [0..1]

Definition: Rate used to calculate the tax.

Datatype: ["PercentageRate" on page 567](#)

5.199.3 Amount

XML Tag: Amt

Presence: [0..1]

Definition: Amount of money resulting from the calculation of the tax.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

5.200 TaxInformation7__1

Definition: Details about tax paid, or to be paid, to the government in accordance with the law, including pre-defined parameters such as thresholds and type of account.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Ctr>		[0..1]		445
	Debtor	<Dbtr>		[0..1]		445
	UltimateDebtor	<UltmtDbtr>		[0..1]		445
	AdministrationZone	<AdmstnZone>		[0..1]	▲	446
	ReferenceNumber	<RefNb>		[0..1]	▲	446
	Method	<Mtd>		[0..1]	▲	446
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		447
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		447
	Date	<Dt>		[0..1]		447
	SequenceNumber	<SeqNb>		[0..1]		447
	Record	<Rcrd>		[0..*]		447

Used in element(s)

"TaxRemittance" on page 434

5.200.1 Creditor

XML Tag: Cdtr

Presence: [0..1]

Definition: Party on the credit side of the transaction to which the tax applies.

The **Cdtr** block contains the following elements (see datatype "TaxParty1_1" on page 451 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	452
	RegistrationIdentification	<RegnId>		[0..1]	⚠	452
	TaxType	<TaxTp>		[0..1]	⚠	452

5.200.2 Debtor

XML Tag: Dbtr

Presence: [0..1]

Definition: Identifies the party on the debit side of the transaction to which the tax applies.

The **Dbtr** block contains the following elements (see datatype "TaxParty2_1" on page 454 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	454
	RegistrationIdentification	<RegnId>		[0..1]	⚠	454
	TaxType	<TaxTp>		[0..1]	⚠	455
	Authorisation	<Authstn>		[0..1]		455







5.200.3 UltimateDebtor




XML Tag: UltmtDbtr

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor, in this case, to the taxing authority.

The **UltmtDbtr** block contains the following elements (see datatype "TaxParty2_1" on page 454 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]		454
	RegistrationIdentification	<RegnId>		[0..1]		454
	TaxType	<TaxTp>		[0..1]		455
	Authorisation	<Authstn>		[0..1]		455

5.200.4 AdministrationZone

XML Tag: AdmstnZone

Presence: [0..1]

Definition: Territorial part of a country to which the tax payment is related.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 513

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/AdministrationZone

Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 513

5.200.5 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Tax reference information that is specific to a taxing agency.

Datatype: "CBPR_RestrictedFINXMax140Text_Extended" on page 510

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/ReferenceNumber

Type changed to: CBPR_RestrictedFINXMax140Text_Extended on page 510

5.200.6 Method

XML Tag: Mtd

Presence: [0..1]

Definition: Method used to indicate the underlying business or how the tax is paid.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 513

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/Method](#)

Type changed to: [CBPR RestrictedFINXMax35Text](#) Extended on page 513

5.200.7 TotalTaxableBaseAmount

XML Tag: TtlTaxblBaseAmt

Presence: [0..1]

Definition: Total amount of money on which the tax is based.

Datatype: ["ActiveOrHistoricCurrencyAndAmount"](#) on page 498

5.200.8 TotalTaxAmount

XML Tag: TtlTaxAmt

Presence: [0..1]

Definition: Total amount of money as result of the calculation of the tax.

Datatype: ["ActiveOrHistoricCurrencyAndAmount"](#) on page 498

5.200.9 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date by which tax is due.

Datatype: ["ISODate"](#) on page 552

5.200.10 SequenceNumber

XML Tag: SeqNb

Presence: [0..1]

Definition: Sequential number of the tax report.

Datatype: ["Number"](#) on page 560

5.200.11 Record








XML Tag: Rcrd

Presence: [0..*]

Definition: Record of tax details.







The **Rcrd** block contains the following elements (see datatype ["TaxRecord2_1"](#) on page 458 for details)




❌ Removed - ⊗ Partial Removed - ◇ Ignored - ⊠ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		459
	Category	<Ctgy>		[0..1]		459
	CategoryDetails	<CtgyDtls>		[0..1]		459
	DebtorStatus	<DbtrSts>		[0..1]		459
	CertificateIdentification	<CertId>		[0..1]		460
	FormsCode	<FrmsCd>		[0..1]		460
	Period	<Prd>		[0..1]		460
	TaxAmount	<TaxAmt>		[0..1]		461
	AdditionalInformation	<AddtlInf>		[0..1]		461

5.201 TaxInformation8__1

Definition: Details about tax paid, or to be paid, to the government in accordance with the law, including pre-defined parameters such as thresholds and type of account.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		448
	Debtor	<Dbtr>		[0..1]		449
	AdministrationZone	<AdmstrnZone>		[0..1]		449
	ReferenceNumber	<RefNb>		[0..1]		449
	Method	<Mtd>		[0..1]		450
	TotalTaxableBaseAmount	<TtlTaxblBaseAmt>		[0..1]		450
	TotalTaxAmount	<TtlTaxAmt>		[0..1]		450
	Date	<Dt>		[0..1]		450
	SequenceNumber	<SeqNb>		[0..1]		451
	Record	<Rcrd>		[0..*]		451

Used in element(s)

"Tax" on page 175

5.201.1 Creditor

XML Tag: Cdtr

Presence: [0..1]

Definition: Party on the credit side of the transaction to which the tax applies.

The **Cdtr** block contains the following elements (see datatype "[TaxParty1_2](#)" on page 452 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	453
	RegistrationIdentification	<RegnId>		[0..1]	⚠	453
	TaxType	<TaxTp>		[0..1]	⚠	453

5.201.2 Debtor

XML Tag: Dbtr

Presence: [0..1]

Definition: Party on the debit side of the transaction to which the tax applies.

The **Dbtr** block contains the following elements (see datatype "[TaxParty2_2](#)" on page 456 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	456
	RegistrationIdentification	<RegnId>		[0..1]	⚠	456
	TaxType	<TaxTp>		[0..1]	⚠	456
	Authorisation	<Authstn>		[0..1]		457

5.201.3 AdministrationZone

XML Tag: AdmstnZone

Presence: [0..1]

Definition: Territorial part of a country to which the tax payment is related.

Datatype: "[CBPR_RestrictedFINXMax35Text](#)" on page 512

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/AdministrationZone](#)
 Type changed to: [CBPR_RestrictedFINXMax35Text](#) on page 512

5.201.4 ReferenceNumber

XML Tag: RefNb

Presence: [0..1]

Definition: Tax reference information that is specific to a taxing agency.

Datatype: ["CBPR_RestrictedFINXMax140Text" on page 509](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/ReferenceNumber](#)
Type changed to: [CBPR_RestrictedFINXMax140Text on page 509](#)

5.201.5 Method

XML Tag: Mtd

Presence: [0..1]

Definition: Method used to indicate the underlying business or how the tax is paid.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/Method](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.201.6 TotalTaxableBaseAmount

XML Tag: TtlTaxblBaseAmt

Presence: [0..1]

Definition: Total amount of money on which the tax is based.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

5.201.7 TotalTaxAmount

XML Tag: TtlTaxAmt

Presence: [0..1]

Definition: Total amount of money as result of the calculation of the tax.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

5.201.8 Date

XML Tag: Dt

Presence: [0..1]

Definition: Date by which tax is due.

Datatype: ["ISODate" on page 552](#)

5.201.9 SequenceNumber

XML Tag: SeqNb

Presence: [0..1]

Definition: Sequential number of the tax report.

Datatype: "Number" on page 560

5.201.10 Record

XML Tag: Rcrd

Presence: [0..*]

Definition: Record of tax details.

The **Rcrd** block contains the following elements (see datatype "TaxRecord2_2" on page 461 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]	⚠	462
	Category	<Ctgy>		[0..1]	⚠	462
	CategoryDetails	<CtgyDtls>		[0..1]	⚠	463
	DebtorStatus	<DbtrSts>		[0..1]	⚠	463
	CertificateIdentification	<CertId>		[0..1]	⚠	463
	FormsCode	<FrmsCd>		[0..1]	⚠	463
	Period	<Prd>		[0..1]		464
	TaxAmount	<TaxAmt>		[0..1]		464
	AdditionalInformation	<AddtlInf>		[0..1]	⚠	464

5.202 TaxParty1__1

Definition: Details about the entity involved in the tax paid or to be paid.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	452
	RegistrationIdentification	<RegnId>		[0..1]	⚠	452
	TaxType	<TaxTp>		[0..1]	⚠	452

Used in element(s)

"Creditor" on page 445

5.202.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the creditor.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 513

Usage Guideline details

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/Creditor/TaxIdentification**
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 513

5.202.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 513

Usage Guideline details

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/Creditor/RegistrationIdentification**
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 513

5.202.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: "CBPR_RestrictedFINXMax35Text_Extended" on page 513

Usage Guideline details

- **on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/Creditor/TaxType**
Type changed to: CBPR_RestrictedFINXMax35Text_Extended on page 513

5.203 TaxParty1__2

Definition: Details about the entity involved in the tax paid or to be paid.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	453
	RegistrationIdentification	<RegnId>		[0..1]	⚠	453
	TaxType	<TaxTp>		[0..1]	⚠	453

Used in element(s)

"Creditor" on page 448

5.203.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the creditor.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/Creditor/TaxIdentification**
Type changed to: CBPR_RestrictedFINXMax35Text on page 512

5.203.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/Creditor/RegistrationIdentification**
Type changed to: CBPR_RestrictedFINXMax35Text on page 512

5.203.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/Creditor/TaxType](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.204 TaxParty2__1

Definition: Details about the entity involved in the tax paid or to be paid.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	454
	RegistrationIdentification	<RegnId>		[0..1]	⚠	454
	TaxType	<TaxTp>		[0..1]	⚠	455
	Authorisation	<Authstrn>		[0..1]		455

Used in element(s)

"Debtor" on page 445, "UltimateDebtor" on page 445

5.204.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the debtor.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 513](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/Debtor/TaxIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/TaxIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)

5.204.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 513](#)

Usage Guideline details

- **on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/Debtor/RegistrationIdentification](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)
- **on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/RegistrationIdentification](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)

5.204.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 513](#)

Usage Guideline details

- **on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/Debtor/TaxType](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)
- **on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/UltimateDebtor/TaxType](#)**
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)

5.204.4 Authorisation

XML Tag: Authstn

Presence: [0..1]

Definition: Details of the authorised tax paying party.

The **Authstn** block contains the following elements (see datatype ["TaxAuthorisation1_1" on page 441](#) for details)

⊘ Removed -
 ⊘ Partial Removed -
 ◇ Ignored -
 ◇ Partial Ignored -
 ⚠ Details below -
 M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]	⚠	441
	Name	<Nm>		[0..1]	⚠	441

5.205 TaxParty2__2

Definition: Details about the entity involved in the tax paid or to be paid.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TaxIdentification	<TaxId>		[0..1]	⚠	456
	RegistrationIdentification	<RegnId>		[0..1]	⚠	456
	TaxType	<TaxTp>		[0..1]	⚠	456
	Authorisation	<Authstn>		[0..1]		457

Used in element(s)

"Debtor" on page 449

5.205.1 TaxIdentification

XML Tag: TaxId

Presence: [0..1]

Definition: Tax identification number of the debtor.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/Debtor/TaxIdentification**
Type changed to: CBPR_RestrictedFINXMax35Text on page 512

5.205.2 RegistrationIdentification

XML Tag: RegnId

Presence: [0..1]

Definition: Unique identification, as assigned by an organisation, to unambiguously identify a party.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/Debtor/RegistrationIdentification**
Type changed to: CBPR_RestrictedFINXMax35Text on page 512

5.205.3 TaxType

XML Tag: TaxTp

Presence: [0..1]

Definition: Type of tax payer.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/Debtor/TaxType](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.205.4 Authorisation

XML Tag: Authstn

Presence: [0..1]

Definition: Details of the authorised tax paying party.

The **Authstn** block contains the following elements (see datatype ["TaxAuthorisation1_2"](#) on page 442 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Title	<Titl>		[0..1]	⚠	442
	Name	<Nm>		[0..1]	⚠	442

5.206 TaxPeriod2

Definition: Period of time details related to the tax payment.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		457
	Type	<Tp>		[0..1]		458
	FromToDate	<FrToDt>		[0..1]		458

Used in element(s)

["Period" on page 465](#), ["Period" on page 460](#), ["Period" on page 464](#)

5.206.1 Year

XML Tag: Yr

Presence: [0..1]

Definition: Year related to the tax payment.

Datatype: ["ISODate" on page 552](#)

5.206.2 Type

XML Tag: Tp

Presence: [0..1]

Definition: Identification of the period related to the tax payment.

Datatype: ["TaxRecordPeriod1Code" on page 573](#)

5.206.3 FromToDate

XML Tag: FrToDt

Presence: [0..1]

Definition: Range of time between a start date and an end date for which the tax report is provided.

The **FrToDt** block contains the following elements (see datatype ["DatePeriod2" on page 150](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FromDate	<FrDt>		[1..1]		150
	ToDate	<ToDt>		[1..1]		150

5.207 TaxRecord2__1

Definition: Set of elements used to define the tax record.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]	⚠	459
	Category	<Ctgy>		[0..1]	⚠	459
	CategoryDetails	<CtgyDtls>		[0..1]	⚠	459
	DebtorStatus	<DbtrSts>		[0..1]	⚠	459
	CertificateIdentification	<CertId>		[0..1]	⚠	460
	FormsCode	<FrmsCd>		[0..1]	⚠	460
	Period	<Prd>		[0..1]		460
	TaxAmount	<TaxAmt>		[0..1]		461
	AdditionalInformation	<AddtlInf>		[0..1]	⚠	461

Used in element(s)

["Record" on page 447](#)

5.207.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: High level code to identify the type of tax details.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 513](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/Record/Type](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)

5.207.2 Category

XML Tag: CtgY

Presence: [0..1]

Definition: Specifies the tax code as published by the tax authority.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 513](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/Record/Category](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)

5.207.3 CategoryDetails

XML Tag: CtgYDtIs

Presence: [0..1]

Definition: Provides further details of the category tax code.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 513](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/Record/CategoryDetails](#)
Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)

5.207.4 DebtorStatus

XML Tag: DbtrSts

Presence: [0..1]

Definition: Code provided by local authority to identify the status of the party that has drawn up the settlement document.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 513](#)

Usage Guideline details

- **on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/Record/DebtorStatus](#)**

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)

5.207.5 Certificateldentification

XML Tag: CertId

Presence: [0..1]

Definition: Identification number of the tax report as assigned by the taxing authority.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 513](#)

Usage Guideline details

- **on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/Record/Certificateldentification](#)**

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)

5.207.6 FormsCode

XML Tag: FrmsCd

Presence: [0..1]

Definition: Identifies, in a coded form, on which template the tax report is to be provided.

Datatype: ["CBPR_RestrictedFINXMax35Text_Extended" on page 513](#)

Usage Guideline details

- **on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/Record/FormsCode](#)**

Type changed to: [CBPR_RestrictedFINXMax35Text_Extended on page 513](#)

5.207.7 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype "[TaxPeriod2](#)" on page 457 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		457
	Type	<Tp>		[0..1]		458
	FromToDate	<FrToDt>		[0..1]		458

5.207.8 TaxAmount

XML Tag: TaxAmt

Presence: [0..1]

Definition: Set of elements used to provide information on the amount of the tax record.

The **TaxAmt** block contains the following elements (see datatype "[TaxAmount2](#)" on page 437 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		437
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		437
	TotalAmount	<TtlAmt>		[0..1]		437
	Details	<Dtls>		[0..*]		437

5.207.9 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Further details of the tax record.

Datatype: "[CBPR_RestrictedFINXMax140Text_Extended](#)" on page 510

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RemittanceInformation/Structured/TaxRemittance/Record/AdditionalInformation](#)
Type changed to: [CBPR_RestrictedFINXMax140Text_Extended](#) on page 510

5.208 TaxRecord2__2

Definition: Set of elements used to define the tax record.

Removed - Partial Removed - Ignored - Partial Ignored - Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[0..1]		462
	Category	<Ctgy>		[0..1]		462
	CategoryDetails	<CtgyDtls>		[0..1]		463
	DebtorStatus	<DbtrSts>		[0..1]		463
	CertificateIdentification	<CertId>		[0..1]		463
	FormsCode	<FrmsCd>		[0..1]		463
	Period	<Prd>		[0..1]		464
	TaxAmount	<TaxAmt>		[0..1]		464
	AdditionalInformation	<AddtlInf>		[0..1]		464

Used in element(s)

"Record" on page 451

5.208.1 Type

XML Tag: Tp

Presence: [0..1]

Definition: High level code to identify the type of tax details.

Datatype: "CBPR RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/Record/Type**
Type changed to: CBPR RestrictedFINXMax35Text on page 512

5.208.2 Category

XML Tag: Ctgy

Presence: [0..1]

Definition: Specifies the tax code as published by the tax authority.

Datatype: "CBPR RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/Record/Category**
Type changed to: CBPR RestrictedFINXMax35Text on page 512

5.208.3 CategoryDetails

XML Tag: CtgDtls

Presence: [0..1]

Definition: Provides further details of the category tax code.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/Record/CategoryDetails](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.208.4 DebtorStatus

XML Tag: DbtrSts

Presence: [0..1]

Definition: Code provided by local authority to identify the status of the party that has drawn up the settlement document.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/Record/DebtorStatus](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.208.5 CertificateIdentification

XML Tag: CertId

Presence: [0..1]

Definition: Identification number of the tax report as assigned by the taxing authority.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/Record/CertificateIdentification](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.208.6 FormsCode

XML Tag: FrmsCd

Presence: [0..1]

Definition: Identifies, in a coded form, on which template the tax report is to be provided.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/Record/FormsCode](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.208.7 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype "[TaxPeriod2](#)" on page 457 for details)

⊗ Removed - ⊗ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		457
	Type	<Tp>		[0..1]		458
	FromDate	<FrToDt>		[0..1]		458

5.208.8 TaxAmount

XML Tag: TaxAmt

Presence: [0..1]

Definition: Set of elements used to provide information on the amount of the tax record.

The **TaxAmt** block contains the following elements (see datatype "[TaxAmount2](#)" on page 437 for details)

⊗ Removed - ⊗ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Rate	<Rate>		[0..1]		437
	TaxableBaseAmount	<TaxblBaseAmt>		[0..1]		437
	TotalAmount	<TtlAmt>		[0..1]		437
	Details	<Dtls>		[0..*]		437

5.208.9 AdditionalInformation

XML Tag: AddtlInf

Presence: [0..1]

Definition: Further details of the tax record.

Datatype: ["CBPR_RestrictedFINXMax140Text" on page 509](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/Tax/Record/AdditionalInformation](#)
Type changed to: [CBPR_RestrictedFINXMax140Text on page 509](#)

5.209 TaxRecordDetails2

Definition: Provides information on the individual tax amount(s) per period of the tax record.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Period	<Prd>		[0..1]		465
	Amount	<Amt>		[1..1]		465

Used in element(s)

["Details" on page 437](#)

5.209.1 Period

XML Tag: Prd

Presence: [0..1]

Definition: Set of elements used to provide details on the period of time related to the tax payment.

The **Prd** block contains the following elements (see datatype ["TaxPeriod2" on page 457](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Year	<Yr>		[0..1]		457
	Type	<Tp>		[0..1]		458
	FromDate	<FrToDt>		[0..1]		458

5.209.2 Amount

XML Tag: Amt

Presence: [1..1]

Definition: Underlying tax amount related to the specified period.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

5.210 TechnicalInputChannel1Choice__1

Definition: Specifies the technical input channel.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Code	<Cd>	{Or	[1..1]		466
	Proprietary	<Prtry>	Or}	[1..1]	⚠	466

Used in element(s)

["TechnicalInputChannel" on page 422](#)

5.210.1 Code

XML Tag: Cd

Presence: [1..1]

Definition: Technical input channel, as published in an external technical input channel code list.

Datatype: ["ExternalTechnicalInputChannel1Code" on page 550](#)

5.210.2 Proprietary

XML Tag: Prtry

Presence: [1..1]

Definition: Technical channel used to input the instruction, in a proprietary form.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/TechnicalInputChannel/Proprietary](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.211 TotalTransactions6__1

Definition: Set of elements used to provide summary information on entries.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TotalEntries	<TtINtries>		[0..1]		467
	TotalCreditEntries	<TtICdtNtries>		[0..1]		467
	TotalDebitEntries	<TtIDbtNtries>		[0..1]		467

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TotalEntriesPerBankTransaction-Code	<TtlNtriesPerBkTxCd>		[0..*]		468

Used in element(s)

["TransactionsSummary" on page 33](#)

5.211.1 TotalEntries

XML Tag: TtlNtries

Presence: [0..1]

Definition: Specifies the total number and sum of debit and credit entries.

The **TtlNtries** block contains the following elements (see datatype "[NumberAndSumOfTransactions4](#)" on page 246 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NumberOfEntries	<NbOfNtries>		[0..1]		246
	Sum	<Sum>		[0..1]		246
	TotalNetEntry	<TtlNetNtry>		[0..1]		246

5.211.2 TotalCreditEntries

XML Tag: TtlCdtNtries

Presence: [0..1]

Definition: Specifies the total number and sum of credit entries.

The **TtlCdtNtries** block contains the following elements (see datatype "[NumberAndSumOfTransactions1](#)" on page 245 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NumberOfEntries	<NbOfNtries>		[0..1]		245
	Sum	<Sum>		[0..1]		246

5.211.3 TotalDebitEntries

XML Tag: TtlDbtNtries

Presence: [0..1]

Definition: Specifies the total number and sum of debit entries.

The **TtlDbtNtries** block contains the following elements (see datatype "NumberAndSumOfTransactions1" on page 245 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NumberOfEntries	<NbOfNtries>		[0..1]		245
	Sum	<Sum>		[0..1]		246

5.211.4 TotalEntriesPerBankTransactionCode

XML Tag: TtlNtriesPerBkTxCd

Presence: [0..*]

Definition: Specifies the total number and sum of entries per bank transaction code.

The **TtlNtriesPerBkTxCd** block contains the following elements (see datatype "TotalsPerBankTransactionCode5__1" on page 468 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]


Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NumberOfEntries	<NbOfNtries>		[0..1]		469
	Sum	<Sum>		[0..1]		469
	TotalNetEntry	<TtlNetNtry>		[0..1]		469
	CreditEntries	<CdtNtries>		[0..1]		470
	DebitEntries	<DbtNtries>		[0..1]		470
	ForecastIndicator	<FcstInd>		[0..1]		470
	BankTransactionCode	<BkTxCd>		[1..1]	⚠	470
	Availability	<Avlby>		[0..*]		471
	Date	<Dt>		[0..1]		471

5.212 TotalsPerBankTransactionCode5__1

Definition: Set of elements used to provide the total sum of entries per bank transaction code.

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NumberOfEntries	<NbOfNtries>		[0..1]		469
	Sum	<Sum>		[0..1]		469

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TotalNetEntry	<TtlNetNtry>		[0..1]		469
	CreditEntries	<CdtNtries>		[0..1]		470
	DebitEntries	<DbtNtries>		[0..1]		470
	ForecastIndicator	<FcstInd>		[0..1]		470
	BankTransactionCode	<BkTxCd>		[1..1]		470
	Availability	<Avlbtly>		[0..*]		471
	Date	<Dt>		[0..1]		471

Used in element(s)

"TotalEntriesPerBankTransactionCode" on page 468

5.212.1 NumberOfEntries

XML Tag: NbOfNtries

Presence: [0..1]

Definition: Number of individual entries for the bank transaction code.

Datatype: "Max15NumericText" on page 555

5.212.2 Sum

XML Tag: Sum

Presence: [0..1]

Definition: Total of all individual entries included in the report.

Datatype: "DecimalNumber" on page 526







5.212.3 TotalNetEntry

XML Tag: TtlNetNtry

Presence: [0..1]

Definition: Total debit or credit amount that is the result of the netted amounts for all debit and credit entries per bank transaction code.

The **TtlNetNtry** block contains the following elements (see datatype "[AmountAndDirection35](#)" on page 48 for details)

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		48
	CreditDebitIndicator	<CdtDbtInd>		[1..1]		48

5.212.4 CreditEntries

XML Tag: CdtNtries

Presence: [0..1]

Definition: Number of individual credit entries for the bank transaction code.

The **CdtNtries** block contains the following elements (see datatype "[NumberAndSumOfTransactions1](#)" on page 245 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NumberOfEntries	<NbOfNtries>		[0..1]		245
	Sum	<Sum>		[0..1]		246

5.212.5 DebitEntries

XML Tag: DbtNtries

Presence: [0..1]

Definition: Number of individual debit entries for the bank transaction code.

The **DbtNtries** block contains the following elements (see datatype "[NumberAndSumOfTransactions1](#)" on page 245 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	NumberOfEntries	<NbOfNtries>		[0..1]		245
	Sum	<Sum>		[0..1]		246

5.212.6 ForecastIndicator

XML Tag: FcstInd

Presence: [0..1]

Definition: Indicates whether the bank transaction code is related to booked or forecast items.

Datatype: "[TrueFalseIndicator](#)" on page 576

5.212.7 BankTransactionCode

XML Tag: BkTxCd

Presence: [1..1]

Definition: Set of elements used to fully identify the type of underlying transaction resulting in an entry.

The **BkTxCd** block contains the following elements (see datatype "[BankTransactionCodeStructure4_1](#)" on page 51 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Domain	<Domn>		[0..1]		52
	Proprietary	<Prtry>		[0..1]		52

Usage Guideline details

- **on camt.052.001.08/Report/TransactionsSummary/TotalEntriesPerBankTransaction-Code/BankTransactionCode**
 - **CBPR_Domain_Proprietary_Recommendation_TextualRule:**

BankTransactionCode/ Domain/ Code is the preferred option and should be used when possible.

5.212.8 Availability

XML Tag: Avlbty

Presence: [0..*]

Definition: Set of elements used to indicate when the booked amount of money will become available, that is can be accessed and starts generating interest.

The **Avlbty** block contains the following elements (see datatype "CashAvailability1" on page 99 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Date	<Dt>		[1..1]		99
	Amount	<Amt>		[1..1]		99
	CreditDebitIndicator	<CdtDbtInd>		[1..1]		100

5.212.9 Date


XML Tag: Dt

Presence: [0..1]

Definition: Indicates the date (and time) of the transaction summary.







The **Dt** block contains the following elements (see datatype "DateAndDateTime2Choice 1" on page 143 for details)


⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Date	<Dt>	{Or	[1..1]		144
	DateTime	<DtTm>	Or}	[1..1]		144

5.213 TrackData1__1

Definition: Magnetic track or equivalent payment card data.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -
 Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TrackNumber	<TrckNb>		[0..1]		472
	TrackValue	<TrckVal>		[1..1]		472

Used in element(s)

["TrackData" on page 302](#)

5.213.1 TrackNumber

XML Tag: TrckNb

Presence: [0..1]

Definition: Track number of the card.

Datatype: ["Exact1NumericText" on page 530](#)

5.213.2 TrackValue

XML Tag: TrckVal

Presence: [1..1]

Definition: Card track content or equivalent.

Datatype: ["CBPR_RestrictedFINXMax140Text" on page 509](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/CardTransaction/Card/PlainCardData/TrackData/TrackValue](#)
Type changed to: [CBPR_RestrictedFINXMax140Text on page 509](#)
- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Card/PlainCardData/TrackData/TrackValue](#)
Type changed to: [CBPR_RestrictedFINXMax140Text on page 509](#)

5.214 TransactionAgents5__1

Definition: Provides further details on the agents specific to the individual transaction.

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InstructingAgent	<InstgAgt>		[0..1]		473
	InstructedAgent	<InstdAgt>		[0..1]		473
	DebtorAgent	<DbtrAgt>		[0..1]	⚠	474
	CreditorAgent	<CdtrAgt>		[0..1]	⚠	474
	IntermediaryAgent1	<IntrmyAgt1>		[0..1]		475
	IntermediaryAgent2	<IntrmyAgt2>		[0..1]		475
	IntermediaryAgent3	<IntrmyAgt3>		[0..1]		476
	ReceivingAgent	<RcvgAgt>		[0..1]		476
	DeliveringAgent	<DlvrAgt>		[0..1]		476
	IssuingAgent	<IssgAgt>		[0..1]		477
	SettlementPlace	<SttlmPlc>		[0..1]		477
	Proprietary	<Prtry>		[0..*]		478

Used in element(s)

"RelatedAgents" on page 170

5.214.1 InstructingAgent

XML Tag: InstgAgt

Presence: [0..1]

Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).

The **InstgAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6_4" on page 60 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		60
	BranchIdentification	<BrnchId>		[0..1]		60

5.214.2 InstructedAgent

XML Tag: InstdAgt

Presence: [0..1]

Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).

The **InstdAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_2](#)" on page 57 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		57
	BranchIdentification	<BrnchId>		[0..1]		58

5.214.3 DebtorAgent

XML Tag: DbtrAgt

Presence: [0..1]

Definition: Financial institution servicing an account for the debtor.

The **DbtrAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_2](#)" on page 57 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		57
	BranchIdentification	<BrnchId>		[0..1]		58

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/DebtorAgent](#)
 – **CBPR_Debtor_Agent_TextualRule:**

One of the following must be provided - BIC or Clearing System Member or Name.
 In instances where the ReversalIndicator <RvslInd> is TRUE, the Creditor Agent and Debtor Agent must be the same as the Creditor Agent and Debtor Agent of the original entry.

5.214.4 CreditorAgent

XML Tag: CdtrAgt

Presence: [0..1]

Definition: Financial institution servicing an account for the creditor.

The **CdtrAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_2](#)" on page 57 for details)

🚫 Removed - 🚫 Partial Removed - ⬜ Ignored - ⬜ Partial Ignored - ⚠️ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		57
	BranchIdentification	<BrnchId>		[0..1]		58

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedAgents/CreditorAgent
 - **CBPR_Creditor_Agent_TextualRule:**

In instances where the ReversalIndicator <RvslInd> is TRUE, the Creditor Agent and Debtor Agent must be the same as the Creditor Agent and Debtor Agent of the original entry.

5.214.5 IntermediaryAgent1

XML Tag: IntrmyAgt1

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If more than one intermediary agent is present, then IntermediaryAgent1 identifies the agent between the DebtorAgent and the IntermediaryAgent2.

The **IntrmyAgt1** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_2](#)" on page 57 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		57
	BranchIdentification	<BrnchId>		[0..1]		58

5.214.6 IntermediaryAgent2

XML Tag: IntrmyAgt2

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If more than two intermediary agents are present, then IntermediaryAgent2 identifies the agent between the IntermediaryAgent1 and the IntermediaryAgent3.

The **IntrmyAgt2** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_3](#)" on page 58 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		59
	BranchIdentification	<BrnchId>		[0..1]		59

5.214.7 IntermediaryAgent3

XML Tag: IntrmyAgt3

Presence: [0..1]

Definition: Agent between the debtor's agent and the creditor's agent.

Usage: If IntermediaryAgent3 is present, then it identifies the agent between the IntermediaryAgent 2 and the CreditorAgent.

The **IntrmyAgt3** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6_2" on page 57 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		57
	BranchIdentification	<BrnchId>		[0..1]		58

5.214.8 ReceivingAgent

XML Tag: RcvgAgt

Presence: [0..1]

Definition: Party that receives securities from the delivering agent at the place of settlement, such as central securities depository.

Can also be used in the context of treasury operations.

The **RcvgAgt** block contains the following elements (see datatype "BranchAndFinancialInstitutionIdentification6_2" on page 57 for details)

⊘ Removed - !⊘ Partial Removed - ◇ Ignored - !◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		57
	BranchIdentification	<BrnchId>		[0..1]		58

5.214.9 DeliveringAgent

XML Tag: DlvrgAgt

Presence: [0..1]

Definition: Party that delivers securities to the receiving agent at the place of settlement, such as a central securities depository.

Can also be used in the context of treasury operations.

The **DlvrgAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_3](#)" on page 58 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		59
	BranchIdentification	<BrnchId>		[0..1]		59

5.214.10 IssuingAgent

XML Tag: IssgAgt

Presence: [0..1]

Definition: Legal entity that has the right to issue securities.

The **IssgAgt** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_2](#)" on page 57 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		57
	BranchIdentification	<BrnchId>		[0..1]		58

5.214.11 SettlementPlace

XML Tag: SttlmPlc

Presence: [0..1]

Definition: Place where settlement of the securities takes place.

Usage: This is typed by a financial institution identification as this is the standard way to identify a securities settlement agent/central system.

The **SttlmPlc** block contains the following elements (see datatype "[BranchAndFinancialInstitutionIdentification6_3](#)" on page 58 for details)

🚫 Removed - 🚫 Partial Removed - ⚡ Ignored - ⚡ Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FinancialInstitutionIdentification	<FinInstnId>		[1..1]		59
	BranchIdentification	<BrnchId>		[0..1]		59

5.214.12 Proprietary

XML Tag: Prtry

Presence: [0..*]

Definition: Proprietary agent related to the underlying transaction.

The **Prtry** block contains the following elements (see datatype "ProprietaryAgent4_1" on page 393 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]	⚠	393
	Agent	<Agt>		[1..1]		393

5.215 TransactionDates3__1

Definition: Set of elements used to provide information on the dates related to the underlying individual transaction.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	AcceptanceDateTime	<AcceptncDtTm>		[0..1]	⚠	479
	TradeActivityContractualSettlementDate	<TradActvtyCtrctlSttlmDt>		[0..1]		479
	TradeDate	<TradDt>		[0..1]		479
	InterbankSettlementDate	<IntrBkSttlmDt>		[0..1]		479
	StartDate	<StartDt>		[0..1]		479
	EndDate	<EndDt>		[0..1]		480
	TransactionDateTime	<TxDtTm>		[0..1]	⚠	480
	Proprietary	<Prtry>		[0..*]		480

Used in element(s)

"RelatedDates" on page 173

5.215.1 AcceptanceDateTime

XML Tag: AcptncDtTm

Presence: [0..1]

Definition: Point in time when the payment order from the initiating party meets the processing conditions of the account servicing agent. This means that the account servicing agent has received the payment order and has applied checks such as authorisation, availability of funds.

Datatype: ["CBPR_DateTime" on page 508](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedDates/Acceptance-DateTime](#)

Type changed to: [CBPR_DateTime on page 508](#)

5.215.2 TradeActivityContractualSettlementDate

XML Tag: TradActvtyCtrctlSttlmDt

Presence: [0..1]

Definition: Identifies when an amount of money should have contractually been credited or debited the account versus when the amount of money was actually settled (debited/credited) on the cash account.

Datatype: ["ISODate" on page 552](#)

5.215.3 TradeDate

XML Tag: TradDt

Presence: [0..1]

Definition: Date on which the trade was executed.

Datatype: ["ISODate" on page 552](#)

5.215.4 InterbankSettlementDate

XML Tag: IntrBkSttlmDt

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Datatype: ["ISODate" on page 552](#)

5.215.5 StartDate

XML Tag: StartDt

Presence: [0..1]

Definition: Start date of the underlying transaction, such as a treasury transaction, an investment plan.

Datatype: ["ISODate" on page 552](#)

5.215.6 EndDate

XML Tag: EndDt

Presence: [0..1]

Definition: End date of the underlying transaction, such as a treasury transaction, an investment plan.

Datatype: "ISODate" on page 552

5.215.7 TransactionDateTime

XML Tag: TxDtTm

Presence: [0..1]

Definition: Date and time of the underlying transaction.

Datatype: "CBPR_DateTime" on page 508

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedDates/Transaction-DateTime
Type changed to: [CBPR_DateTime on page 508](#)

5.215.8 Proprietary

XML Tag: Prtry

Presence: [0..*]

Definition: Proprietary date related to the underlying transaction.

The **Prtry** block contains the following elements (see datatype "ProprietaryDate3__1" on page 395 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]


Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]	⚠	396
	Date	<Dt>		[1..1]		396

5.216 TransactionIdentifier1__1

Definition: Identification of the transaction in an unambiguous way.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TransactionDateTime	<TxDtTm>		[1..1]	⚠	481

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TransactionReference	<TxRef>		[1..1]		481

Used in element(s)

"TransactionIdentification" on page 85

5.216.1 TransactionDateTime

XML Tag: TxDtTm

Presence: [1..1]

Definition: Local date and time of the transaction assigned by the POI (Point Of Interaction).

Datatype: "CBPR_DateTime" on page 508

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Transaction/Individual/TransactionIdentification/TransactionDateTime](#)
Type changed to: [CBPR_DateTime on page 508](#)

5.216.2 TransactionReference

XML Tag: TxRef

Presence: [1..1]

Definition: Identification of the transaction that has to be unique for a time period.







Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/CardTransaction/Transaction/Individual/TransactionIdentification/TransactionReference](#)
Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.217 TransactionInterest4__1

Definition: Provide further details on transaction specific interest information that applies to the underlying transaction.

 Removed -  Partial Removed -  Ignored -  Partial Ignored -  Details below -  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	TotalInterestAndTaxAmount	<TtlIntrstAndTaxAmt>		[0..1]		482
	Record	<Rcrd>		[0..*]		482

Used in element(s)

["Interest" on page 422](#), ["Interest" on page 169](#)

5.217.1 TotalInterestAndTaxAmount

XML Tag: TtlIntrstAndTaxAmt

Presence: [0..1]

Definition: Total amount of interests and taxes included in the entry amount.

Datatype: ["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

5.217.2 Record

XML Tag: Rcrd

Presence: [0..*]

Definition: Individual interest record.

The **Rcrd** block contains the following elements (see datatype ["InterestRecord2_1" on page 239](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Amount	<Amt>		[1..1]		239
	CreditDebitIndicator	<CdtDbtInd>		[1..1]		239
	Type	<Tp>		[0..1]		239
	Rate	<Rate>		[0..1]		240
	FromDate	<FrToDt>		[0..1]		240
	Reason	<Rsn>		[0..1]	⚠	240
	Tax	<Tax>		[0..1]		241

5.218 TransactionParties6__1

Definition: Provides further details on the parties specific to the individual transaction.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	InitiatingParty	<InitgPty>		[0..1]	⚠	483
	Debtor	<Dbtr>		[0..1]	⚠	483
	DebtorAccount	<DbtrAcct>		[0..1]	⚠	484
	UltimateDebtor	<UltmtDbtr>		[0..1]	⚠	485

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Creditor	<Cdtr>		[0..1]		485
	CreditorAccount	<CdtrAcct>		[0..1]		486
	UltimateCreditor	<UltmtCdtr>		[0..1]		486
	TradingParty	<TradgPty>		[0..1]		487
	Proprietary	<Prtry>		[0..*]		487

Used in element(s)

"RelatedParties" on page 170

5.218.1 InitiatingParty

XML Tag: InitgPty

Presence: [0..1]

Definition: Party that initiated the payment that is reported in the entry.

The **InitgPty** block contains the following elements (see datatype "Party40Choice_1" on page 263 for details)

Removed - Partial Removed - Ignored - Partial Ignored - Details below - Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		264
	Agent	<Agt>	Or}	[1..1]		264

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/InitiatingParty
 - **CBPR_Initiating_Party_TextualRule:**

Party initiating the payment to an agent. In the payment context, this can either be the debtor (in a credit transfer), the creditor (in a direct debit), or a party that initiates the payment on behalf of the debtor or creditor. In the context of treasury, the party that instructs the trading party to execute a treasury deal on its behalf.







5.218.2 Debtor

XML Tag: Dbtr

Presence: [0..1]

Definition: Party that owes an amount of money to the (ultimate) creditor.

The **Dbtr** block contains the following elements (see datatype "[Party40Choice_1](#)" on page 263 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		264
	Agent	<Agt>	Or}	[1..1]		264

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Debtor](#)

– CBPR_Debtor_TextualRule:

For outward payments, report if different from account owner. For inward payments, report where available. In instances where the ReversalIndicator <Rvs-lInd> is TRUE, the Creditor and Debtor must be the same as the Creditor and Debtor of the original entry.







5.218.3 DebtorAccount


XML Tag: DbtrAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor.

The **DbtrAcct** block contains the following elements (see datatype "[CashAccount38_1](#)" on page 92 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		92
	Type	<Tp>		[0..1]		93
	Currency	<Ccy>		[0..1]		93
	Name	<Nm>		[0..1]		93
	Proxy	<Prxy>		[0..1]		94

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/DebtorAccount](#)

– CBPR_Debtor_Account_TextualRule:

For inward payment, report where available. Conditional on the country regulatory requirement. Recommendation: If IBAN is available populate in IBAN tag, else populate Other.

5.218.4 UltimateDebtor

XML Tag: UltmtDbtr

Presence: [0..1]

Definition: Ultimate party that owes an amount of money to the (ultimate) creditor.

The **UltmtDbtr** block contains the following elements (see datatype "Party40Choice 1" on page 263 for details)

⊗ Removed - ⊗ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		264
	Agent	<Agt>	Or}	[1..1]		264

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/UltimateDebtor**
 - CBPR_Ultimate_Debtor_TextualRule:**

In instances where the ReversalIndicator <RvslInd> is TRUE, the Ultimate Creditor and Ultimate Debtor must be the same as the Ultimate Creditor and Ultimate Debtor of the original entry.

5.218.5 Creditor

XML Tag: Cdtr

Presence: [0..1]

Definition: Party to which an amount of money is due.

The **Cdtr** block contains the following elements (see datatype "Party40Choice 1" on page 263 for details)

⊗ Removed - ⊗ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		264
	Agent	<Agt>	Or}	[1..1]		264

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Creditor**
 - **CBPR_Creditor_TextualRule:**

For outward payment, report where available. In instances where the ReversalIndicator <RvslInd> is TRUE, the Creditor and Debtor must be the same as the Creditor and Debtor of the original entry.

5.218.6 CreditorAccount

XML Tag: CdtrAcct

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor to which a credit entry has been posted as a result of the payment transaction.

The **CdtrAcct** block contains the following elements (see datatype "CashAccount38 1" on page 92 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ▲ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Identification	<Id>		[1..1]		92
	Type	<Tp>		[0..1]		93
	Currency	<Ccy>		[0..1]		93
	Name	<Nm>		[0..1]	▲	93
	Proxy	<Prxy>		[0..1]		94

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/CreditorAccount**
 - **CBPR_Creditor_Account_TextualRule:**

For outward, payment, report where available. Recommendation: If IBAN is available populate IBAN tag, else populate Other.

5.218.7 UltimateCreditor

XML Tag: UltmtCdtr

Presence: [0..1]

Definition: Ultimate party to which an amount of money is due.

The **UltmtCdtr** block contains the following elements (see datatype "Party40Choice 1" on page 263 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		264
	Agent	<Agt>	Or}	[1..1]		264

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Ultimate-Creditor**
 - CBPR_Ultimate_Creditor_TextualRule:**

Ultimate party to which an amount of money is due. In instances where the ReversalIndicator <RvslInd> is TRUE, the Ultimate Creditor and Ultimate Debtor must be the same as the Ultimate Creditor and Ultimate Debtor of the original entry.

5.218.8 TradingParty

XML Tag: TradgPty

Presence: [0..1]

Definition: Party that plays an active role in planning and executing the transactions that create or liquidate investments of the investors assets, or that move the investor's assets from one investment to another. A trading party is a trade instructor, an investment decision-maker, a post trade administrator, or a trader. In the context of treasury, it is the party that negotiates and executes the treasury transaction.

The **TradgPty** block contains the following elements (see datatype "Party40Choice 2" on page 265 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Party	<Pty>	{Or	[1..1]		265
	Agent	<Agt>	Or}	[1..1]		265

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/TradingParty**

Comment:
Optional to facilitate the reporting of other (non-payment related) financial transactions.

5.218.9 Proprietary

XML Tag: Prtry

Presence: [0..*]

Definition: Proprietary party related to the underlying transaction.

The **Prtry** block contains the following elements (see datatype "ProprietaryParty5_1" on page 396 for details)

🚫 Removed - 🚫 Partial Removed - ⚠ Ignored - 🚫 Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]	⚠	397
	Party	<Pty>		[1..1]		397

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/RelatedParties/Proprietary

Comment:

Optional to facilitate the reporting of other (non-payment related) financial transactions.

5.219 TransactionPrice4Choice__1

Definition: Specifies the price information related to the underlying transaction.

🚫 Removed - 🚫 Partial Removed - ⚠ Ignored - 🚫 Partial Ignored - ⚠ Details below - **M** Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	DealPrice	<DealPric>	{Or	[1..1]		488
	Proprietary	<Prtry>	Or}	[1..*]		489

Used in element(s)

"RelatedPrice" on page 174

5.219.1 DealPrice

XML Tag: DealPric

Presence: [1..1]

Definition: Specifies the price of the traded financial instrument.

This is the deal price of the individual trade transaction.

If there is only one trade transaction for the execution of the trade, then the deal price could equal the executed trade price (unless, for example, the price includes commissions or rounding, or some other factor has been applied to the deal price or the executed trade price, or both).

The **DealPric** block contains the following elements (see datatype "Price7_1" on page 389 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		389
	Value	<Val>		[1..1]		390

5.219.2 Proprietary

XML Tag: Prtry

Presence: [1..*]

Definition: Proprietary price specification related to the underlying transaction.

The **Prtry** block contains the following elements (see datatype "[ProprietaryPrice2_1](#)" on page 397 for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]	⚠	398
	Price	<Pric>		[1..1]		398

5.220 TransactionQuantities3Choice__1

Definition: Specifies the quantities (such as securities) in the underlying transaction.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Quantity	<Qty>	{Or	[1..1]		489
	OriginalAndCurrentFaceAmount	<OrgnlAndCurFaceAmt>	Or	[1..1]		490
	Proprietary	<Prtry>	Or}	[1..1]		490

Used in element(s)

"[RelatedQuantities](#)" on page 174







5.220.1 Quantity

XML Tag: Qty

Presence: [1..1]

Definition: Specifies the quantity (such as securities) in the underlying transaction.

The **Qty** block contains the following elements (see datatype "[FinancialInstrumentQuantity1Choice](#)" on page 191 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Unit	<Unit>	{Or	[1..1]		192
	FaceAmount	<FaceAmt>	Or	[1..1]		192
	AmortisedValue	<AmtsdVal>	Or}	[1..1]		192







5.220.2 OriginalAndCurrentFaceAmount

XML Tag: OrgnlAndCurFaceAmt

Presence: [1..1]

Definition: Face amount and amortised value of security.

The **OrgnlAndCurFaceAmt** block contains the following elements (see datatype "OriginalAndCurrentQuantities1" on page 255 for details)

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	FaceAmount	<FaceAmt>		[1..1]		255
	AmortisedValue	<AmtsdVal>		[1..1]		255







5.220.3 Proprietary



XML Tag: Prtry

Presence: [1..1]

Definition: Proprietary quantities specification defined in the underlying transaction.







The **Prtry** block contains the following elements (see datatype "ProprietaryQuantity1__1" on page 398 for details)















 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]		398
	Quantity	<Qty>		[1..1]		399

5.221 TransactionReferences6__1

Definition: Identifies the underlying transaction.

 Removed -
  Partial Removed -
  Ignored -
  Partial Ignored -
  Details below -
  Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	MessageIdentification	<Msgld>		[0..1]		491
	AccountServicerReference	<AcctSvcrRef>		[0..1]		491
	PaymentInformationIdentification	<PmtInflId>		[0..1]		492
	InstructionIdentification	<InstrId>		[0..1]		492
	EndToEndIdentification	<EndToEndId>		[0..1]		493
	UETR	<UETR>		[0..1]		493
	TransactionIdentification	<TxId>		[0..1]		494
	MandatIdentification	<MndtId>		[0..1]		494
	ChequeNumber	<ChqNb>		[0..1]		494
	ClearingSystemReference	<ClrSysRef>		[0..1]		495
	AccountOwnerTransactionIdentification	<AcctOwnrTxId>		[0..1]		495
	AccountServicerTransactionIdentification	<AcctSvcrTxId>		[0..1]		495
	MarketInfrastructureTransactionIdentification	<MktInfrstrctrTxId>		[0..1]		496
	ProcessingIdentification	<PrctlId>		[0..1]		496
	Proprietary	<Prtry>		[0..*]		496

Used in element(s)

"References" on page 165

5.221.1 MessageIdentification

XML Tag: Msgld

Presence: [0..1]

Definition: Point to point reference, as assigned by the instructing party of the underlying message.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References/MessageIdentification

Type changed to: CBPR_RestrictedFINXMax35Text on page 512

5.221.2 AccountServicerReference

XML Tag: AcctSvcrRef

Presence: [0..1]

Definition: Unique reference, as assigned by the account servicing institution, to unambiguously identify the instruction.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References/AccountServicerReference](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.221.3 PaymentInformationIdentification

XML Tag: PmtInfId

Presence: [0..1]

Definition: Unique identification, as assigned by a sending party, to unambiguously identify the payment information group within the message.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References/PaymentInformationIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.221.4 InstructionIdentification

XML Tag: InstrId

Presence: [0..1]

Definition: Unique identification, as assigned by an instructing party for an instructed party, to unambiguously identify the instruction.

Usage: The instruction identification is a point to point reference that can be used between the instructing party and the instructed party to refer to the individual instruction. It can be included in several messages related to the instruction.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References/InstructionIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References/InstructionIdentification](#)

– **CBPR_Original_Instruction_Identification_FormaRule:**

This field must not start or end with a slash '/' and must not contain two consecutive slashes '//'.

For each [Full Message/Document/BankToCustomerAccountReportV08/Report/Entry/EntryDetails/TransactionDetails/References/InstructionIdentification],
 the value of every occurrence of [InstructionIdentification] must not comply with the following XML pattern : '(/*.)|(.*/*)|(.*//.*)'

5.221.5 EndToEndIdentification

XML Tag: EndToEndId

Presence: [0..1]

Definition: Unique identification, as assigned by the initiating party, to unambiguously identify the transaction. This identification is passed on, unchanged, throughout the entire end-to-end chain.

Usage: The end-to-end identification can be used for reconciliation or to link tasks relating to the transaction. It can be included in several messages related to the transaction.

Usage: In case there are technical limitations to pass on multiple references, the end-to-end identification must be passed on throughout the entire end-to-end chain.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References/EndToEndIdentification**

Type changed to: CBPR_RestrictedFINXMax35Text on page 512

5.221.6 UETR

XML Tag: UETR

Presence: [0..1]

Definition: Universally unique identifier to provide an end-to-end reference of a payment transaction.

Datatype: "UUIDv4Identifier" on page 577

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References/UETR**

– **CBPR_UETR_TextualRule:**

If the underlying transaction contains/owns a UETR then it should be reported in the camt.052 message.

5.221.7 TransactionIdentification

XML Tag: TxId

Presence: [0..1]

Definition: Unique identification, as assigned by the first instructing agent, to unambiguously identify the transaction that is passed on, unchanged, throughout the entire interbank chain.

Usage: The transaction identification can be used for reconciliation, tracking or to link tasks relating to the transaction on the interbank level.

Usage: The instructing agent has to make sure that the transaction identification is unique for a pre-agreed period.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References/TransactionIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.221.8 MandateIdentification

XML Tag: MndtId

Presence: [0..1]

Definition: Unique identification, as assigned by the creditor, to unambiguously identify the mandate.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References/MandateIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.221.9 ChequeNumber

XML Tag: ChqNb

Presence: [0..1]

Definition: Unique and unambiguous identifier for a cheque as assigned by the agent.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References/ChequeNumber](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.221.10 ClearingSystemReference

XML Tag: ClrSysRef

Presence: [0..1]

Definition: Unique reference, as assigned by a clearing system, to unambiguously identify the instruction.

Usage: In case there are technical limitations to pass on multiple references, the end-to-end identification must be passed on throughout the entire end-to-end chain.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References/ClearingSystemReference**

Type changed to: CBPR_RestrictedFINXMax35Text on page 512

5.221.11 AccountOwnerTransactionIdentification

XML Tag: AcctOwnrTxId

Presence: [0..1]

Definition: Unambiguous identification of the securities transaction as known by the securities account owner (or the instructing party managing the account).

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References/AccountOwnerTransactionIdentification**

Type changed to: CBPR_RestrictedFINXMax35Text on page 512

5.221.12 AccountServicerTransactionIdentification

XML Tag: AcctSvcrTxId

Presence: [0..1]

Definition: Unambiguous identification of the securities transaction as known by the securities account servicer.

Datatype: "CBPR_RestrictedFINXMax35Text" on page 512

Usage Guideline details

- on **camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References/AccountServicerTransactionIdentification**

Type changed to: CBPR_RestrictedFINXMax35Text on page 512

5.221.13 MarketInfrastructureTransactionIdentification

XML Tag: MktInfrstrctrTxId

Presence: [0..1]

Definition: Identification of a securities transaction assigned by a market infrastructure other than a central securities depository, for example, Target2-Securities.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References/MarketInfrastructureTransactionIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.221.14 ProcessingIdentification

XML Tag: PrcgId

Presence: [0..1]

Definition: Identification of the securities transaction assigned by the processor of the instruction other than the securities account owner, the securities account servicer and the market infrastructure.

Datatype: ["CBPR_RestrictedFINXMax35Text" on page 512](#)

Usage Guideline details

- on [camt.052.001.08/Report/Entry/EntryDetails/TransactionDetails/References/ProcessingIdentification](#)

Type changed to: [CBPR_RestrictedFINXMax35Text on page 512](#)

5.221.15 Proprietary

XML Tag: Prtry

Presence: [0..*]

Definition: Proprietary reference related to the underlying transaction.

The **Prtry** block contains the following elements (see datatype "[ProprietaryReference1_1](#)" on [page 399](#) for details)

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Type	<Tp>		[1..1]	⚠	399
	Reference	<Ref>		[1..1]	⚠	400

5.222 YieldedOrValueType1Choice

Definition: Choice of value type.

⊘ Removed - ⊘ Partial Removed - ◇ Ignored - ◇ Partial Ignored - ⚠ Details below -
M Mandatory - R[x..x] Repeatability[details]

Index	Message Item	<XML Tag>	Or	Mult.	Usage Guidelines	Page
	Yielded	<Yldd>	{Or	[1..1]		497
	ValueType	<ValTp>	Or}	[1..1]		497

Used in element(s)

["Type" on page 389](#)

5.222.1 Yielded

XML Tag: Yldd

Presence: [1..1]

Definition: Indicates whether the price is expressed as a yield.

Datatype: ["YesNoIndicator" on page 585](#)

5.222.2 ValueType

XML Tag: ValTp

Presence: [1..1]

Definition: Type of value in which the price is expressed.

Datatype: ["PriceValueType1Code" on page 569](#)

6 Message Datatypes

Note The following chapter identifies the datatypes that are used in the message.

6.1 ActiveOrHistoricCurrencyAndAmount

Definition: A number of monetary units specified in an active or a historic currency where the unit of currency is explicit and compliant with ISO 4217.

Type: Amount

This data type must be used with the following XML Attributes:

Attribute	Tag	Datatype
Currency	Ccy	"ActiveOrHistoricCurrencyCode" on page 498

Format

fractionDigits	5
minInclusive	0
totalDigits	18

Rules

R7 CurrencyAmount ✓

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00007
- *Error Text:* Invalid currency code or too many decimal digits.

Used in element(s)

"Amount" on page 99, "Amount" on page 153, "Amount" on page 438, "Amount" on page 465, "Amount" on page 444, "Amount" on page 102, "Amount" on page 135, "Amount" on page 417, "Amount" on page 43, "Amount" on page 46, "Amount" on page 106, "Amount" on page 239, "Amount" on page 166, "Amount" on page 44, "Amount" on page 47, "Amount" on page 153, "Amount" on page 439, "Amount" on page 156, "Amount" on page 390, "Amount" on page 104, "CreditNoteAmount" on page 411, "CreditNoteAmount" on page 409, "DuePayableAmount" on page 411, "DuePayableAmount" on page 409, "NoteDenomination" on page 103, "Price" on page 398, "RemittedAmount" on page 412, "RemittedAmount" on page 410, "RemittedAmount" on page 195, "TaxableBaseAmount" on page 437, "TotalAmount" on page 437, "TotalAmount" on page 55, "TotalChargesAndTaxAmount" on page 105, "TotalInterestAndTaxAmount" on page 482, "TotalTaxAmount" on page 447, "TotalTaxAmount" on page 450, "TotalTaxableBaseAmount" on page 447, "TotalTaxableBaseAmount" on page 450

6.2 ActiveOrHistoricCurrencyCode

Definition: A code allocated to a currency by a Maintenance Agency under an international identification scheme, as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds".

Type: CodeSet

Format

pattern [A-Z]{3,3}

Rules

R6 ActiveOrHistoricCurrency ✓

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00006
- *Error Text:* Invalid currency code.

Used in element(s)

["Currency" on page 37](#), ["Currency" on page 95](#), ["Currency" on page 93](#), ["SourceCurrency" on page 139](#), ["SourceCurrency" on page 142](#), ["TargetCurrency" on page 140](#), ["TargetCurrency" on page 142](#), ["UnitCurrency" on page 140](#), ["UnitCurrency" on page 142](#)

Used in attribute(s)

["ActiveOrHistoricCurrencyAndAmount" on page 498](#)

Restricts

["ParentCurrencyCode" on page 563](#)

6.3 AddressType2Code

Definition: Specifies the type of address.

Type: CodeSet

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

Used in element(s)

["Code" on page 37](#), ["Code" on page 38](#)

Restricts

["AddressTypeCode" on page 500](#)

6.4 AddressTypeCode

Definition: Specifies the type of address.

Type: CodeSet

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

Is restricted by

["AddressType2Code" on page 499](#)

6.5 AmountDirectionCode

Definition: Specifies if an operation is an increase or a decrease or the result of a reversal operation.

Type: CodeSet

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.
RVCD	ReversalCredit	Debit entry used to reverse a previously booked credit entry.
RVDB	ReversalDebit	Credit entry used to reverse a previously booked debit entry.

Is restricted by

["CreditDebitCode" on page 526](#)

6.6 AnyBICDec2014Identifier

Definition: Code allocated to a financial or non-financial institution by the ISO 9362 Registration Authority, as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

Rules

R9 AnyBIC ✓

Only a valid Business identifier code is allowed. Business identifier codes for financial or non-financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous characters.

Error handling:

- Error severity: Fatal
- Error Code: D00008
- Error Text: Invalid BIC.

Used in element(s)

["AnyBIC" on page 247](#), ["AnyBIC" on page 249](#), ["AnyBIC" on page 251](#)

6.7 AttendanceContext1Code

Definition: Human attendance at the POI location during the transaction.

Type: CodeSet

Code	Name	Definition
ATTD	Attended	Attended payment, with an attendant.
SATT	SemiAttended	Semi-attended, including self checkout. An attendant supervises several payment, and could be called to help the cardholder.
UATT	Unattended	Unattended payment, no attendant present.

Used in element(s)

["AttendanceContext" on page 288](#)

Restricts

["AttendanceContextCode" on page 501](#)

6.8 AttendanceContextCode

Definition: Human attendance at the POI location during the transaction.

Type: CodeSet

Code	Name	Definition
ATTD	Attended	Attended payment, with an attendant.
ATTL	AttendantDelivery	Delivery by an attendant.
CARR	CarrierDelivery	Delivery by a carrier.
CUST	CustomerDelivery	Delivery by the customer.
FULL	FullServe	Full service for fuel distribution.
SATT	SemiAttended	Semi-attended, including self checkout. An attendant supervises several payment, and could be called to help the cardholder.
SELF	SelfServe	Self service for fuel distribution.
UATT	Unattended	Unattended payment, no attendant present.

Is restricted by

"AttendanceContext1Code" on page 501

6.9 AuthenticationEntity1Code

Definition: Entity or object in charge of verifying the cardholder authenticity.

Type: CodeSet

Code	Name	Definition
AGNT	AuthorisedAgent	Authorisation agent of the issuer.
ICCD	ICC	Application in the chip card (Integrated Circuit Card), for instance an offline PIN verification.
MERC	Merchant	Merchant (for example signature verification by the attendant).

Used in element(s)

"AuthenticationEntity" on page 92

Restricts

"AuthenticationEntityCode" on page 502

6.10 AuthenticationEntityCode

Definition: Entity or object in charge of verifying the cardholder authenticity.

Type: CodeSet

Code	Name	Definition
ACQR	Acquirer	Acquirer of the transaction.
AGNT	AuthorisedAgent	Authorisation agent of the issuer.

Code	Name	Definition
ICCD	ICC	Application in the chip card (Integrated Circuit Card), for instance an offline PIN verification.
ISSR	Issuer	Card issuer.
MERC	Merchant	Merchant (for example signature verification by the attendant).
TRML	Terminal	Secure application in the terminal.

Is restricted by

"AuthenticationEntity1Code" on page 502

6.11 AuthenticationMethod1Code

Definition: Method used to authenticate a cardholder.

Type: CodeSet

Code	Name	Definition
BYPS	Bypass	Authentication bypassed by the merchant.
CPSG	SignatureCapture	Electronic signature capture (handwritten signature).
FPIN	OfflinePIN	Off-line PIN authentication (Personal Identification Number).
MANU	ManualVerification	Manual verification, for example passport or drivers license.
MERC	MerchantAuthentication	Merchant-related authentication.
NPIN	OnLinePIN	On-line PIN authentication (Personal Identification Number).
PPSG	PaperSignature	Handwritten paper signature.
SCNL	SecuredChannel	Channel-encrypted transaction.
SCRT	SecureCertificate	Electronic commerce transaction secured with the X.509 certificate of a customer.
SNCT	SecureNoCertificate	Secure electronic transaction without cardholder certificate.
UKNW	UnknownMethod	Authentication method is performed unknown.

Used in element(s)

"AuthenticationMethod" on page 91

Restricts

"AuthenticationMethodCode" on page 504

6.12 AuthenticationMethodCode

Definition: Method used to authenticate a cardholder.

Type: CodeSet

Code	Name	Definition
ACSN	AcceptorCertificateSerialNumber	Serial number of the acceptor's certificate.
ADDB	BillingAddressVerification	Cardholder billing address verification.
ADDS	ShippingAddressVerification	Cardholder shipping address verification.
ADVF	AddressDigits	Digits of the address.
APKI	AccountDigitalSignature	Account-based digital signature authentication.
ARNB	AlienRegistrationNumber	Number assigned by a government agency to identify foreign nationals.
ARPC	ARPCVerification	Response Card Cryptogram (ARPC) verification.
ARQC	ARQCVerification	Verification of a cryptogram generated by a chip card, for instance an ARQC (Authorisation Request Cryptogram).
ATCC	ATC	Application Transaction Counter
BIOM	Biometry	Biometric authentication of the cardholder.
BTHD	BirthDate	Date of birth of a person.
BYPS	Bypass	Authentication bypassed by the merchant.
CDHI	CardholderIdentificationData	Cardholder data provided for verification, for instance social security number, driver license number, passport number.
CHDN	CardholderName	Name of cardholder
CHSA	CardholderAddress	Verification whether the address corresponds to the cardholder's one.
CHSN	CardholderCertificateSerialNumber	Serial number of the cardholder's certificate.
COFB	CityOfBirth	City of birth to authenticate a person.
CPSG	SignatureCapture	Electronic signature capture (handwritten signature).
CRYP	CryptogramVerification	Verification of a cryptogram generated by a chip card or another device, for instance ARQC (Authorisation Request Cryptogram).
CSCV	CSCVerification	Verification of Card Security Code.
CSEC	SecureElectronicCommerce	Authentication performed during a secure electronic commerce transaction.
CUID	CustomerIdentification	Customer number used as a mechanism of authentication.

Code	Name	Definition
DRLN	DriverLicenseNumber	Number assigned by a driving license authority to a person driving a car.
DRVI	DriverIdentification	Identification of a driver in a fleet of vehicles.
EMAL	Email	Electronic mail address
EMIN	EmployeeIdentificationNumber	Number assigned to an employee by an employer.
EMRN	EmployerIdentificationNumber	Number assigned to an employer by a registration authority.
FBIG	OffLineBiographics	Biographics authentication in an offline mode.
FBIO	OffLineBiometrics	Biometrics authentication in an offline mode
FCPN	OffLinePINInClear	PIN generated offline and transmitted in clear
FPIN	OfflinePIN	Off-line PIN authentication (Personal Identification Number).
IDCN	IdentityCardNumber	Number assigned by a national authority to an identity card.
MANU	ManualVerification	Manual verification, for example passport or drivers license.
MERC	MerchantAuthentication	Merchant-related authentication.
MOBL	Mobile	Customer mobile device.
NBIG	OnLineBiographics	Biographics authentication in an online mode.
NPIN	OnLinePIN	On-line PIN authentication (Personal Identification Number).
NTID	NationalIdentifier	Nationally assigned identifier.
NVSC	NonVisibleCSC	Non visible Card Security Code.
OCHI	OtherCardholderIdentification	Other cardholder data provided for identification.
OFPE	OffLinePINEncrypted	PIN generated offline and transmitted encrypted
OLDA	OffLineDataAuthentication	Authentication of data in an offline mode
OLDS	OffLineDigitisedSignatureAnalysis	Analysis of signature transmitted offline
OTHC	OtherCryptogram	Verification of a cryptogram generated by a non-card form factor.
OTHN	OtherNational	Other type of verification defined at national level.
OTHP	OtherPrivate	Other type of verification defined at private level
OTHR	Other	Other customer authentication.
OTPW	OneTimePassword	Verification of a one-time password provided by the issuer.

Code	Name	Definition
PASN	PassportNumber	Number assigned by a passport authority to a passport.
PCDV	PostalCode	Verification based on digits of the postal code.
PHOM	PhoneHome	Customer home phone number.
PKIS	PKISignature	PKI (Public Key Infrastructure) based digital signature
PLOB	PlaceOfBirth	Place of birth of a person.
PPSG	PaperSignature	Handwritten paper signature.
PSVE	PassiveAuthentication	Authentication based on statistical cardholder behaviour.
PSWD	Password	Authentication by a password.
PWOR	PhoneWork	Customer work phone number
QWAC	QualifiedCertificate	QualifiedCertificate
SCNL	SecuredChannel	Channel-encrypted transaction.
SCRT	SecureCertificate	Electronic commerce transaction secured with the X.509 certificate of a customer.
SHAF	ShippingAddressFrom	Shipping address from verification.
SHAT	ShippingAddressTo	Shipping address to verification
SNCT	SecureNoCertificate	Secure electronic transaction without cardholder certificate.
SSNB	SocialSecurityNumber	Number assigned by a social security agency.
THDS	ThreeDS	Authentication performed during a secure electronic commerce transaction.
TOKA	AuthenticationToken	A token is used to verify an already performed authentication.
TOKN	TokenAuthentication	Cryptogram generated by the token requestor or a customer device to validate the authorised use of a token.
TOKP	PaymentToken	Verification or authentication related to the use of a payment token, for instance the validation of the authorised use of a token.
TXIN	TaxIdentificationNumber	Number assigned by a tax authority to an entity.
UKNW	UnknownMethod	Authentication method is performed unknown.

Is restricted by

"AuthenticationMethod1Code" on page 503

6.13 BICFIDec2014Identifier

Definition: Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

Rules

R11 BICFI ✓

Valid BICs for financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consist of eight (8) or eleven (11) contiguous characters.

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00001
- *Error Text:* Invalid FI BIC.

Used in element(s)

["BICFI" on page 188](#), ["BICFI" on page 181](#), ["BICFI" on page 185](#)

6.14 BaseOneRate

Definition: Rate expressed as a decimal, for example, 0.7 is 7/10 and 70%.

Type: Rate

Format

fractionDigits 10

totalDigits 11

Used in element(s)

["ExchangeRate" on page 140](#), ["ExchangeRate" on page 142](#)

6.15 BusinessMessagePriorityCode

Definition: Specifies the priority levels for the BusinessMessage.

The different priorities are typically user / service / implementation dependent. The semantics of the different values for a Message (Set) need to be defined by the relevant user community (SEG.).

Type: CodeSet

Rules

R12 ValidationByTable

Error handling: Undefined

Used in element(s)

"Priority" on page 77

6.16 CBPR_DateTime

Definition: A particular point in the progression of time defined by a mandatory date and a mandatory time component, expressed in local time with UTC offset format (YYYY-MM-DDThh:mm:ss.sss+/-hh:mm).

This representation is defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Example: 2020-07-16T19:20:30.45+01:00

This datatype has been created by the Publisher of this Usage Guideline.

Type: DateTime

Format

pattern `.*(\+|-)((0[0-9])|(1[0-4])):[0-5][0-9]`

Used in element(s)

"AcceptanceDateTime" on page 479, "CreationDate" on page 76, "CreationDateTime" on page 233, "CreationDateTime" on page 256, "CreationDateTime" on page 29, "DateTime" on page 144, "From-DateTime" on page 151, "QuotationDate" on page 141, "ToDateTime" on page 151, "TransactionDate-Time" on page 480, "TransactionDateTime" on page 481

6.17 CBPR_RestrictedFINXMax1025Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 1025 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	1025
minLength	1
pattern	[0-9a-zA-Z\-\?\:\(\)\.,\+]+

Used in element(s)

"ICCRRelatedData" on page 82

6.18 CBPR_RestrictedFINXMax105Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 105 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	105
minLength	1
pattern	[0-9a-zA-Z\-\?\:\(\)\.,\+]+

Used in element(s)

"AdditionalInformation" on page 291

6.19 CBPR_RestrictedFINXMax140Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 140 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	140
minLength	1
pattern	[0-9a-zA-Z\-\?\:\(\)\.,\+]+

Used in element(s)

["AdditionalInformation" on page 464](#), ["Name" on page 442](#), ["Name" on page 283](#), ["ReferenceNumber" on page 449](#), ["TrackValue" on page 472](#)

6.20 CBPR_RestrictedFINXMax140Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 140 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	140
minLength	1
pattern	[0-9a-zA-Z/\-?\:\(\)\.\,\'+ !#\$%& ^_`{ }~";<>@[\\]]+

Used in element(s)

["AdditionalInformation" on page 157](#), ["AdditionalInformation" on page 461](#), ["AdditionalRemittanceInformation" on page 435](#), ["Name" on page 271](#), ["Name" on page 182](#), ["Name" on page 65](#), ["Name" on page 68](#), ["Name" on page 274](#), ["Name" on page 123](#), ["Name" on page 186](#), ["Name" on page 71](#), ["Name" on page 244](#), ["Name" on page 441](#), ["Name" on page 277](#), ["Name" on page 280](#), ["ReferenceNumber" on page 446](#), ["ReferenceNumber" on page 195](#), ["Unstructured" on page 413](#)

6.21 CBPR_RestrictedFINXMax16Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 16 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	16
minLength	1
pattern	[0-9a-zA-Z/\-?\:\(\)\.\,\'+]+

Used in element(s)

["VersionNumber" on page 307](#)

6.22 CBPR_RestrictedFINXMax16Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 16 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	16
minLength	1
pattern	[0-9a-zA-Z\-\?\:\(\)\.\,\'+ !#\$%&!*=\^_`{\ \}~";<>@[\\]]+

Used in element(s)

["BuildingNumber" on page 328](#), ["BuildingNumber" on page 386](#), ["PostBox" on page 342](#), ["PostBox" on page 386](#), ["PostCode" on page 351](#), ["PostCode" on page 387](#), ["Suffix" on page 258](#)

6.23 CBPR_RestrictedFINXMax2048Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 2048 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	2048
minLength	1
pattern	[0-9a-zA-Z\-\?\:\(\)\.\,\'+ !#\$%&!*=\^_`{\ \}~";<>@[\\]]+

Used in element(s)

["Description" on page 159](#), ["ElectronicAddress" on page 415](#)

6.24 CBPR_RestrictedFINXMax28Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 28 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	28
-----------	----

minLength	1
pattern	[0-9a-zA-Z\-\!\?:(\)\.,'+]+

Used in element(s)

["MemberIdentification" on page 115](#)

6.25 CBPR_RestrictedFINXMax320Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 320 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*^_`{|}~";<>@[\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	320
minLength	1
pattern	[0-9a-zA-Z\-\!\?:(\)\.,'+ !#\$%&*^_`{ }~";<>@[\]]+

Used in element(s)

["Identification" on page 401](#)

6.26 CBPR_RestrictedFINXMax34Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 34 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . and disable the use of slash "/" at the beginning and end of line and double slash "/" within the line.

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	34
minLength	1
pattern	(([0-9a-zA-Z\-\!\?:(\)\.,'+] [0-9a-zA-Z\-\!\?:(\)\.,'+]*([0-9a-zA-Z\-\!\?:(\)\.,'+])?)*)

Used in element(s)

["Identification" on page 198](#)

6.27 CBPR_RestrictedFINXMax35Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 35 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	35
minLength	1
pattern	[0-9a-zA-Z\-\?\:\(\)\.\,\'+]+

Used in element(s)

["AccountOwnerTransactionIdentification"](#) on page 495, ["AccountServicerReference"](#) on page 419, ["AccountServicerReference"](#) on page 491, ["AccountServicerTransactionIdentification"](#) on page 495, ["AdditionalProductInformation"](#) on page 392, ["AdministrationZone"](#) on page 449, ["Category"](#) on page 462, ["CategoryDetails"](#) on page 463, ["CertificateIdentification"](#) on page 463, ["ChequeNumber"](#) on page 494, ["ClearingSystemReference"](#) on page 495, ["Code"](#) on page 394, ["ContractIdentification"](#) on page 140, ["ContractIdentification"](#) on page 143, ["DebtorStatus"](#) on page 463, ["EndToEndIdentification"](#) on page 493, ["EntryReference"](#) on page 417, ["EqualSequence"](#) on page 430, ["EventIdentification"](#) on page 134, ["EventType"](#) on page 133, ["FirstTransaction"](#) on page 87, ["FormsCode"](#) on page 463, ["FromSequence"](#) on page 429, ["FromSequence"](#) on page 431, ["GroupIdentification"](#) on page 303, ["Identification"](#) on page 223, ["Identification"](#) on page 228, ["Identification"](#) on page 27, ["Identification"](#) on page 201, ["Identification"](#) on page 443, ["Identification"](#) on page 221, ["Identification"](#) on page 66, ["Identification"](#) on page 206, ["Identification"](#) on page 219, ["Identification"](#) on page 426, ["InstructionIdentification"](#) on page 492, ["Issuer"](#) on page 224, ["Issuer"](#) on page 230, ["Issuer"](#) on page 199, ["Issuer"](#) on page 203, ["Issuer"](#) on page 395, ["Issuer"](#) on page 221, ["Issuer"](#) on page 206, ["Issuer"](#) on page 218, ["LastTransaction"](#) on page 87, ["MandatIdentification"](#) on page 494, ["ManufacturerIdentification"](#) on page 307, ["MarketInfrastructureTransactionIdentification"](#) on page 496, ["MessageIdentification"](#) on page 233, ["MessageIdentification"](#) on page 256, ["MessageIdentification"](#) on page 243, ["MessageIdentification"](#) on page 55, ["MessageIdentification"](#) on page 491, ["MessageNameIdentification"](#) on page 256, ["MessageNameIdentification"](#) on page 243, ["Method"](#) on page 450, ["Model"](#) on page 307, ["NotEqualSequence"](#) on page 430, ["Other"](#) on page 405, ["PaymentInformationIdentification"](#) on page 55, ["PaymentInformationIdentification"](#) on page 492, ["ProcessingIdentification"](#) on page 496, ["Proprietary"](#) on page 253, ["Proprietary"](#) on page 298, ["Proprietary"](#) on page 424, ["Proprietary"](#) on page 35, ["Proprietary"](#) on page 98, ["Proprietary"](#) on page 402, ["Proprietary"](#) on page 179, ["Proprietary"](#) on page 242, ["Proprietary"](#) on page 50, ["Proprietary"](#) on page 49, ["Proprietary"](#) on page 136, ["Proprietary"](#) on page 466, ["Proprietary"](#) on page 242, ["Proprietary"](#) on page 403, ["Proprietary"](#) on page 425, ["Quantity"](#) on page 399, ["Reason"](#) on page 26, ["Reason"](#) on page 240, ["Reference"](#) on page 400, ["RegistrationIdentification"](#) on page 453, ["RegistrationIdentification"](#) on page 456, ["RemittanceIdentification"](#) on page 414, ["SaleReconciliationIdentification"](#) on page 78, ["SaleReconciliationIdentification"](#) on page 84, ["SaleReferenceNumber"](#) on page 84, ["SchemeName"](#) on page 206, ["SchemeName"](#) on page 219, ["SequenceNumber"](#) on page 84, ["SerialNumber"](#) on page 308, ["ShortName"](#) on page 220, ["TaxIdentification"](#) on page 453, ["TaxIdentification"](#) on page 456, ["TaxType"](#) on page 453, ["TaxType"](#) on page 456, ["TaxType"](#) on page 392, ["Title"](#) on page 442, ["ToSequence"](#) on page 430, ["ToSequence"](#) on page 431, ["TransactionIdentification"](#) on page 494, ["TransactionReference"](#) on page 481, ["Type"](#) on page 45, ["Type"](#) on page 399, ["Type"](#) on page 47, ["Type"](#) on page 397, ["Type"](#) on page 393, ["Type"](#) on page 396, ["Type"](#) on page 398, ["Type"](#) on page 398, ["Type"](#) on page 462, ["ValidationSequenceNumber"](#) on page 86

6.28 CBPR_RestrictedFINXMax35Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 35 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	35
minLength	1
pattern	[0-9a-zA-Z\-\!\?\:\(\)\.\,\'+\!#\\$\%&*=\^_`{\ \}~";<>@[\\]]+

Used in element(s)

["AdministrationZone" on page 446](#), ["BuildingName" on page 332](#), ["BuildingName" on page 386](#), ["Category" on page 459](#), ["CategoryDetails" on page 459](#), ["CertificateIdentification" on page 460](#), ["CityOf-Birth" on page 147](#), ["CountrySubDivision" on page 370](#), ["CountrySubDivision" on page 388](#), ["DebtorStatus" on page 459](#), ["Description" on page 429](#), ["DistrictName" on page 365](#), ["DistrictName" on page 388](#), ["FormsCode" on page 460](#), ["Identification" on page 226](#), ["Identification" on page 231](#), ["Identification" on page 258](#), ["Issuer" on page 208](#), ["Issuer" on page 408](#), ["Issuer" on page 161](#), ["Issuer" on page 139](#), ["Issuer" on page 198](#), ["Issuer" on page 227](#), ["Issuer" on page 232](#), ["Method" on page 446](#), ["Number" on page 406](#), ["Number" on page 158](#), ["Proprietary" on page 160](#), ["Proprietary" on page 155](#), ["Proprietary" on page 440](#), ["Proprietary" on page 138](#), ["Proprietary" on page 197](#), ["Proprietary" on page 254](#), ["Proprietary" on page 300](#), ["Proprietary" on page 236](#), ["ProvinceOfBirth" on page 146](#), ["Reference" on page 137](#), ["RegistrationIdentification" on page 452](#), ["RegistrationIdentification" on page 454](#), ["Scheme-Name" on page 213](#), ["TaxIdentification" on page 452](#), ["TaxIdentification" on page 454](#), ["TaxType" on page 452](#), ["TaxType" on page 455](#), ["Title" on page 441](#), ["TownLocationName" on page 360](#), ["TownLocationName" on page 388](#), ["TownName" on page 356](#), ["TownName" on page 387](#), ["Type" on page 459](#)

6.29 CBPR_RestrictedFINXMax4Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 4 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*^_`{|}~";<>@[\\]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	4
minLength	1
pattern	[0-9a-zA-Z\-\!\?\:\(\)\.\,\'+\!#\\$\%&*=\^_`{\ \}~";<>@[\\]]+

Used in element(s)

["Reason" on page 156](#)

6.30 CBPR_RestrictedFINXMax500Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 500 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	500
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,\'+]+

Used in element(s)

["AdditionalEntryInformation" on page 424](#), ["AdditionalInformation" on page 235](#), ["AdditionalReportInformation" on page 34](#), ["AdditionalTransactionInformation" on page 177](#)

6.31 CBPR_RestrictedFINXMax70Text

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 70 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + .

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	70
minLength	1
pattern	[0-9a-zA-Z/\-!\?:\(\)\.,\'+]+

Used in element(s)

["AdditionalCardData" on page 286](#), ["ApprovalNumber" on page 308](#), ["Department" on page 385](#), ["Floor" on page 386](#), ["Name" on page 96](#), ["Name" on page 93](#), ["Name" on page 427](#), ["ProductCode" on page 391](#), ["Room" on page 387](#), ["StreetName" on page 385](#), ["SubDepartment" on page 385](#), ["System-Name" on page 303](#)

6.32 CBPR_RestrictedFINXMax70Text_Extended

Definition: Specifies a character string with a minimum length of 1, and a maximum length of 70 characters, and limited to character set X, that is, 0-9 a-z A-Z / - ? : () . , ' + . that is extended to support the following additional characters !#\$%&*^_`{|}~";<>@[]

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	70
minLength	1
pattern	[0-9a-zA-Z^\-!\?:\(\)\.,\+ !#\$%&!*=_`{\ \}~";<>@\[\]\]]+

Used in element(s)

"AddressLine" on page 374, "AddressLine" on page 389, "Department" on page 314, "Floor" on page 337, "Room" on page 346, "StreetName" on page 323, "SubDepartment" on page 318

6.33 CSCManagement1Code

Definition: CSC (Card Security Code) management associated with the transaction.

Type: CodeSet

Code	Name	Definition
BYPS	CSCByPass	Card security code by-passed or not provided by the merchant.
NCSC	NoCSC	No card security code imprint.
PRST	CSCPresent	Card security code present.
UNRD	CSCUnread	Card security code unreadable.

Used in element(s)

"CSCManagement" on page 86

Restricts

"CSCManagementCode" on page 516

6.34 CSCManagementCode

Definition: CSC (Card Security Code) management associated with the transaction.

Type: CodeSet

Code	Name	Definition
BYPS	CSCByPass	Card security code by-passed or not provided by the merchant.
NCSC	NoCSC	No card security code imprint.
PRST	CSCPresent	Card security code present.
UNRD	CSCUnread	Card security code unreadable.

Is restricted by

"CSCManagement1Code" on page 516

6.35 CardDataReading1Code

Definition: Type of reading of the card data.

Type: CodeSet

Code	Name	Definition
BRCD	BarCode	Bar code.
CICC	ICC	ICC (Integrated Circuit Card) with contact containing software applications conform to ISO 7816.
CTLS	ProximityReader	Contactless proximity reader.
DFLE	AccountData	Account data on file.
ECTL	EMVProximityReader	Contactless proximity reader, with application conform to the standard EMV (standard initiated by Europay, Mastercard and Visa).
MGST	MagneticStripe	Magnetic stripe.
PHYS	Physical	Keyboard entry or OCR reading of embossing or printed data, either at time of transaction or after the event.
TAGC	Tag	Tag reading capabilities (RFID, etc.).

Used in element(s)

["CardDataEntryMode"](#) on page 289, ["CardReadingCapabilities"](#) on page 305

Restricts

["CardDataReadingCode"](#) on page 517

6.36 CardDataReadingCode

Definition: Type of reading of the card data.

Type: CodeSet

Code	Name	Definition
BRCD	BarCode	Bar code.
CAMR	Camera	Card details captured via camera.
CDFL	CardOnFile	Card information are stored on a file.
CICC	ICC	ICC (Integrated Circuit Card) with contact containing software applications conform to ISO 7816.
CTLS	ProximityReader	Contactless proximity reader.
DFLE	AccountData	Account data on file.
ECTL	EMVProximityReader	Contactless proximity reader, with application conform to the standard EMV (standard initiated by Europay, Mastercard and Visa).

Code	Name	Definition
ICCY	ICCContact	ICC contact capability
ICPY	ICCPximity	ICC contactless proximity
KEEN	KeyEntered	Key entered.
MBNK	MobileBankingApplication	Card details were obtained via a mobile banking application.
MGST	MagneticStripe	Magnetic stripe.
MICR	MagneticInkCharacterRecognition	Recognition of magnetic ink characters
MLEY	ManualEntry	Manual, no terminal used.
MSIP	MSIPximity	Magstripe image contactless proximity
OCRR	OpticalCharacterRecognition	OCR either at time of transaction or after the event.
OPTC	OpticalCode	Optical coded reading capabilities (e.g. barcode, QR code, etc.)
OTHN	OtherNational	Other national capability type assigned at national level.
OTHP	OtherPrivate	Other card reading capability assigned on a private basis.
PHYS	Physical	Keyboard entry or OCR reading of embossing or printed data, either at time of transaction or after the event.
QRCD	QRCode	Quick response code.
RFID	RFIDTag	Radio Frequency Identification tag capabilities.
SICC	SynchronousIntegratedCircuitCard	Synchronous ICC - (Integrated Circuit Card) with contact.
TAGC	Tag	Tag reading capabilities (RFID, etc.).
TOKN	Token	Card details were obtained via a token.
UNKW	Unknown	Unknown card reading capability.
UNSP	Unspecified	Unspecified capability.

Is restricted by

"CardDataReading1Code" on page 517

6.37 CardPaymentServiceType2Code

Definition: Service provided by the card payment transaction, in addition to the main service.

Type: CodeSet

Code	Name	Definition
AGGR	Aggregation	Aggregation of low payments.
DCCV	DCC	Dynamic currency conversion (DCC).
GRTT	Gratuity	Card payment with gratuity.

Code	Name	Definition
INSP	Instalment	Instalment payment.
LOYT	Loyalty	Loyalty services.
NRES	NoShow	No show after reservation.
PUCO	PurchaseCorporate	Purchase and corporate data.
RECP	RecurringPayment	Recurring payment.
SOAF	SolicitedAvailableFunds	Solicited available funds.
UNAF	UnsolicitedAvailableFunds	Unsolicited available funds.
VCAU	VoiceAuthorisation	Voice authorisation.

Used in element(s)

["AdditionalService" on page 78](#), ["AdditionalService" on page 83](#)

Restricts

["CardPaymentServiceTypeCode" on page 519](#)

6.38 CardPaymentServiceTypeCode

Definition: Service provided by a card payment transaction.

Type: CodeSet

Code	Name	Definition
AGGR	Aggregation	Aggregation of low payments.
ARES	AdditionalPayment	Additional payment after reservation.
AUWS	PreAuthorisedWithdrawal	Withdrawal transaction was pre-authorized by another channel (amount could be absent).
BALC	Balance	Balance enquiry.
CACT	CardActivation	Card activation.
CADJ	CreditAdjustment	Credit adjustment to a previous transaction.
CAFH	CardsFundTransferPush	Transfer of funds to a card or an account.
CAFL	CardsFundTransferPull	Transfer of funds from a card or an account.
CAFT	CardsFundTransfer	Transfer of funds to and/or from a card account.
CAVR	CardVerification	Card verification.
CHWD	CashWithdrawal	Withdrawal of cash on an ATM.
CIDD	CardInitiatingDirectDebit	Direct Debit initiated by Card.
CRDP	CardPayment	Card payment.

Code	Name	Definition
CRTC	CreateCertificate	Creation of an X.509 certificate with the public key and the information of the owner of the asymmetric key provided by the requestor.
CRTK	RevokeCertificate	Revocation of an active X.509 certificate.
CRTR	RenewCerificate	Renewal of an X.509 certificate, protected by the certificate to renew.
CSHB	CashBack	Card payment with cash-back.
CSHD	CashDeposit	Cash deposit.
CSHW	CashAdvance	Cash advance or withdrawals on a POI (Point Of Interaction), or at a bank counter.
CSWD	ChosenWithdrawal	Amount and notes values are chosen by the customer.
DADJ	DebitAdjustement	Debit adjustment to a previous transaction.
DCCV	DCC	Dynamic currency conversion (DCC).
DEFR	DeferredPayment	Deferred payment.
FREC	FirstRecurring	Initial recurring payment.
GOPT	GuaranteeOfPayment	Acceptor claims for guarantee of payment.
GRTT	Gratuity	Card payment with gratuity.
INSA	AcceptorInstalment	Instalment payment transaction performed by the acceptor or the acquirer.
INSI	IssuerInstalment	Instalment payment transaction performed by the card issuer.
INSP	Instalment	Instalment payment.
INST	Instant	Instant transaction.
IRES	InitialReservation	Initial reservation.
LOAD	Loading	Loading or reloading non-financial account.
LOYT	Loyalty	Loyalty services.
NRES	NoShow	No show after reservation.
NRFD	NonRefundable	Payment of goods or services which are not refundable, for instance low cost airline tickets.
ORCR	OriginalCredit	Original credit.
PFWD	ProfileWithdrawal	Amount and Notes Values are pre-defined by the customer profile.
PINC	PINChange	PIN (Personal Identification Number) change.
PINU	PINUnblock	Unblock the cardholder PIN.
PRES	PaymentReservation	Payment after reservation.

Code	Name	Definition
PUCO	PurchaseCorporate	Purchase and corporate data.
QUCH	QuasiCash	Quasi-cash.
RECP	RecurringPayment	Recurring payment.
RESA	Reservation	Reservation (pre-authorisation).
RFND	Refund	Refund transaction.
RREC	FollowingRecurring	Repeat recurring payment.
SDWD	StandardWithdrawal	Customer pressed a button associated with a withdrawal of unique amount and notes mix.
SOAF	SolicitedAvailableFunds	Solicited available funds.
TFBL	TransferCardBillPayment	Transfer for payment of bills.
TFCH	TransferFromCheque	Transfer from cheque deposit.
TFCS	TransferFromCash	Transfer from cash deposit.
TFDB	TransferFundsDisbursementGeneral	Transfer for general disbursement.
TFGD	TransferGovernmentDisbursement	Transfer for government disbursement.
TFMD	TransferMerchantDisbursement	Transfer for merchant disbursement.
TFPD	TransferPayrollPensionDisbursement	Transfer for payroll pension disbursement.
TP2B	PersonToBusiness	Card payment transaction transfer from person to business.
TP2P	PersonToPerson	Card payment transaction transfer from person to person.
UNAF	UnsolicitedAvailableFunds	Unsolicited available funds.
UNLD	Unloading	Unloading non-financial account.
URES	UpdateReservation	Update reservation.
VALC	ValidityCheck	Card validity check.
VCAU	VoiceAuthorisation	Voice authorisation.
WLSA	AddWhiteList	Add a POI in the white list of the terminal manager.
WLSR	RemoveWhiteList	Remove a POI from the white list of the terminal manager.

Is restricted by

"CardPaymentServiceType2Code" on page 518

6.39 CardholderVerificationCapability1Code

Definition: Cardholder verification capabilities of the POI (Personal Identification Number) performing the transaction.

Type: CodeSet

Code	Name	Definition
APKI	AccountDigitalSignature	Account based digital signature.
CHDT	CardholderData	Cardholder authentication data.
FBIG	OfflineBiographics	Offline biographics.
FBIO	OfflineBiometrics	Offline biometrics.
FCPN	OfflinePINClear	Offline PIN in clear (Personal Identification Number).
FDSG	OfflineDigitalSignature	Offline digital signature analysis.
FEPN	OfflinePINEncrypted	Offline PIN encrypted (Personal Identification Number).
MNSG	ManualSignature	Manual signature verification.
MNVR	ManualVerification	Other manual verification, for example passport or drivers license.
NPIN	OnLinePIN	Online PIN (Personal Identification Number).
PKIS	PKISignature	PKI (Public Key Infrastructure) based digital signature.
SCEC	SecureElectronicCommerce	Three domain secure (three domain secure authentication of the cardholder).

Used in element(s)

["CardholderVerificationCapabilities" on page 305](#)

Restricts

["CardholderVerificationCapabilityCode" on page 522](#)

6.40 CardholderVerificationCapabilityCode

Definition: Cardholder verification capabilities of the POI (Personal Identification Number) performing the transaction.

Type: CodeSet

Code	Name	Definition
APKI	AccountDigitalSignature	Account based digital signature.
CHDT	CardholderData	Cardholder authentication data.
FBIG	OfflineBiographics	Offline biographics.
FBIO	OfflineBiometrics	Offline biometrics.
FCPN	OfflinePINClear	Offline PIN in clear (Personal Identification Number).
FDSG	OfflineDigitalSignature	Offline digital signature analysis.
FEPN	OfflinePINEncrypted	Offline PIN encrypted (Personal Identification Number).
MNSG	ManualSignature	Manual signature verification.

Code	Name	Definition
MNVR	ManualVerification	Other manual verification, for example passport or drivers license.
NBIO	OnLineBiometrics	Online biometrics.
NOOP	NoOnLinePINEntry	Device has no online pin entry capability.
NOPN	NoPINEntry	Device has no pin entry capability.
NOVF	NoCapabilities	No cardholder verification capability.
NPIN	OnLinePIN	Online PIN (Personal Identification Number).
OTHN	OtherNational	Other type of cardholder verification defined at national level
OTHP	OtherPrivate	Other type of cardholder verification defined in a private manner.
OTHR	Other	Other cardholder verification capabilities.
PCOD	PersonalCode	Personal code of the customer for banking services.
PKIS	PKISignature	PKI (Public Key Infrastructure) based digital signature.
SCEC	SecureElectronicCommerce	Three domain secure (three domain secure authentication of the cardholder).
SIGN	Signature	Handwritten signature verification
UNKW	Unknown	Unknown cardholder verification capability.
UNSP	Unspecified	Cardholder verification capability unspecified.
VORN	VoiceRecognition	Recognition by voice.

Is restricted by

["CardholderVerificationCapability1Code" on page 521](#)

6.41 ChargeBearerType1Code

Definition: Specifies which party(ies) will pay charges due for processing of the instruction.

Type: CodeSet

Code	Name	Definition
CRED	BorneByCreditor	All transaction charges are to be borne by the creditor.
DEBT	BorneByDebtor	All transaction charges are to be borne by the debtor.
SHAR	Shared	In a credit transfer context, means that transaction charges on the sender side are to be borne by the debtor, transaction charges on the receiver side are to be borne by the creditor. In a direct debit context, means that transaction charges

Code	Name	Definition
		on the sender side are to be borne by the creditor, transaction charges on the receiver side are to be borne by the debtor.
SLEV	FollowingServiceLevel	Charges are to be applied following the rules agreed in the service level and/or scheme.

Used in element(s)

"Bearer" on page 107

Restricts

"ChargeBearerTypeCode" on page 524

6.42 ChargeBearerTypeCode

Definition: Specifies which party(ies) will pay charges due for processing of the instruction.

Type: CodeSet

Code	Name	Definition
CRED	BorneByCreditor	All transaction charges are to be borne by the creditor.
DEBT	BorneByDebtor	All transaction charges are to be borne by the debtor.
SHAR	Shared	In a credit transfer context, means that transaction charges on the sender side are to be borne by the debtor, transaction charges on the receiver side are to be borne by the creditor. In a direct debit context, means that transaction charges on the sender side are to be borne by the creditor, transaction charges on the receiver side are to be borne by the debtor.
SLEV	FollowingServiceLevel	Charges are to be applied following the rules agreed in the service level and/or scheme.

Is restricted by

"ChargeBearerType1Code" on page 523

6.43 ChargeIncludedIndicator

Definition: Indicates whether charges have already been included.

Type: Indicator

Meaning When True: Included

Meaning When False: Pre-advised

Used in element(s)

["ChargeIncludedIndicator" on page 107](#)

6.44 CopyDuplicate1Code

Definition: Specifies if this document is a copy, a duplicate, or a duplicate of a copy.

Type: CodeSet

Code	Name	Definition
CODU	CopyDuplicate	Message is being sent as a copy to a party other than the account owner, for information purposes and the message is a duplicate of a message previously sent.
COPY	Copy	Message is being sent as a copy to a party other than the account owner, for information purposes.
DUPL	Duplicate	Message is for information/confirmation purposes. It is a duplicate of a message previously sent.

Used in element(s)

["CopyDuplicate" on page 76](#), ["CopyDuplicateIndicator" on page 30](#)

Restricts

["CopyDuplicateCode" on page 525](#)

6.45 CopyDuplicateCode

Definition: Specifies if this document is a copy, a duplicate, or a duplicate of a copy.

Type: CodeSet

Code	Name	Definition
CODU	CopyDuplicate	Message is being sent as a copy to a party other than the account owner, for information purposes and the message is a duplicate of a message previously sent.
COPY	Copy	Message is being sent as a copy to a party other than the account owner, for information purposes.
DUPL	Duplicate	Message is for information/confirmation purposes. It is a duplicate of a message previously sent.

Is restricted by

["CopyDuplicate1Code" on page 525](#)

6.46 CountryCode

Definition: Code to identify a country, a dependency, or another area of particular geopolitical interest, on the basis of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Type: CodeSet

Format

pattern [A-Z]{2,2}

Rules

R8 Country ✓

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Error handling:

- *Error severity:* Fatal
- *Error Code:* D00004
- *Error Text:* Invalid Country Code.

Used in element(s)

["Country" on page 312](#), ["Country" on page 374](#), ["Country" on page 388](#), ["CountryOfBirth" on page 145](#), ["CountryOfBirth" on page 148](#), ["CountryOfResidence" on page 269](#), ["CountryOfResidence" on page 273](#), ["CountryOfResidence" on page 276](#), ["CountryOfResidence" on page 279](#), ["CountryOfResidence" on page 281](#), ["CountryOfResidence" on page 284](#)

6.47 CreditDebitCode

Definition: Specifies if an operation is an increase or a decrease.

Type: CodeSet

Code	Name	Definition
CRDT	Credit	Operation is an increase.
DBIT	Debit	Operation is a decrease.

Used in element(s)

["CreditDebitIndicator" on page 36](#), ["CreditDebitIndicator" on page 48](#), ["CreditDebitIndicator" on page 100](#), ["CreditDebitIndicator" on page 102](#), ["CreditDebitIndicator" on page 417](#), ["CreditDebitIndicator" on page 107](#), ["CreditDebitIndicator" on page 239](#), ["CreditDebitIndicator" on page 55](#), ["CreditDebitIndicator" on page 167](#), ["CreditDebitIndicator" on page 156](#)

Restricts

["AmountDirectionCode" on page 500](#)

6.48 DecimalNumber

Definition: Number of objects represented as a decimal number, for example 0.75 or 45.6.

Type: Quantity

Format

fractionDigits	17
totalDigits	18

Used in element(s)

["ProductQuantity" on page 392](#), ["Sum" on page 246](#), ["Sum" on page 246](#), ["Sum" on page 469](#), ["Unit" on page 192](#)

6.49 DocumentType3Code

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
DISP	DispatchAdvice	Document is a dispatch advice.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, for example, in a cover scenario.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.

Used in element(s)

["Code" on page 137](#)

Restricts

["DocumentTypeCode" on page 528](#)

6.50 DocumentType6Code

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
AROI	AccountReceivableOpenItem	Document is a payment that applies to a specific source document.
BOLD	BillOfLading	Document is a shipping notice.
CINV	CommercialInvoice	Document is an invoice.

Code	Name	Definition
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, for example gas or electricity supplied to a fixed meter.
PUOR	PurchaseOrder	Document is a purchase order.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.
TSUT	TradeServicesUtilityTransaction	Document is a transaction identifier as assigned by the Trade Services Utility.
VCHR	Voucher	Document is an electronic payment document.

Used in element(s)

"Code" on page 407

Restricts

"DocumentTypeCode" on page 528

6.51 DocumentTypeCode

Definition: Specifies a type of financial or commercial document.

Type: CodeSet

Code	Name	Definition
AROI	AccountReceivableOpenItem	Document is a payment that applies to a specific source document.
BOLD	BillOfLading	Document is a shipping notice.
CINV	CommercialInvoice	Document is an invoice.

Code	Name	Definition
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CRCP	CustomerReceipt	When the Sale System requires the POI system to print the Customer receipt.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
HRCP	CashierReceipt	When the Sale system print the Cashier copy of the Payment receipt.
JNRL	Journal	When the POI or the Sale System wants to store a message on the journal printer or electronic journal of the Sale Terminal (it is sometimes a Sale Logging/Journal Printer).
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, for example gas or electricity supplied to a fixed meter.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, for example, in a cover scenario.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.
SRCP	SaleReceipt	When the Sale System requires the POI system to print the Sale receipt.

Code	Name	Definition
TSUT	TradeServicesUtilityTransaction	Document is a transaction identifier as assigned by the Trade Services Utility.
VCHR	Voucher	Document is an electronic payment document.

Is restricted by

"DocumentType3Code" on page 527, "DocumentType6Code" on page 527

6.52 Exact1NumericText

Definition: Specifies a numeric string with an exact length of 1 digit.

Type: Text

Format

pattern [0-9]

Used in element(s)

"TrackNumber" on page 472

6.53 Exact3NumericText

Definition: Specifies a numeric string with an exact length of 3 digits.

Type: Text

Format

pattern [0-9]{3}

Used in element(s)

"CardCountryCode" on page 286, "ServiceCode" on page 301

6.54 Exact4AlphaNumericText

Definition: Specifies an alphanumeric string with a length of 4 characters.

Type: Text

Format

pattern [a-zA-Z0-9]{4}

Used in element(s)

"Identification" on page 207, "Identification" on page 208, "Identification" on page 218

6.55 ExternalAccountIdentification1Code

Definition: Specifies the external account identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 35](#)

Restricts

["ExternalAccountIdentificationCode" on page 531](#)

6.56 ExternalAccountIdentificationCode

Definition: Specifies the external account identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalAccountIdentification1Code" on page 530](#)

6.57 ExternalBalanceSubType1Code

Definition: Specifies the balance sub-type, as published in an external balance sub-type code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 49](#)

Restricts

["ExternalBalanceSubTypeCode" on page 532](#)

6.58 ExternalBalanceSubTypeCode

Definition: Specifies the balance sub-type, as published in an external balance sub-type code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalBalanceSubType1Code" on page 531](#)

6.59 ExternalBalanceType1Code

Definition: Specifies the balance type, as published in an external balance type code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 50](#)

Restricts

["ExternalBalanceTypeCode" on page 532](#)

6.60 ExternalBalanceTypeCode

Definition: Specifies the balance type, as published in an external balance type code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalBalanceType1Code" on page 532](#)

6.61 ExternalBankTransactionDomain1Code

Definition: Specifies the bank transaction code domain, as published in an external bank transaction code domain code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 53](#)

Restricts

["ExternalBankTransactionDomainCode" on page 533](#)

6.62 ExternalBankTransactionDomainCode

Definition: Specifies the external domain code of the bank transaction code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalBankTransactionDomain1Code" on page 533](#)

6.63 ExternalBankTransactionFamily1Code

Definition: Specifies the bank transaction code family, as published in an external bank transaction code family code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 54](#)

Restricts

["ExternalBankTransactionFamilyCode" on page 534](#)

6.64 ExternalBankTransactionFamilyCode

Definition: Specifies the external family code of the bank transaction code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately, and is a sub-list of the bank transaction domain list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalBankTransactionFamily1Code" on page 533](#)

6.65 ExternalBankTransactionSubFamily1Code

Definition: Specifies the bank transaction code sub-family, as published in an external bank transaction code sub-family code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["SubFamilyCode" on page 54](#)

Restricts

["ExternalBankTransactionSubFamilyCode" on page 535](#)

6.66 ExternalBankTransactionSubFamilyCode

Definition: Specifies the external sub-family code of the bank transaction code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately, and is a sub-list of the bank transaction family code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalBankTransactionSubFamily1Code" on page 534](#)

6.67 ExternalCardTransactionCategory1Code

Definition: Specifies the category of card transaction in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["TransactionCategory" on page 78](#), ["TransactionCategory" on page 83](#)

Restricts

["ExternalCardTransactionCategoryCode" on page 535](#)

6.68 ExternalCardTransactionCategoryCode

Definition: Specifies the category of card transaction in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalCardTransactionCategory1Code" on page 535

6.69 ExternalCashAccountType1Code

Definition: Specifies the nature, or use, of the cash account in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 98

Restricts

"ExternalCashAccountTypeCode" on page 536

6.70 ExternalCashAccountTypeCode

Definition: Specifies the nature, or use, of the cash account in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalCashAccountType1Code" on page 536

6.71 ExternalChargeType1Code

Definition: Specifies the nature, or use, of the charges in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 104

Restricts

"ExternalChargeTypeCode" on page 537

6.72 ExternalChargeTypeCode

Definition: Specifies the nature, or use, of the charges in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code set published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalChargeType1Code" on page 537

6.73 ExternalClearingSystemIdentification1Code

Definition: Specifies the clearing system identification code, as published in an external clearing system identification code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	5
minLength	1

Used in element(s)

["Code" on page 109](#)

Restricts

["ExternalClearingSystemIdentificationCode" on page 538](#)

6.74 ExternalClearingSystemIdentificationCode

Definition: Specifies the clearing system identification code, as published in an external clearing system identification code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	5
minLength	1

Is restricted by

["ExternalClearingSystemIdentification1Code" on page 538](#)

6.75 ExternalCreditLineType1Code

Definition: Specifies the external credit line type code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code set published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
-----------	---

minLength 1

Used in element(s)

["Code" on page 136](#)

Restricts

["ExternalCreditLineTypeCode" on page 539](#)

6.76 ExternalCreditLineTypeCode

Definition: Specifies the external credit line type code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code set published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength 4

minLength 1

Is restricted by

["ExternalCreditLineType1Code" on page 538](#)

6.77 ExternalDiscountAmountType1Code

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength 4

minLength 1

Used in element(s)

["Code" on page 154](#), ["Code" on page 154](#)

Restricts

["ExternalDiscountAmountTypeCode" on page 540](#)

6.78 ExternalDiscountAmountTypeCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalDiscountAmountType1Code" on page 539

6.79 ExternalDocumentLineType1Code

Definition: Specifies the document line type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 160

Restricts

"ExternalDocumentLineTypeCode" on page 540

6.80 ExternalDocumentLineTypeCode

Definition: Specifies the document line type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalDocumentLineType1Code" on page 540

6.81 ExternalEntryStatus1Code

Definition: Specifies the status of an entry on the books of the account servicer, as published in an external code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 164](#)

Restricts

["ExternalEntryStatusCode" on page 541](#)

6.82 ExternalEntryStatusCode

Definition: Specifies the status of an entry on the books of the account servicer, as published in an external code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalEntryStatus1Code" on page 541](#)

6.83 ExternalFinancialInstitutionIdentification1Code

Definition: Specifies the external financial institution identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
-----------	---

minLength 1

Used in element(s)

["Code" on page 178](#), ["Code" on page 179](#)

Restricts

["ExternalFinancialInstitutionIdentificationCode" on page 542](#)

6.84 ExternalFinancialInstitutionIdentificationCode

Definition: Specifies the external financial institution identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength 4

minLength 1

Is restricted by

["ExternalFinancialInstitutionIdentification1Code" on page 541](#)

6.85 ExternalFinancialInstrument-IdentificationType1Code

Definition: Specifies the external financial instrument identification type scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength 4

minLength 1

Used in element(s)

["Code" on page 236](#)

Restricts

["ExternalFinancialInstrumentIdentificationTypeCode" on page 543](#)

6.86 ExternalFinancialInstrument-IdentificationTypeCode

Definition: Specifies the external financial instrument identification type scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalFinancialInstrumentIdentificationType1Code" on page 542](#)

6.87 ExternalGarnishmentType1Code

Definition: Specifies the garnishment type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 196](#)

Restricts

["ExternalGarnishmentTypeCode" on page 543](#)

6.88 ExternalGarnishmentTypeCode

Definition: Specifies the garnishment type as published in an external document type code list.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalGarnishmentType1Code" on page 543](#)

6.89 ExternalLocalInstrument1Code

Definition: Specifies the external local instrument code in the format of character string with a maximum length of 35 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	35
minLength	1

Used in element(s)

["Code" on page 242](#)

Restricts

["ExternalLocalInstrumentCode" on page 544](#)

6.90 ExternalLocalInstrumentCode

Definition: Specifies the external local instrument code in the format of character string with a maximum length of 35 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	35
minLength	1

Is restricted by

["ExternalLocalInstrument1Code" on page 544](#)

6.91 ExternalOrganisationIdentification1Code

Definition: Specifies the external organisation identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 252](#), ["Code" on page 252](#), ["Code" on page 254](#)

Restricts

["ExternalOrganisationIdentificationCode" on page 545](#)

6.92 ExternalOrganisationIdentificationCode

Definition: Specifies the external organisation identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalOrganisationIdentification1Code" on page 544](#)

6.93 ExternalPersonIdentification1Code

Definition: Specifies the external person identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 297](#), ["Code" on page 298](#), ["Code" on page 300](#)

Restricts

["ExternalPersonIdentificationCode" on page 546](#)

6.94 ExternalPersonIdentificationCode

Definition: Specifies the external person identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalPersonIdentification1Code" on page 545](#)

6.95 ExternalProxyAccountType1Code

Definition: Specifies the external proxy account type code, as published in the proxy account type external code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 402](#)

Restricts

["ExternalProxyAccountTypeCode" on page 546](#)

6.96 ExternalProxyAccountTypeCode

Definition: Specifies the external proxy account type code, as published in the proxy account type external code set.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalProxyAccountType1Code" on page 546

6.97 ExternalPurpose1Code

Definition: Specifies the external purpose code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

"Code" on page 403

Restricts

"ExternalPurposeCode" on page 547

6.98 ExternalPurposeCode

Definition: Specifies the external purpose code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

"ExternalPurpose1Code" on page 547

6.99 ExternalRePresentmentReason1Code

Definition: Specifies the external representment reason code in the format of character string with a maximum length of 4 characters. The list of valid codes is an external code list published separately.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["RePresentmentReason" on page 84](#)

Restricts

["ExternalRePresentmentReasonCode" on page 548](#)

6.100 ExternalRePresentmentReasonCode

Definition: Specifies the external representment reason code in the format of character string with a maximum length of 4 characters. The list of valid codes is an external code list published separately.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalRePresentmentReason1Code" on page 548](#)

6.101 ExternalReportingSource1Code

Definition: Specifies the reporting source, as published in an external reporting source code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 424](#)

Restricts

["ExternalReportingSourceCode" on page 549](#)

6.102 ExternalReportingSourceCode

Definition: Specifies the reporting source, as published in an external reporting source code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalReportingSource1Code" on page 548](#)

6.103 ExternalReturnReason1Code

Definition: Specifies the return reason, as published in an external return reason code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 425](#)

Restricts

["ExternalReturnReasonCode" on page 549](#)

6.104 ExternalReturnReasonCode

Definition: Specifies the return reason, as published in an external return reason code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalReturnReason1Code" on page 549](#)

6.105 ExternalTaxAmountType1Code

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 440](#), ["Code" on page 440](#)

Restricts

["ExternalTaxAmountTypeCode" on page 550](#)

6.106 ExternalTaxAmountTypeCode

Definition: Specifies the nature, or use, of the amount in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalTaxAmountType1Code" on page 550](#)

6.107 ExternalTechnicalInputChannel1Code

Definition: Specifies the technical input channel, as published in an external technical input channel code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Used in element(s)

["Code" on page 466](#)

Restricts

["ExternalTechnicalInputChannelCode" on page 551](#)

6.108 ExternalTechnicalInputChannelCode

Definition: Specifies the technical input channel, as published in an external technical input channel code list.

External code sets can be downloaded from www.iso20022.org.

Type: CodeSet

Format

maxLength	4
minLength	1

Is restricted by

["ExternalTechnicalInputChannel1Code" on page 550](#)

6.109 IBAN2007Identifier

Definition: The International Bank Account Number is a code used internationally by financial institutions to uniquely identify the account of a customer at a financial institution as described in the 2007 edition of the ISO 13616 standard "Banking and related financial services - International Bank Account Number (IBAN)" and replaced by the more recent edition of the standard.

Type: IdentifierSet

Format

pattern	[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}
---------	---------------------------------------

Rules

R13 IBAN ✓

A valid IBAN consists of all three of the following components: Country Code, check digits and BBAN.

Error handling:

– *Error severity:* Fatal

- *Error Code:* D00003
- *Error Text:* Invalid IBAN format or invalid check digits.

Used in element(s)

["IBAN" on page 24](#)

6.110 ISINOct2015Identifier

Definition: The International Securities Identification Number is a code allocated to financial instruments as well as referential instruments, as described in the ISO 6166 standard, associated with the minimum descriptive data. The ISIN consists of a prefix using the alpha-2 country codes or reserved codes specified in ISO 3166 or other prefixes as may be determined by the Registration Authority for the ISO 6166 standard, a nine characters (alphanumeric) basic code and a check digit.

Note: this identifier also supports the new version of the standard, which was published in 2021 (ISO 6166:2021) as there is no update in the pattern.

Type: IdentifierSet

Format

pattern [A-Z]{2,2}[A-Z0-9]{9,9}[0-9]{1,1}

Used in element(s)

["ISIN" on page 428](#)

6.111 ISO2ALanguageCode

Definition: Identification of the language name according to the ISO 639-1 codes. The type is validated by the list of values coded with two alphabetic characters, defined in the standard.

Type: CodeSet

Format

pattern [a-z]{2,2}

Used in element(s)

["AttendantLanguage" on page 288](#)

6.112 ISODate

Definition: A particular point in the progression of time in a calendar year expressed in the YYYY-MM-DD format. This representation is defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Type: Date

Used in element(s)

["ActualDate" on page 100](#), ["BirthDate" on page 145](#), ["BirthDate" on page 146](#), ["Date" on page 144](#), ["Date" on page 447](#), ["Date" on page 195](#), ["Date" on page 450](#), ["EndDate" on page 480](#), ["FromDate" on page 150](#), ["InterbankSettlementDate" on page 479](#), ["RelatedDate" on page 406](#), ["RelatedDate" on page 158](#), ["StartDate" on page 479](#), ["ToDate" on page 150](#), ["TradeActivityContractualSettlementDate" on page 479](#), ["TradeDate" on page 479](#), ["ValidationDate" on page 85](#), ["Year" on page 457](#)

6.113 ISODateTime

Definition: A particular point in the progression of time defined by a mandatory date and a mandatory time component, expressed in either UTC time format (YYYY-MM-DDThh:mm:ss.sssZ), local time with UTC offset format (YYYY-MM-DDThh:mm:ss.sss+/-hh:mm), or local time format (YYYY-MM-DDThh:m-m:ss.sss). These representations are defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

Type: DateTime

Used in element(s)

["QuotationDate" on page 143](#)

6.114 ISOYearMonth

Definition: Month within a particular calendar year represented by YYYY-MM (ISO 8601).

Type: YearMonth

Used in element(s)

["EffectiveDate" on page 301](#), ["ExpiryDate" on page 301](#)

6.115 ImpliedCurrencyAndAmount

Definition: Number of monetary units specified in a currency where the unit of currency is implied by the context and compliant with ISO 4217. The decimal separator is a dot.

Note: a zero amount is considered a positive amount.

Type: Amount

Format

fractionDigits	5
minInclusive	0
totalDigits	18

Used in element(s)

["AmortisedValue" on page 192](#), ["AmortisedValue" on page 255](#), ["BoundaryAmount" on page 48](#), ["EqualAmount" on page 238](#), ["FaceAmount" on page 192](#), ["FaceAmount" on page 255](#), ["NotEqualAmount" on page 238](#), ["ProductAmount" on page 392](#), ["UnitPrice" on page 392](#)

6.116 InterestCode

Definition: Indicates which type of interest is applied to a balance left on an account.

Type: CodeSet

Code	Name	Definition
INDY	IntraDay	During or within a business day.
OVNR	OverNight	Period of time between the end of a business day and the start of the next business day (usually the day after).

Is restricted by

["InterestType1Code" on page 554](#)

6.117 InterestType1Code

Definition: Indicates which type of interest is applied to a balance left on an account.

Type: CodeSet

Code	Name	Definition
INDY	IntraDay	During or within a business day.
OVNR	OverNight	Period of time between the end of a business day and the start of the next business day (usually the day after).

Used in element(s)

["Code" on page 241](#)

Restricts

["InterestCode" on page 554](#)

6.118 LEIdentifier

Definition: Legal Entity Identifier is a code allocated to a party as described in ISO 17442 "Financial Services - Legal Entity Identifier (LEI)".

Type: IdentifierSet

Format

pattern [A-Z0-9]{18,18}[0-9]{2,2}

Used in element(s)

["LEI" on page 63](#), ["LEI" on page 247](#), ["LEI" on page 189](#), ["LEI" on page 249](#), ["LEI" on page 182](#), ["LEI" on page 65](#), ["LEI" on page 68](#), ["LEI" on page 186](#), ["LEI" on page 71](#), ["LEI" on page 251](#)

6.119 Max128Text

Definition: Specifies a character string with a maximum length of 128 characters.

Type: Text

Format

maxLength 128

minLength 1

Used in element(s)

["Identification" on page 257](#)

6.120 Max140Text

Definition: Specifies a character string with a maximum length of 140 characters.

Type: Text

Format

maxLength 140

minLength 1

Used in element(s)

["Name" on page 63](#), ["Name" on page 118](#), ["Name" on page 267](#), ["Name" on page 189](#)

6.121 Max15NumericText

Definition: Specifies a numeric string with a maximum length of 15 digits.

Type: Text

Format

pattern [0-9]{1,15}

Used in element(s)

["NumberOfEntries" on page 245](#), ["NumberOfEntries" on page 246](#), ["NumberOfEntries" on page 469](#), ["NumberOfNotes" on page 104](#), ["NumberOfTransactions" on page 55](#)

6.122 Max15PlusSignedNumericText

Definition: Specifies a numeric string with a maximum length of 15 digits and may be prefixed with a plus sign.

Type: Text

Format

pattern [+] { 0 , 1 } [0 - 9] { 1 , 15 }

Used in element(s)

"NumberOfDays" on page 100

6.123 Max16Text

Definition: Specifies a character string with a maximum length of 16 characters.

Type: Text

Format

maxLength 16
minLength 1

Used in element(s)

"BuildingNumber" on page 310, "PostBox" on page 311, "PostCode" on page 311

6.124 Max2048Text

Definition: Specifies a character string with a maximum length of 2048 characters.

Type: Text

Format

maxLength 2048
minLength 1

Used in element(s)

"EmailAddress" on page 119, "EmailAddress" on page 127, "Identification" on page 237

6.125 Max350Text

Definition: Specifies a character string with a maximum length of 350 characters.

Type: Text

Format

maxLength 350

minLength	1
-----------	---

Used in element(s)

["PlaceAndName" on page 436](#), ["Registry" on page 236](#)

6.126 Max35Text

Definition: Specifies a character string with a maximum length of 35 characters.

Type: Text

Format

maxLength	35
minLength	1

Used in element(s)

["BuildingName" on page 310](#), ["BusinessMessageIdentifier" on page 75](#), ["BusinessService" on page 76](#), ["CityOfBirth" on page 145](#), ["CountrySubDivision" on page 312](#), ["DistrictName" on page 312](#), ["EmailPurpose" on page 120](#), ["EmailPurpose" on page 128](#), ["Identification" on page 63](#), ["Identification" on page 200](#), ["Identification" on page 222](#), ["Identification" on page 227](#), ["Identification" on page 64](#), ["Identification" on page 71](#), ["Issuer" on page 201](#), ["Issuer" on page 207](#), ["Issuer" on page 222](#), ["Issuer" on page 228](#), ["JobTitle" on page 120](#), ["JobTitle" on page 129](#), ["MemberIdentification" on page 112](#), ["MessageDefinitionIdentifier" on page 75](#), ["Proprietary" on page 109](#), ["Proprietary" on page 154](#), ["Proprietary" on page 164](#), ["Proprietary" on page 178](#), ["Proprietary" on page 252](#), ["Proprietary" on page 298](#), ["Proprietary" on page 407](#), ["Proprietary" on page 440](#), ["ProvinceOfBirth" on page 145](#), ["Responsibility" on page 120](#), ["Responsibility" on page 129](#), ["SchemeName" on page 207](#), ["TownLocationName" on page 312](#), ["TownName" on page 312](#)

6.127 Max3NumericText

Definition: Specifies a numeric string with a maximum length of 3 digits.

Type: Text

Format

pattern	[0-9]{1,3}
---------	------------

Used in element(s)

["LineWidth" on page 156](#), ["NumberOfLines" on page 155](#), ["PrintLineWidth" on page 306](#)

6.128 Max4Text

Definition: Specifies a character string with a maximum length of 4 characters.

Type: Text

Format

maxLength	4
-----------	---

minLength 1

Used in element(s)

"ChannelType" on page 257

6.129 Max5NumericText

Definition: Specifies a numeric string with a maximum length of 5 digits.

Type: Text

Format

pattern [0-9]{1,5}

Used in element(s)

"PageNumber" on page 259

6.130 Max70Text

Definition: Specifies a character string with a maximum length of 70 characters.

Type: Text

Format

maxLength 70

minLength 1

Used in element(s)

"AddressLine" on page 312, "Department" on page 121, "Department" on page 310, "Department" on page 130, "Floor" on page 310, "Room" on page 311, "StreetName" on page 310, "SubDepartment" on page 310

6.131 Min2Max3NumericText

Definition: Specifies a numeric string with a minimum length of 2 digits, and a maximum length of 3 digits.

Type: Text

Format

pattern [0-9]{2,3}

Used in element(s)

"CardSequenceNumber" on page 301

6.132 Min3Max4NumericText

Definition: Specifies a numeric string with a minimum length of 3 digits, and a maximum length of 4 digits.

Type: Text

Format

pattern [0-9]{3,4}

Used in element(s)

["CSCValue" on page 86](#)

6.133 Min8Max28NumericText

Definition: Specifies a numeric string with a minimum length of 8 digits, and a maximum length of 28 digits.

Type: Text

Format

pattern [0-9]{8,28}

Used in element(s)

["PAN" on page 301](#)

6.134 NamePrefix2Code

Definition: Specifies the terms used to formally address a person.

Type: CodeSet

Code	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.
MADM	Madam	Title of the person is Madam.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.

Used in element(s)

["NamePrefix" on page 118](#), ["NamePrefix" on page 122](#)

Restricts

["NamePrefixCode" on page 559](#)

6.135 NamePrefixCode

Definition: Specifies the terms used to formally address a person.

Type: CodeSet

Code	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.
MADM	Madam	Title of the person is Madam.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.

Is restricted by

["NamePrefix2Code" on page 559](#)

6.136 NonNegativeDecimalNumber

Definition: Number of objects represented as a non negative decimal number, for example, 0.75 or 45.6.

Type: Quantity

Format

fractionDigits	17
minInclusive	0
totalDigits	18

Used in element(s)

["Amount" on page 48](#)

6.137 Number

Definition: Number of objects represented as an integer.

Type: Quantity

Format

fractionDigits	0
totalDigits	18

Used in element(s)

["ElectronicSequenceNumber" on page 28](#), ["LegalSequenceNumber" on page 29](#), ["SequenceNumber" on page 447](#), ["SequenceNumber" on page 451](#)

6.138 OnLineCapability1Code

Definition: On-line and off-line capabilities of the POI (Point Of Interaction).

Type: CodeSet

Code	Name	Definition
OFLN	OffLine	Off-line only capable.
ONLN	OnLine	On-line only capable.
SMON	SemiOffLine	Off-line capable with possible on-line requests to the acquirer.

Used in element(s)

["OnLineCapabilities"](#) on page 305

Restricts

["OnLineCapabilityCode"](#) on page 561

6.139 OnLineCapabilityCode

Definition: On-line and off-line capabilities of the POI (Point Of Interaction).

Type: CodeSet

Code	Name	Definition
BOTH	BothOnLineAndOffLine	Both online and offline
OFLN	OffLine	Off-line only capable.
ONLN	OnLine	On-line only capable.
SMON	SemiOffLine	Off-line capable with possible on-line requests to the acquirer.

Is restricted by

["OnLineCapability1Code"](#) on page 560

6.140 POIComponentType1Code

Definition: Generic component type belonging to a POI (Point of Interaction) Terminal.

Type: CodeSet

Code	Name	Definition
CHIT	CardholderInterface	Cardholder Interface.
EMVK	EMVKernel	EMV application kernel (EMV is the chip card specifications initially defined by Eurocard, Mastercard and Visa).
EMVO	EMVLevel1	EMV physical interface (EMV is the chip card specifications initially defined by Eurocard, Mastercard and Visa).
MRIT	MerchantInterface	Merchant interface.
PEDV	PINEntryDevice	Personal identification number (or PIN) entry device (PED).

Code	Name	Definition
SECM	SecureModule	Security module.
SOFT	Soft	Payment or other software application.

Used in element(s)

"POIComponentType" on page 307

Restricts

"POIComponentTypeCode" on page 562

6.141 POIComponentTypeCode

Definition: Generic component type belonging to a POI (Point of Interaction) Terminal.

Type: CodeSet

Code	Name	Definition
APLI	PaymentApplication	Payment application software.
APPR	ApplicationParameters	Parameters of a payment application running on the point of interaction.
AQPP	AcquirerProtocolParameters	Parameters for acquirer interface of the point of interaction, including acquirer host configuration parameters.
AQPR	AcquirerParameters	Acquirer specific configuration parameters for the point of interaction (POI) system.
CHIT	CardholderInterface	Cardholder Interface.
CONF	ConfigurationFile	Configuration file relevant for the POI.
CRTF	CertificateParameters	Certificate provided by a terminal manager.
DRVR	Driver	Driver module of the point of interaction.
DVCE	Device	Device sub-component of a component of the point of interaction.
EMVK	EMVKernel	EMV application kernel (EMV is the chip card specifications initially defined by Eurocard, Mastercard and Visa).
EMVO	EMVLevel1	EMV physical interface (EMV is the chip card specifications initially defined by Eurocard, Mastercard and Visa).
LOGF	LogFile	Any repository used for recording log traces.
MDFL	MediaFile	Media file managed by an application of the POI.
MDWR	Middleware	Software module of the point of interaction.
MRIT	MerchantInterface	Merchant interface.

Code	Name	Definition
MRPR	MerchantParameters	Merchant configuration parameters for the point of interaction (POI).
OPST	OperatingSystem	Software that manages hardware to provide common services to the applications.
PEDV	PINEntryDevice	Personal identification number (or PIN) entry device (PED).
RPFL	ReportFile	Report file generated by the POI.
SACP	SaleComponent	Component of the Sale system.
SAPR	SaleToPOIProtocolParameters	Parameters related to the Sale to POI protocol.
SCPR	SecurityParameters	Security parameters of the point of interaction.
SECM	SecureModule	Security module.
SERV	Server	Payment server of a point of interaction system.
SOFT	Soft	Payment or other software application.
TERM	Terminal	Payment terminal point of interaction.
TLPR	TerminalParameters	Manufacturer configuration parameters of the point of interaction.
TMSP	TMSProtocolParameters	Configuration parameters for the TMS protocol.
VDPR	VendorParameters	Point of interaction parameters defined by the manufacturer for instance the PIN verification capabilities.

Is restricted by

"POIComponentType1Code" on page 561

6.142 ParentCurrencyCode

Definition: Code allocated to a currency, by a maintenance agency, under an international identification scheme as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds". Valid currency codes are registered with the ISO 4217 Maintenance Agency, and consist of three contiguous letters.

Type: CodeSet

Format

pattern [A-Z]{3,3}

Is restricted by

"ActiveOrHistoricCurrencyCode" on page 498

6.143 PartyType3Code

Definition: Identification of the type of entity involved in a transaction.

Type: CodeSet

Code	Name	Definition
ACCP	Acceptor	Card acceptor, party accepting the card and presenting transaction data to the acquirer.
ACQR	Acquirer	Entity acquiring card transactions.
CISS	CardIssuer	Party that issues cards.
DLIS	DelegatIssuer	Party to whom the card issuer delegates to authorise card payment transactions.
ITAG	IntermediaryAgent	Party acting on behalf of other parties to process or forward data to other parties.
MERC	Merchant	Merchant providing goods and service in the card payment transaction.
OPOI	OriginatingPOI	Point Of Interaction initiating the card payment transaction.

Used in element(s)

"Type" on page 220

Restricts

"PartyTypeCode" on page 565

6.144 PartyType4Code

Definition: Entity assigning an identification (for example merchant, acceptor, acquirer, tax authority, etc.).

Type: CodeSet

Code	Name	Definition
ACCP	Acceptor	Card acceptor, party accepting the card and presenting transaction data to the acquirer.
ACQR	Acquirer	Entity acquiring card transactions.
CISS	CardIssuer	Party that issues cards.
ITAG	IntermediaryAgent	Party acting on behalf of other parties to process or forward data to other parties.
MERC	Merchant	Merchant providing goods and service in the card payment transaction.
TAXH	TaxAuthority	Tax authority.

Used in element(s)

"Issuer" on page 220

Restricts

["PartyTypeCode" on page 565](#)

6.145 PartyTypeCode

Definition: Specifies the entitled party.

Type: CodeSet

Code	Name	Definition
ACCP	Acceptor	Card acceptor, party accepting the card and presenting transaction data to the acquirer.
ACQP	AcquirerProcessor	Entity providing acquiring card payment processing services on behalf on an acquirer.
ACQR	Acquirer	Entity acquiring card transactions.
AFFI	AffirmingParty	Party (buyer or seller) that positively affirms the details of a previously agreed security trade confirmation.
AGNT	Agent	Entity providing card payment processing services acting as an intermediary between an acquirer and an issuer.
ATMG	ATMManager	Entity managing the ATM.
BKAF	AccountFromBank	The bank of the source account.
BKAT	AccountToBank	The bank of the destination account.
BROK	BrokerOfCredit	Party that receives the trade credit.
CISP	CardIssuerProcessor	Entity providing issuing card payment processing services on behalf on an issuer.
CISS	CardIssuer	Party that issues cards.
CLEA	Clearingfirm	Party (broker) that settles security transactions from another broker for a fee = take up broker.
CLIE	Client	A client is identified in third party-transactions or for investor in intermediary transactions.
CLRA	ClearingAgent	Agent in charge of clearing payment or related transactions.
COCL	ContraClearingFirm	Party that is the clearing firm of the counterparty in a trade.
COFI	ContraFirm	Party that is the counterparty in a trade.
CORR	CorrespondentClearingFirm	Party that is going to carry the position on their books at another clearinghouse (exchanges).
CRDH	Cardholder	Holder of a payment card.
CSCH	CardScheme	Entity defining rules and procedures for card payment transactions acting as an

Code	Name	Definition
		intermediary between an acquirer and an issuer.
DLIS	Delegatelssuer	Party to whom the card issuer delegates to authorise card payment transactions.
ENTE	EnteringFirm	Party that has recorded or reported an execution of a trade. When an entering firm that is not a party to a trade enters the trade into a trade recording system, any inquiries can be directed to the appropriate source.
ETC1	ETCServiceProvider1	Party acting as the Electronic Trade Confirmation (ETC) service provider 1.
ETC2	ETCServiceProvider2	Party acting as the Electronic Trade Confirmation (ETC) service provider 2.
EXEC	ExecutingFirm	Party that identifies an executing / give-up broker.
GIVE	GiveUpClearingFirm	Party to which the trade is given up (carries the position that results from a trade).
GVIU	GovernmentInvestigationUnit	Government organisation investigation unit.
HLDR	Holder	Holder is the entitled party.
HSTG	HostingEntity	Entity hosting the ATM.
ICCA	CardApplication	Application in the smart card.
INTR	IntroducingFirm	Party that can relay an order directly to the trading floor, or give clients direct access to the floor. The introducing firm delegates the work of the floor operation, trade execution and accounting.
INVE	Investor	Party, either an individual or organisation, whose assets are being invested.
ISUR	Issuer	Issuer is the entitled party.
ITAG	IntermediaryAgent	Party acting on behalf of other parties to process or forward data to other parties.
MERC	Merchant	Merchant providing goods and service in the card payment transaction.
MTMG	MasterTerminalManager	Responsible for the maintenance of a card payment acceptance terminal.
OATM	OriginatingATM	ATM initiating the transaction.
OPOI	OriginatingPOI	Point Of Interaction initiating the card payment transaction.
ORDE	OrderOriginationFirm	Party that originates an order.
OTHN	OtherNational	Other card payment entity type defined at national level
OTHP	OtherPrivate	Other card payment entity type defined at private level

Code	Name	Definition
OTRM	OriginatingTerminal	Application on the terminal which has initiated the transaction.
PASP	PaymentServiceProvider	Entity providing payments services.
PCPT	POIComponent	Party component of a POI system or POI terminal (Point of Interaction).
PGRP	POIGroup	Configuration to apply to a subset of the whole POI system.
PISP	PaymentInitiationServiceProvider	Payment Initiation Service Provider (PISP)
POOI	PointOfInteraction	Party in charge of controlling or supervising a card acceptance Point of Interaction
PSNG	SinglePOI	Configuration to apply to a single POI terminal.
PSYS	POISystem	Configuration to apply to the whole POI system.
RQBR	RequestedBroker	In a directed order, broker with which the Receiver of the message is requested to execute the order.
SALE	SaleSystem	Party selling goods and services.
SCHP	CardSchemeProcessor	Entity providing card payment processing services acting on behalf of a card scheme.
SETA	SettlementAgent	Agent in charge of the settlement of a payment or related transaction.
SPON	SponsoringFirm	Party (member of an exchange) that is sponsoring an entering firm to send orders directly to the exchange.
STEP	StepInBroker	Broker to which the investment manager directs the execution of a portion of the trade.
TAXH	TaxAuthority	Tax authority.
TMGT	TerminalManager	Responsible for one or several maintenance functions of a card payment acceptance terminal.
UNDE	UnderlyingContraFirm	Party (broker or other firm), which is the contra side of the trade for the underlying security.
WLPR	WalletProvider	Provider of an electronic wallet

Is restricted by

"PartyType3Code" on page 563, "PartyType4Code" on page 564

6.146 PercentageRate

Definition: Rate expressed as a percentage, that is, in hundredths, for example, 0.7 is 7/10 of a percent, and 7.0 is 7%.

Type: Rate

Format

fractionDigits 10
totalDigits 11

Used in element(s)

"Percentage" on page 405, "Rate" on page 437, "Rate" on page 444, "Rate" on page 107, "Rate" on page 390

6.147 PhoneNumber

Definition: The collection of information which identifies a specific phone or FAX number as defined by telecom services.

It consists of a "+" followed by the country code (from 1 to 3 characters) then a "-" and finally, any combination of numbers, "(", ")", "+ and "-" (up to 30 characters).

Type: Text

Format

pattern \+[0-9]{1,3}-[0-9()+\-]{1,30}

Used in element(s)

"FaxNumber" on page 119, "FaxNumber" on page 126, "MobileNumber" on page 119, "MobileNumber" on page 125, "PhoneNumber" on page 118, "PhoneNumber" on page 124

6.148 PreferredContactMethod1Code

Definition: Preferred method used to reach the individual contact within an organisation.

Type: CodeSet

Code	Name	Definition
CELL	MobileOrCellPhone	Preferred method used to reach the contact is per mobile or cell phone.
FAXX	Fax	Preferred method used to reach the contact is per fax.
LETT	Letter	Preferred method used to reach the contact is per letter.
MAIL	Email	Preferred method used to reach the contact is per email.
PHON	Phone	Preferred method used to reach the contact is per phone.

Used in element(s)

"PreferredMethod" on page 121, "PreferredMethod" on page 132

Restricts

["PreferredContactMethodCode" on page 569](#)

6.149 PreferredContactMethodCode

Definition: Preferred method used to reach the individual contact within an organisation.

Type: CodeSet

Code	Name	Definition
CELL	MobileOrCellPhone	Preferred method used to reach the contact is per mobile or cell phone.
FAXX	Fax	Preferred method used to reach the contact is per fax.
LETT	Letter	Preferred method used to reach the contact is per letter.
MAIL	Email	Preferred method used to reach the contact is per email.
ONLI	Online	Preferred method used to reach the contact is online.
PHON	Phone	Preferred method used to reach the contact is per phone.

Is restricted by

["PreferredContactMethod1Code" on page 568](#)

6.150 PriceValueType1Code

Definition: Specifies a type of value of the price.

Type: CodeSet

Code	Name	Definition
DISC	Discount	Price expressed as a number of percentage points below par, for example, a discount price of 2.0% equals a price of 98 when par is 100.
PARV	Par	Price is the face amount.
PREM	Premium	Price expressed as a number of percentage points above par, for example, a premium price of 2.0% equals a price of 102 when par is 100.

Used in element(s)

["ValueType" on page 497](#)

Restricts

["PriceValueTypeCode" on page 570](#)

6.151 PriceValueTypeCode

Definition: Price will not be paid.

Type: CodeSet

Code	Name	Definition
ABSO	Absolute	Price is expressed as absolute.
ACTU	ActualAmount	Price expressed as a currency and amount per unit or per share.
DISC	Discount	Price expressed as a number of percentage points below par, for example, a discount price of 2.0% equals a price of 98 when par is 100.
FICT	FixedCabinetTrade	Cabinet trades are used to indicate prices that trade at a price lower than that available on an exchange and they can be fixed or variable (primarily used for listed futures and options).
NEGA	NegativeActualAmount	Price must be interpreted as a negative amount of currency per unit or per share.
NILP	NilPayment	Price will not be paid.
OPEN	OpenDated	Price has not been established.
PARV	Par	Price is the face amount.
PEUN	PerUnit	Price expressed per unit.
PRCT	Percentage	Price expressed as a percentage of par.
PREM	Premium	Price expressed as a number of percentage points above par, for example, a premium price of 2.0% equals a price of 102 when par is 100.
SPRE	Spread	Difference between a market maker's bid and asked price.
TBSP	ToBeSpecified	Price to be specified by account owner.
TEDP	TEDPrice	Price is expressed as Treasury Euro Dollar price.
TEDY	TEDYield	Price is expressed as Treasury Euro Dollar yield.
UKWN	Unknown	Price is unknown by the sender or has not been established.
UNSP	Unspecified	Price is not required to be specified by account owner.
VACT	VariableCabinetTrade	Cabinet trades are used to indicate prices that trade at a price lower than that available on an exchange and they can be fixed or variable (primarily used for listed futures and options).
YIEL	Yield	Price expressed as a yield.

Is restricted by

["PriceValueType1Code" on page 569](#)

6.152 Priority2Code

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

Restricts

["PriorityCode" on page 571](#)

6.153 PriorityCode

Definition: Specifies the priority level of an event.

Type: CodeSet

Code	Name	Definition
HIGH	High	Priority level is high.
LOWW	Low	Priority level is low.
NORM	Normal	Priority level is normal.
URGT	Urgent	Priority level is urgent (highest priority possible).

Is restricted by

["Priority2Code" on page 571](#)

6.154 RemittanceLocationMethod2Code

Definition: Specifies the method used to deliver the remittance advice information.

Type: CodeSet

Code	Name	Definition
EDIC	ElectronicDataInterchange	Remittance advice information must be sent through Electronic Data Interchange (EDI).
EMAL	EMail	Remittance advice information must be sent through e-mail.
FAXI	Fax	Remittance advice information must be faxed.
POST	Post	Remittance advice information must be sent through postal services.

Code	Name	Definition
SMSM	SMS	Remittance advice information must be sent through by phone as a short message service (SMS).
URID	UniformResourceIdentifier	Remittance advice information needs to be sent to a Uniform Resource Identifier (URI). URI is a compact string of characters that uniquely identify an abstract or physical resource. URI's are the super-set of identifiers, such as URLs, email addresses, ftp sites, etc, and as such, provide the syntax for all of the identification schemes.

Used in element(s)

["Method" on page 415](#)

Restricts

["RemittanceLocationMethodCode" on page 572](#)

6.155 RemittanceLocationMethodCode

Definition: Specifies the method used to deliver the remittance advice information.

Type: CodeSet

Code	Name	Definition
EDIC	ElectronicDataInterchange	Remittance advice information must be sent through Electronic Data Interchange (EDI).
EMAL	EMail	Remittance advice information must be sent through e-mail.
FAXI	Fax	Remittance advice information must be faxed.
POST	Post	Remittance advice information must be sent through postal services.
SMSM	SMS	Remittance advice information must be sent through by phone as a short message service (SMS).
URID	UniformResourceIdentifier	Remittance advice information needs to be sent to a Uniform Resource Identifier (URI). URI is a compact string of characters that uniquely identify an abstract or physical resource. URI's are the super-set of identifiers, such as URLs, email addresses, ftp sites, etc, and as such, provide the syntax for all of the identification schemes.

Is restricted by

["RemittanceLocationMethod2Code" on page 571](#)

6.156 TaxRecordPeriod1Code

Definition: Specifies the period related to the tax payment.

Type: CodeSet

Code	Name	Definition
HLF1	FirstHalf	Tax is related to the first half of the period.
HLF2	SecondHalf	Tax is related to the second half of the period.
MM01	FirstMonth	Tax is related to the second month of the period.
MM02	SecondMonth	Tax is related to the first month of the period.
MM03	ThirdMonth	Tax is related to the third month of the period.
MM04	FourthMonth	Tax is related to the fourth month of the period.
MM05	FifthMonth	Tax is related to the fifth month of the period.
MM06	SixthMonth	Tax is related to the sixth month of the period.
MM07	SeventhMonth	Tax is related to the seventh month of the period.
MM08	EighthMonth	Tax is related to the eighth month of the period.
MM09	NinthMonth	Tax is related to the ninth month of the period.
MM10	TenthMonth	Tax is related to the tenth month of the period.
MM11	EleventhMonth	Tax is related to the eleventh month of the period.
MM12	TwelfthMonth	Tax is related to the twelfth month of the period.
QTR1	FirstQuarter	Tax is related to the first quarter of the period.
QTR2	SecondQuarter	Tax is related to the second quarter of the period.
QTR3	ThirdQuarter	Tax is related to the third quarter of the period.
QTR4	FourthQuarter	Tax is related to the forth quarter of the period.

Used in element(s)

"Type" on page 458

Restricts"TaxRecordPeriodCode" on page 574

6.157 TaxRecordPeriodCode

Definition: Specifies the period related to the tax payment.*Type:* CodeSet

Code	Name	Definition
HLF1	FirstHalf	Tax is related to the first half of the period.
HLF2	SecondHalf	Tax is related to the second half of the period.
MM01	FirstMonth	Tax is related to the second month of the period.
MM02	SecondMonth	Tax is related to the first month of the period.
MM03	ThirdMonth	Tax is related to the third month of the period.
MM04	FourthMonth	Tax is related to the fourth month of the period.
MM05	FifthMonth	Tax is related to the fifth month of the period.
MM06	SixthMonth	Tax is related to the sixth month of the period.
MM07	SeventhMonth	Tax is related to the seventh month of the period.
MM08	EighthMonth	Tax is related to the eighth month of the period.
MM09	NinthMonth	Tax is related to the ninth month of the period.
MM10	TenthMonth	Tax is related to the tenth month of the period.
MM11	EleventhMonth	Tax is related to the eleventh month of the period.
MM12	TwelfthMonth	Tax is related to the twelfth month of the period.
QTR1	FirstQuarter	Tax is related to the first quarter of the period.
QTR2	SecondQuarter	Tax is related to the second quarter of the period.
QTR3	ThirdQuarter	Tax is related to the third quarter of the period.
QTR4	FourthQuarter	Tax is related to the forth quarter of the period.

Is restricted by

["TaxRecordPeriod1Code" on page 573](#)

6.158 TransactionChannel1Code

Definition: Identifies the type of the communication channels used by the cardholder to the acceptor system.

Type: CodeSet

Code	Name	Definition
ECOM	ElectronicCommerce	Electronic commerce.
MAIL	MailOrder	Mail order.
TLPH	TelephoneOrder	Telephone order.
TVPY	TelevisionPayment	Payment on television.

Used in element(s)

["TransactionChannel" on page 288](#)

Restricts

["TransactionChannelCode" on page 575](#)

6.159 TransactionChannelCode

Definition: Specifies the type of communication channel.

Type: CodeSet

Code	Name	Definition
BRAN	OfficeOrBranch	Office or branch.
ECOM	ElectronicCommerce	Electronic commerce.
FIAD	FinancialAdvisor	Financial advisor.
HOBA	HomeBanking	Home banking.
MAIL	MailOrder	Mail order.
MOBL	MobilePayment	Payment performed through a cardholder mobile device.
MPOS	MobilePOS	Payment performed through a merchant mobile device.
SECM	SecuredElectronicCommerce	Electronic commerce with cardholder authentication.
TLPH	TelephoneOrder	Telephone order.
TVPY	TelevisionPayment	Payment on television.

Is restricted by

["TransactionChannel1Code" on page 575](#)

6.160 TransactionEnvironment1Code

Definition: Indicates the environment of the transaction.

Type: CodeSet

Code	Name	Definition
MERC	Merchant	Merchant environment.
PRIV	Private	Private environment.
PUBL	Public	Public environment.

Used in element(s)

["TransactionEnvironment" on page 288](#)

Restricts

["TransactionEnvironmentCode" on page 576](#)

6.161 TransactionEnvironmentCode

Definition: Indicates the environment of the transaction.

Type: CodeSet

Code	Name	Definition
BRCH	Branch	Bank environment.
MERC	Merchant	Merchant environment.
OTHR	Other	Other environments, for instance a mall or an airport.
PRIV	Private	Private environment.
PUBL	Public	Public environment.

Is restricted by

["TransactionEnvironment1Code" on page 576](#)

6.162 TrueFalseIndicator

Definition: A flag indicating a True or False value.

Type: Indicator

Meaning When True: True

Meaning When False: False

Used in element(s)

["AttendantMessageCapable" on page 288](#), ["CardPresent" on page 287](#), ["CardholderPresent" on page 287](#), ["EmployeeTerminationIndicator" on page 196](#), ["FallbackIndicator" on page 289](#), ["FamilyMedicalInsuranceIndicator" on page 196](#), ["ForecastIndicator" on page 470](#), ["Included" on page 134](#), ["On-LineContext" on page 288](#), ["ReversalIndicator" on page 417](#)

6.163 UUIDv4Identifier

Definition: Universally Unique Identifier (UUID) version 4, as described in IETF RFC 4122 "Universally Unique Identifier (UUID) URN Namespace".

Type: IdentifierSet

Format

pattern [a-f0-9]{8}-[a-f0-9]{4}-4[a-f0-9]{3}-[89ab][a-f0-9]{3}-[a-f0-9]{12}

Used in element(s)

["UETR" on page 493](#)

6.164 UnicodeChartsCode

Definition: codelist containing the names of the UNICODE code block name as specified on <http://unicode.org/Public/UNIDATA/Blocks.txt>.

Type: CodeSet

Rules

R2 ValidationByTable

Error handling: Undefined

Used in element(s)

["CharacterSet" on page 73](#)

6.165 UnitOfMeasure1Code

Definition: Unit of measure of the item purchased.

Type: CodeSet

Code	Name	Definition
ACRE	Acre	Unit of measure equal to 4, 840 square yards.
ARES	Are	Unit of measure equal to a 100 square meters.
CELI	Centilitre	Unit of volume that is equal to one hundredth of a litre.
CMET	Centimetre	Unit of measure that is equal to one hundredth of a metre.
FOOT	Foot	Unit of length equal to 1/3 yard.
GBGA	GBGallon	Unit of volume that is equal to 8 pints.
GBOU	GBOunce	Unit of weight equal to a sixteenth of a pound.
GBPI	GBPint	Unit of volume that is equal to 568 cubic centimetres.

Code	Name	Definition
GBQA	GBQuart	Unit of volume that is equal to 2 pints.
GRAM	Gram	Unit of measure that is equal to a 1,000th of a kilo.
HECT	Hectare	Unit of measure that is equal to 10,000 square meters.
INCH	Inch	Measure of length equal to 2.54 cm.
KILO	Kilogram	Basic unit of mass in the SI system, 1000 grams.
KMET	Kilometre	Unit of measure that is equal to 1,000 meters.
LITR	Litre	Unit of volume that is equal to a thousand cubic centimetres.
METR	Metre	Unit of length in the metric system, equal to 39.37 inches.
MILE	Mile	Unit of length equal to 1,760 yards.
MILI	MilliLitre	Unit of volume that is equal to one thousandth of a litre.
MMET	Millimetre	Unit of measure that is a thousandth of one metre.
PIEC	Piece	Standard length of cloth, wallpaper, as an item for sale or amount of a substance.
PUND	Pound	Unit of weight equal to 0.454 kilograms.
SCMT	SquareCentimetre	Measure of a surface, one centimetre by one centimetre.
SMET	SquareMetre	Measure of a surface, one metre by one metre.
SMIL	SquareMillimetre	Measure of a surface, one millimetre by one millimetre.
SQFO	SquareFoot	Measure of a surface, one foot by one foot.
SQIN	SquareInch	Measure of a surface, one inch by one inch.
SQKI	SquareKilometre	Measure of a surface, one kilometre by one kilometre.
SQMI	SquareMile	Measure of a surface, one mile by one mile.
SQYA	SquareYard	Measure of a surface, one yard by one yard.
TONS	Ton	Measure of weight, in Britain 2240lb (long ton) and in the US 2000lb (short ton).
USGA	USGallon	Unit of volume that is equal to 8 pints.
USOU	USOunce	Unit of weight equal to a sixteenth of a pound.

Code	Name	Definition
USPI	USPint	Unit of volume that is equal to 473 cubic centimetres.
USQA	USQuart	Unit of volume that is equal to 2 pints.
YARD	Yard	Unit of length equal to 3 feet or 0.9144 metre.

Used in element(s)

["UnitOfMeasure" on page 392](#)

Restricts

["UnitOfMeasureCode" on page 579](#)

6.166 UnitOfMeasureCode

Definition: Identifies the unit of measure by means of a code.

Type: CodeSet

Code	Name	Definition
ACCY	AmountOfCurrency	Number of monetary units specified in a currency, where the unit of currency is explicit and compliant with ISO 4217.
ACRE	Acre	Unit of measure equal to 4, 840 square yards.
ALLOW	Allowances	Amount of money deducted from a price or an amount due.
ARES	Are	Unit of measure equal to a 100 square meters.
BAGG	Bag	Code for a bag.
BALE	Bale	Code for a bale.
BARL	Barrels	Unit of volume that is equal to 42 US gallons.
BCUF	BillionCubicFeet	Unit of measure for large volumes of natural gas equivalent to 28316846 cubic meters.
BDFT	BoardFeet	Measure of length equal to 144 cubic inches.
BOTL	Bottle	Code for a bottle.
BOXX	Box	Code for a box.
BRTU	BritishThermalUnit	Unit of measure of heat required to raise the temperature of one pound of water by one degree Fahrenheit.
BUSL	Bushels	Unit of weight that is equal to 8 gallons. Mostly used for agricultural products with a specification of weight defined for each commodity differently.

Code	Name	Definition
CBIN	CubicInch	Measure of a volume, one inch by one inch by one inch.
CBME	CubicMeters	Unit of volume that is equal to one meter in length, breadth and height or also equal to 1000 liters.
CBML	CubicMillimetre	Unit of volume that is equal to one thousandth of a litre.
CDDA	CoolingDegreeDay	Cooling degree day
CEER	CertifiedEmissionsReduction	Unit of emissions type (or carbon credits) issued by the Clean Development Mechanism (CDM) Executive Board for emission reductions achieved by CDM projects and verified by a DOE (Designated Operational Entity) under the rules of the Kyoto Protocol.
CELI	Centilitre	Unit of volume that is equal to one hundredth of a litre.
CLRT	ClimateReserveTonnes	Unit of offset credits used by the Climate Action Reserve. One Climate Reserve Tonne is equal to one metric ton of Greenhouse Gas (GHG) reduced/sequestered.
CMET	Centimetre	Unit of measure that is equal to one hundredth of a metre.
CNTR	Container	Code for a container.
CPDA	CriticalPrecipitationDay	Critical precipitation day
CRAT	Crate	Code for a crate.
CRTN	Carton	Code for a carton.
DAYS	Days	Unit of time that is equal to 24 hours.
DGEU	DieselGallonEquivalent	Amount of fuel alternative equal to one gallon of diesel.
DMET	DryMetricTons	Unit of weight that is equal to the same mass value as a metric ton excluding moisture.
ENVC	EnvironmentalCredit	Unit of measure for ownership of credit (or allowance) of carbon dioxide emission (in metric ton).
ENVO	EnvironmentalOffset	Unit of measure for reduction of carbon dioxide emission (in metric ton) that may result in Environmental Credit.
FOOT	Foot	Unit of length equal to 1/3 yard.
FUTU	Future	Exchange traded contract that defines an agreement to buy specific quantities of a commodity or financial instrument at an agreed time in the future.
GBFO	GBFuldOunce	Unit of volume equal to 2, 841 306 centilitre.
GBGA	GBGallon	Unit of volume that is equal to 8 pints.

Code	Name	Definition
GBOU	GBOunce	Unit of weight equal to a sixteenth of a pound.
GBPI	GBPint	Unit of volume that is equal to 568 cubic centimetres.
GBQA	GBQuart	Unit of volume that is equal to 2 pints.
GBTN	GBTon	Measure of weight, in Britain 2240 lb (long ton).
GGEU	GasolineGallonEquivalent	Amount of fuel alternative equal to one gallon of gasoline.
GRAM	Gram	Unit of measure that is equal to a 1,000th of a kilo.
GWHO	GigawattHours	Unit of measure that is equal to the power consumption of one Gigawatt during one hour.
HDDA	HeatingDegreeDay	Heating degree day
HECT	Hectare	Unit of measure that is equal to 10,000 square meters.
HUWG	Hundredweight	Unit of weight or mass of various values in the Imperial Unit System also known as quintal, cental or centum.
INCH	Inch	Measure of length equal to 2.54 cm.
IPNT	IndexPoint	Decimal number used to calculate an amount or a price.
KILO	Kilogram	Basic unit of mass in the SI system, 1000 grams.
KMET	Kilometre	Unit of measure that is equal to 1,000 meters.
KMOC	KilowattMinuteCapacity	Unit of measure of the capacity of production of electric power equal to 1000 watt in one minute.
KWDC	KilowattDayCapacity	Unit of measure of the capacity of production of electric power equal to 1000 watt in one day.
KWHC	KilowattHoursCapacity	Unit of measure of the capacity of production of electric power equal to 1000 watt in one hour.
KWHO	KilowattHours	Unit of measure that is equal to the power consumption of one kilowatt during one hour.
KWMC	KilowattMonthCapacity	Unit of measure of the capacity of production of electric power equal to 1000 watt in one month.
KWYC	KilowattYearCapacity	Unit of measure of the capacity of production of electric power equal to 1000 watt in one year.
LITR	Litre	Unit of volume that is equal to a thousand cubic centimetres.

Code	Name	Definition
LOTS	Lot	Indication of the unit of measurement.
MBTU	OneMillionBTU	Unit of measure of heat equal to one million British thermal unit (BTU).
METR	Metre	Unit of length in the metric system, equal to 39.37 inches.
MIBA	MillionBarrels	Unit of volume that is equal to 1 million barrels equivalent to 42.000.000 US gallons.
MILE	Mile	Unit of length equal to 1, 760 yards.
MILI	MilliLitre	Unit of volume that is equal to one thousandth of a litre.
MMET	Millimetre	Unit of measure that is a thousandth of one metre.
MMOC	MegawattMonthCapacity	Unit of measure of the capacity of production of electric power equal to 1000000 watt in one month.
MWDC	MegawattDayCapacity	Unit of measure of the capacity of production of electric power equal to 1000000 watt in one day.
MWHC	MegawattHoursCapacity	Unit of measure of the capacity of production of electric power equal to 1000000 watt in one hour.
MWHO	MegawattHours	Unit of measure that is equal to the power consumption of one megawatt during one hour.
MWMC	MegawattMinuteCapacity	Unit of measure of the capacity of production of electric power equal to 1000000 watt in one minute.
MWYC	MegawattYearCapacity	Unit of measure of the capacity of production of electric power equal to 1000000 watt in one year.
OZTR	TroyOunces	Unit of weight equal to 31.1034768 grams. Used in precious metals.
PIEC	Piece	Standard length of cloth, wallpaper, as an item for sale or amount of a substance.
PUND	Pound	Unit of weight equal to 0.454 kilograms.
PWRD	PrincipalWithRelationToDebtInstrument	Amount of money borrowed, or part of that amount which remains unpaid (excluding interest).
SCMT	SquareCentimetre	Measure of a surface, one centimetre by one centimetre.
SHAS	Shares	Financial instrument that gives the owner right to dividends paid by a company and the most junior claim on the companies assets in the event of a bankruptcy.
SMET	SquareMetre	Measure of a surface, one metre by one metre.

Code	Name	Definition
SMIL	SquareMillimetre	Measure of a surface, one millimetre by one millimetre.
SQFO	SquareFoot	Measure of a surface, one foot by one foot.
SQIN	SquareInch	Measure of a surface, one inch by one inch.
SQKI	SquareKilometre	Measure of a surface, one kilometre by one kilometre.
SQMI	SquareMile	Measure of a surface, one mile by one mile.
SQYA	SquareYard	Measure of a surface, one yard by one yard.
THMS	Therms	Unit of heat, often used a unit of measure for natural gas in the UK.
TOCD	TonsOfCarbonDioxide	Tons of carbon dioxide.
TONE	MetricTons	Unit of mass equal to 1000 kilograms; equivalent to approximately 2,204.6 pounds, 1.102 short tons (US) or 0.984 long tons (imperial).
TONS	Ton	Measure of weight, in Britain 2240lb (long ton)and in the US 2000lb (short ton).
UCWT	USHundredweight	Unit of weight or mass of various values in the US Customary System also known as quintal, cental or centum. Equal to 100 lbs.
USBA	USBarrel	Unit of volume equal to 158, 9873 litre.
USFO	USFluidOunce	Unit of volume equal to 2, 957353 centilitre.
USGA	USGallon	Unit of volume that is equal to 8 pints.
USOU	USOunce	Unit of weight equal to a sixteenth of a pound.
USPI	USPint	Unit of volume that is equal to 473 cubic centimetres.
USQA	USQuart	Unit of volume that is equal to 2 pints.
USTN	USTon	Measure of weight, in the US 2000 lb (short ton).
YARD	Yard	Unit of length equal to 3 feet or 0.9144 metre.

Is restricted by

["UnitOfMeasure1Code"](#) on page 577

6.167 UsagelIdentifierPatternText

Definition: 35 Character Text restricted to the Usage Identifier Pattern. That is, it must be a lower case string of maximum 35 characters containing the following elements separated by period

1. Short issuer organisation (Mandatory)
2. Business context (Mandatory and Repetitive)
3. Version (Mandatory)

Each element must be an alphanumeric string of maximum 10 characters except the Version that must be exactly 2 digits.

This datatype has been created by the Publisher of this Usage Guideline.

Type: Text

Format

maxLength	35
minLength	6
pattern	[a-z0-9]{1,10}\.([a-z0-9]{1,10}\.)*\d\d

6.168 UserInterface2Code

Definition: Type of interface to display a message.

Type: CodeSet

Code	Name	Definition
CDSP	CardholderDisplay	Cardholder display or interface.
MDSP	MerchantDisplay	Merchant display or interface.

Used in element(s)

"DisplayType" on page 155

Restricts

"UserCodeCode" on page 584

6.169 UserInterfaceCode

Definition: Type of user interface to display or print information.

Type: CodeSet

Code	Name	Definition
ACQU	Acquirer	Acquirer.
AGNT	Agent	Agent.

Code	Name	Definition
CDSP	CardholderDisplay	Cardholder display or interface.
CHAP	CardholderApplication	Information dedicated to a software application related to a device belonging to the cardholder.
CLRA	ClearingAgentApplication	Data dedicated to an application maintained by a clearing agent.
CLRL	ClearingAgentLog	Data dedicated to a log maintained by the clearing agent.
CRCP	CardholderReceipt	Cardholder receipt.
CRDO	OtherCardholderInterface	Other interface of the cardholder, for instance e-mail or smartphone message.
DSPU	Dispute	Interface used in case of disputes or chargebacks.
FILE	File	File used to store the message.
ISSR	Issuer	Issuer.
LOGF	Log	Information dedicated to a log file.
MDSP	MerchantDisplay	Merchant display or interface.
MRAP	MerchantApplication	Information dedicated to a software application related to a device belonging to the merchant.
MRCP	MerchantReceipt	Merchant receipt.
MRIN	OtherMerchantInterface	Other interface of the merchant for instance e-mail or smartphone message.
OCAI	OtherClearingAgentInterface	Data dedicated to another interface maintained by the clearing agent.
OSAI	OtherSettlementAgentInterface	Other settlement agent interface.
OTAI	OtherAcquirerInterface	Other type of acquirer interface.
OTHN	OtherNational	Other type of interface defined at national level.
OTHP	OtherPrivate	Other type of interface defined at private level.
OTII	OtherIssuerInterface	Other type of issuer interface.
STLI	SettlementAgent	Settlement agent interface.
TUCR	TopUpCredit	Credit information related to a top-up account.

Is restricted by

"UserInterface2Code" on page 584

6.170 YesNoIndicator

Definition: Indicates a "Yes" or "No" type of answer for an element.

Type: Indicator

Meaning When True: Yes

Meaning When False: No

Used in element(s)

"CommissionWaiverIndicator" on page 420, "Included" on page 49, "LastPageIndicator" on page 259, "PossibleDuplicate" on page 77, "Yielded" on page 497

Legal Notices

Copyright

SWIFT © 2024. All rights reserved.

This material is a component of MyStandards, the SWIFT collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with SWIFT SCRL, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

Confidentiality

This publication may contain SWIFT or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. SWIFT does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of SWIFT or its licensors.

Trademarks and Patents

SWIFT is the trade name of S.W.I.F.T. SCRL. The following are registered trademarks of SWIFT: SWIFT, the SWIFT logo, 3SKey, Innotribe, Sibos, SWIFTNet, MyStandards, SWIFTReady, and Accord. Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.